

I feel...an ardent desire to
see knowledge so disseminated
through the **mass of
mankind** that it
may...reach even the extremes
of society: beggars and kings.

—*THOMAS JEFFERSON,*
REPLY TO AMERICAN PHILOSOPHICAL SOCIETY, 1808

Pushing human-computer interaction research to empower every citizen.

UNIVERSAL USABILITY

In a fair society, all individuals would have equal opportunity to participate in, or benefit from, the use of computer resources regardless of race, sex, religion, age, disability, national origin or other such similar factors.

—ACM CODE OF ETHICS

The goal of universal access to information and communications services is compelling. Enthusiastic networking innovators, business leaders, and government policymakers see opportunities and benefits from widespread usage. But even if they succeed and the economies of scale bring low costs, computing researchers will still have much work to do. They will have to deal with the difficult question: How can information and communications services be made usable for every citizen? Designing for experienced frequent users is difficult enough, but designing for a broad audience of unskilled users is a far greater challenge. Scaling up from a listserv for 100 software engineers to 100,000 schoolteachers to 100,000,000 registered voters will require both inspiration and perspiration.

Designers of older technologies such as postal services, telephones, and television have reached the goal of universal usability, but computing technology is still too difficult to use for many people [9]. One survey of 6,000 computer users found an average of

5.1 hours per week wasted trying to use computers. More time is wasted in front of computers than on highways. The frustration and anxiety of users is growing, and the number of nonusers is still high. Low-cost hardware, software, and networking will bring in many new users, but interface and information design breakthroughs are necessary to achieve higher levels of success.

Universal usability can be defined as having more than 90% of all households as successful users of information and communications services at least once a week. A 1998 survey of U.S. households shows that 42% have computers and 26% use Internet-based email or other services [7]. The French Minitel reaches 21% of residences, but the percentage declines in poorer and less educated areas within the U.S. and in many countries around the world. Cost is an issue for many, but hardware limitations, the perceived usability difficulty, and lack of utility discourages others. If countries are to meet the goal of universal usability, then researchers will have to aggressively address usability issues.

This article presents a research agenda based on three challenges in attaining universal usability for Web-based and other services:

- **Technology variety:** Supporting a broad range of hardware, software, and network access;

 BEN SHNEIDERMAN

Figure 1. Internet use by income circa 1998: Percentage of U.S. households using the Internet is extremely low for low-income citizens and rises dramatically for high-income citizens (Falling Through the Net: Defining the Digital Divide, July 1999, www.ntia.doc.gov).





Figure 2. Internet use by education circa 1998: Percentage of U.S. households using the Internet is extremely low for poorly educated citizens and rises dramatically for well-educated citizens (Falling Through the Net: Defining the Digital Divide, July 1999, www.ntia.doc.gov).



- **User diversity:** Accommodating users with different skills, knowledge, age, gender, disabilities, disabling conditions (mobility, sunlight, noise), literacy, culture, income, and so forth; and
- **Gaps in user knowledge:** Bridging the gap between what users know and what they need to know.

This list may not be complete but it addresses important issues that are insufficiently funded by current initiatives. Research devoted to these challenges will have a broad range of benefits for first-time, intermittent, and frequent users.

The term *universal access* is usually linked to the U.S. Communications Act of 1934 covering telephone, telegraph, and radio services. It sought to ensure “adequate facilities at reasonable charges,” especially in rural areas and prevent “discrimination on the basis of race, color, religion, national origin, or sex.” The term universal access has been applied to computing services, but the greater complexity of computing services means that access is not sufficient to ensure successful usage. Therefore *universal usability* has emerged as an important issue and a topic for computing research. The complexity emerges, in part, from high degree of interactivity that is necessary for information exploration, commercial applications, and creative activities. The Internet is compelling because of its support for interpersonal communications and decentralized initiatives: entrepreneurs can open businesses, journalists can start publications, and citizens can organize political movements.

The increased pressure for universal access and usability is a happy byproduct of the growth of the Internet. Since services such as e-commerce, communication, education, health care, finance, and travel are expanding and users are becoming dependent on them, there is a strong push to ensure that the widest possible audience can participate. Another strong argument for universal usability comes from those who provide access to government information (such as the U.S. Library of Congress’ THOMAS system to provide full texts of bills before the Congress) and the movement toward citizen services at federal, state, and local levels. These services include tax information and filing, social security benefits, passports, voting, licensing, recreation and parks, police and fire departments. Another circle of support includes employment agencies, training centers, parent-teacher associations, public interest groups, community services, and charitable organizations.

Critics of information technology abound, but often they focus on the creation of an information-poor minority—or worse—Internet apartheid. Although the gap in Internet usage has been declining between men and women, and between old and young, the gap is growing between rich and poor (Figure 1) and between well and poorly educated (Figure 2) [1, 7]. Less well documented is the continuing separation between cultural and racial groups, and the low rates of usage by disadvantaged users whose unemployment, homelessness, poor health, or cognitive limitations raise further barriers [10].

There are other criticisms of information and communications systems that should be heard by technology promoters. These include concerns about

breakdown of community social systems, alienation of individuals that leads to crime and violence, loss of privacy, expansion of bureaucracies, and inadequate attention to potential failures (such as loss of power/data). Open public discussion of these issues by way of participatory design strategies and Social Impact Statements might reduce negative and unanticipated side effects.

Technology enthusiasts can be proud of what has been accomplished and by the number of successful Internet users, but deeper insights will come from understanding the problems of frustrated users, and of

procedure, HomeNet participants had trouble connecting to the Internet.”

As attention to the issue of universal access and usability has grown, frameworks for analyzing problems have appeared. Clement and Shade [2] suggest seven layers of analysis: carriage facilities, devices, software tools, content services, service/access provision, literacy/social facilitation, and governance. They see usability as a problem, especially for users with disabilities, and encourage consideration of the wide range of users and needs. Universal usability is sometimes tied to meeting the needs of users who are dis-

Accommodating a broader spectrum of usage situations forces researchers to consider a wider range of designs and often leads to innovations that benefit all users.

those who have stayed away. Each step to broaden participation and reach these forgotten users by providing useful and usable services will bring credit to our profession. A necessary first step is to formulate a research agenda.

Previous Research Agendas

There is growing attention to computing research issues related to universal access and usability. The thoughtful and focused Rand Corporation report on universal access to email [1] made it clear that “better understanding of the capabilities and limitations of current user-computer interfaces is needed.” Similarly, when the National Academy of Science/National Research Council convened a panel on every-citizen interfaces, it recommended “an aggressive research program, funded by government and private sources, that examines both the human performance side of interfaces and the interface technologies, current and potential” [3].

During a well-financed, but controversial study of 48 Pittsburgh-area homes, 133 participants received computers, free network connections, training, and assistance with problems. Even in such optimal conditions a central limitation was the difficulties that users experienced with the services [5]. The researchers wrote “even the easiest-to-use computers and applications pose significant barriers to the use of online services...even with help and our simplified


abled or work in disabling conditions. This important research direction is likely to benefit all users. The adaptability needed for users with diverse physical, visual, auditory, or cognitive disabilities is likely to benefit users with differing preferences, tasks, hardware, and so forth [6]. Plasticity of the interface and presentation independence of the contents both contribute to universal usability.

A Universal Usability Research Agenda

This research agenda focuses on three universal usability challenges: technology variety, user diversity, and gaps in user knowledge. Skeptics caution that accommodating low-end technology, low-ability citizens, and low-skilled users will result in a lowest common denominator system that will be less useful to most users. This dark scenario, called “dumbing down,” is a reasonable fear, but the experience of this author supports a brighter outcome.

I believe that accommodating a broader spectrum of usage situations forces researchers to consider a wider range of designs and often leads to innovations that benefit all users. For example, Web browsers, unlike word processors, reformat text to match the width of the window. This accommodates users with small displays (narrower than 640 pixels), and benefits users with larger displays (wider than 1,024 pixels), who can view more of a Web page with less scrolling. Accommodating narrower (less than 400 pixels) or

Figure 3. The first challenge is to cope with the technology variety by supporting the 100-to-1 range of hardware, software and network access speeds.



wider (more than 1,200 pixels) displays presents the kind of challenge that may push designers to develop new ideas. For example, they could consider reducing font and image sizes for small displays, moving to a multicolumn format for large displays, exploring paging strategies (instead of scrolling), and developing overviews.

A second skeptics' caution, called the innovation restriction scenario, is that attempts to accommodate the low end (technology, ability, or skill) will constrain innovations for the high end. This is again a reasonable caution, but if designers are aware of this concern the dangers seem avoidable. A basic HTML Web page accommodates low-end users, and sophisticated user interfaces using Java applets or Shockwave plug-ins can be added for users with advanced hardware and software, plus fast network connections. New technologies can often be provided as an add-on or plug-in, rather than a replacement. As new technologies become perfected and widely accepted, they become the new standard. Layered approaches have been successful in the past and they are compelling for accommodating a wide range of users. They are easy to implement when planned in advance, but often difficult to retrofit.

Advocates who promote accommodation of disabled users often describe the curb-cut—a scooped out piece of sidewalk to allow wheelchair users to cross streets. Adding curb-cuts after the curbs have been built is expensive, but building them in advance reduces costs because less material is needed. The benefits extend to baby carriage pushers, delivery service workers, bicyclists, and travelers with roller bags. Computer-related accommodations that benefit many users are power switches in the front of computers, adjustable keyboards, and user control over audio vol-

ume, screen brightness, and monitor position.

Automobile designers have long understood the benefits of accommodating a wide range of users. They feature adjustable seats, steering wheels, mirrors, and lighting levels as standard equipment and offer optional equipment for those who need additional flexibility.

Reaching a broad audience is more than a democratic ideal; it makes good business sense. The case for network externalities, the concept that all users benefit from expanded participation, has been made repeatedly. Facilitating access and improving usability expands markets and increases participation of diverse users whose contributions may be valuable to many. Broadening participation is not only an issue of reducing costs for new equipment. As the number of users grows, the capacity to rapidly replace a majority of equipment declines, so strategies that accommodate a wide range of equipment will become even more in demand. With these concerns in mind, a three-part research agenda for universal usability may provoke innovations for all users.

Technology variety requires supporting a broad range of hardware, software, and network access.

The first challenge (Figure 3) is to deal with the pace of technology change and the variety of equipment that users employ. The stabilizing forces of standard hardware, operating systems, network protocols, file formats, and user interfaces are undermined by the rapid pace of technological change. The technological innovators delight in novelty and improved features. They see competitive advantage to advanced designs, but these changes disrupt efforts to broaden audiences and markets. Since limiting progress is usually an unsatisfactory solution, an appealing strategy is to make information content, online services, entertainment, and user interfaces more malleable or adaptable.

The range of processor speeds in use varies by a factor of 1,000 or more. Moore's Law, which states that processor speeds double every 18 months, means that after 10 years the speed of the newest processors are 100 times faster. Designers who wish to take advantage of new technologies risk excluding users with older machines. Similar changes for RAM and hard disk space also inhibit current designers who wish to reach a wide audience. Other hardware improvements such as increased screen size and improved input devices also threaten to limit access. Research on accommodating varying processor speed, RAM, hard disk, screen size, and input devices could help cope with this challenge. How could users run the same calendar program on a handheld device, a laptop, and a wall-sized display?


Another research topic is software to convert interfaces and information across media or devices. For users who wish to get Web page contents read to them over the telephone or for blind users, there are already some services (www.conversa.com), but improvements are needed to speed delivery and extract information appropriately [11]. Accommodating assorted input devices by a universal bus would allow third-party developers to create specialized and innovative devices for users with disabilities or special needs [8].

Software changes are a second concern. As applications programs mature and operating systems evolve, users of current software may find their programs become obsolete because newer versions fail to preserve file format compatibility. Some changes are necessary to support new features, but research is needed on modular designs that promote evolution while ensuring compatibility and bidirectional file conversion. The Java movement is a step in the right direction, since it proposes to support platform independence, but its struggles indicate the difficulty of the problems.

Network access variety is a third problem. Some users will continue to use slower speed (14.4Kbps) dialup modems while others will use 10Mbps cable modems. This 100-fold speedup requires careful planning to accommodate. Since many Web pages contain large graphics, providing user control of byte counts would be advantageous. Most browsers allow users to inhibit graphics, but more flexible strategies are needed. Users should be able to select information-bearing graphics only or reduced byte count graphics, and invoke procedures on the server to compress the image from 300K to 80K or to 20K.

User diversity involves accommodating users with different skills, knowledge, age, gender, disabilities, disabling conditions (mobility, sunlight, noise), literacy, culture, income, and so forth. A second challenge (Figure 4) to broadening participation is the diversity of users [4]. Since skill levels with computing vary greatly, search engines provide a basic and advanced dialogue box for query formulation. Because knowledge levels in an application domain vary greatly, some sites provide two or more versions. For example, the National Cancer Institute provides introductory cancer information for patients and details for physicians. Since children differ from adults in their needs, NASA provides a children's section on its space mission pages. Universities often segment their sites for applicants, current students, or alumni, but then provide links to shared resources of mutual interest. Segmentation creation and management tools would help developers wishing to pursue this strategy.


Similar segmenting strategies can be employed to accommodate users with poor reading skills or users who require other natural languages. While there are some services to automatically convert Web pages to multiple languages (www.altavista.com and www.scn.org/spanish.html, for example) the quality of human translations is much better. Research on tools to facilitate preparation and updating of Web sites in multiple languages would be helpful. For example, if an e-commerce site maintained multiple language versions of a product catalog, then it would be useful to have a tool that facilitated simultaneous changes to a product price (possibly in different currencies), name (possibly in different character sets), or description (possibly tuned to regional variations). A



more difficult problem comes in trying to accommodate users with a wide range of incomes, cultures, or religions. Imagine trying to prepare multiple music, food, or clothing catalogs that were tuned to local needs by emphasizing highly desired products and eliminating offensive items. E-commerce sites that are successful in these strategies are likely to be more widely used.

Another set of issues deals with the wide range of disabilities, or differential capabilities of users. Many systems allow partially sighted users, especially elderly users, to increase the font size or contrast in documents, but they rarely allow users to improve readability in control panels, help messages, or dialogue boxes. Blind users will be more active users of information and communications services if they can receive documents by speech generation or in Braille, and provide input by voice or their customized interfaces. Physically disabled users will eagerly use services if they can connect their customized interfaces to

Figure 5. The third challenge is to bridge the gap between what users know and what they need to know. Many strategies have been proposed but there are few evaluations and validated guidelines.



standard graphical user interfaces, even though they may work at a much slower pace. Cognitively impaired users with mild learning disabilities, dyslexia, poor memory, and other special needs could also be accommodated with modest changes to improve layouts, control vocabulary, and limit short-term memory demands.

Expert and frequent users also have special needs. Enabling customization that speeds high-volume users, macros to support repeated operations, and inclusion of special-purpose devices could benefit many. Research on high-end users could improve interfaces for all users.

Finally, appropriate services for a broader range of users need to be developed, tested, and refined. Corporate knowledge workers are the primary audience for many contemporary software projects, so the interface and information needs of unemployed, homemakers, disabled, or migrant workers, usually get less attention. This has been an appropriate business decision till now, but as the market broadens and key societal services are provided electronically, the forgotten users must be accommodated. For example, Microsoft Word provides templates for marketing plans and corporate reports, but every-citizen interfaces might help with job applications, babysitting cooperatives, or letters to city hall. And what about first aid, 911 emergency services, crime reporting, or poison control on the Web?

The growth of online support communities, medical first-aid guides, neighborhood-improvement councils, and parent-teacher associations will be accelerated as improved interface and information designs are developed. Community-oriented plans for preventing drug or alcohol abuse, domestic violence, or

crime could also benefit from research on interface and information design. Such research is especially important for government Web sites, since their designers are moving toward providing basic services such as driver registration, business licenses, municipal services, tax filing, and eventually voting. Respect for the differing needs of users will do much to attract them to using advanced technologies.

Gaps in user knowledge addresses bridging the gap between what users know and what they need to know. A third challenge (Figure 5) is to bridge the gap between what users know and what they need to know. Many users don't know how to begin, what to chose in dialogue boxes, how to handle system crashes, or what to do about viruses. Strategies include fade-able scaffolding, training wheels, and just-in-time training. Competing theories include minimalism, constructivist, and social construction, but their efficacy needs study.

Users approach new software tools with diverse skills and multiple intelligences. Some users need only a few minutes of orientation to understand the novelties and begin to use new tools successfully. Others need more time to acquire knowledge about the objects and actions in the application domain and the user interface. Research goals include validated guidance on lucid instructions, error prevention, graphical overviews, effective tutorials for novices, constructive help for intermittent users, and compact presentations for experts. Other researchable topics are easily reversible actions and detailed history keeping for review and consultation with peers and mentors. Reliable evidence from systematic logging of usage and observations of users would help greatly. Research on software tools and architectures would enable developers to provide higher quality universal interfaces.

A fundamental interface and information design research problem is how to support evolutionary learning. Proposals for layered designs, progressive disclosure, and comprehensible user-controlled options need to be implemented and tested. Could users begin with an interface that contained only basic features (say 5% of the full system) and become experts at this level within a few minutes? Game designers have created clever introductions that gracefully present new features as users acquire skill. Could similar techniques apply to the numerous features in modern word processors, email handlers, and Web browsers? A good beginning has been made with concepts such as layered implementations and the minimal manual [12], but scaling up and broader application will require further research.

Finally, the provision of online help by way of email, telephone, video conferencing, and shared

screens needs further research and design improvements. There is appealing evidence that social mechanisms among peers such as newsgroups, online communities, and FAQs are helpful, but there is little research that distinguishes among the best and worst of these. Best practices, validated analyses, guidelines, and theories could all be improved through extensive research.

Conclusion

Attaining the benefits of universal access to Web-based and other information, communications, entertainment, and government services will require a more intense commitment to lowering costs, coupled with human-computer interaction research and usability engineering. A starting point for research would be a program that addressed as least the universal usability challenges of technology variety, user diversity, and gaps in user knowledge.

Research could pave the way for broad citizen participation in quality online services and novel social, economic, and political programs. America Online claims "So easy to use, no wonder it's number one." They recognize the centrality of usability, and have done well to make their services usable by many. Their success is admirable in reaching a fraction of the potential audience, but much work remains to achieve the goal of universal usability. **□**

REFERENCES

1. Anderson, R.H., Bikson, T., Law, S.A., and Mitchell, B.M. *Universal access to e-mail: Feasibility and societal implications*. The Rand Corporation, 1995; Santa Monica, CA, www.rand.org/publications/MR/MR650/
2. Clement, A. and Shade, L.R. The Access Rainbow: Conceptualizing universal access to the information/communications infrastructure. In Gurstein, M., Ed., *Community Informatics: Enabling Communities with Information and Communications Technologies*. Idea Publishing, Hershey, PA, 1999.
3. Computer Science and Telecommunications Board (CSTB), National Research Council. *More than Screen Deep: Toward an Every-Citizen*

Interface to the Nation's Information Infrastructure. National Academy Press, Washington, DC, 1997.

4. Kobsa, A. and Stephanidis, C. Adaptable and adaptive information access for all users, including disabled and elderly people. In *Proceedings of the 2nd Workshop on Adaptive Hypertext and Hypermedia*, ACM HYPERTEXT'98 (1998); www.wis.win.tue.nl/ah98/Kobsa.html
5. Kraut, R., Scherlis, W., Mukhopadhyay, T., Manning, J. and Kiesler, S. The HomeNet field trial of residential Internet services. *Commun. ACM* 39, 12 (Dec. 1996), 55–63.
6. Laux, L.F., McNally, P.R., Paciello, M.G., Vanderheiden, G.C. Designing the World Wide Web for people with disabilities: A user centered design approach. In *Proceedings of the Assets '96 Conference on Assistive Technologies*, ACM, NY, (1996), 94–101.
7. National Telecommunications and Information Administration, U.S. Dept. of Commerce. *Falling Through the Net: Defining the Digital Divide*. Washington, DC (July 1999); www.ntia.doc.gov/ntiahome/digitaldivide/
8. Perry, J., Macken, E., Scott, N., and McKinley, J. L. Disability, inability and cyberspace. In *Human Values and the Design of Technology*. B. Friedman, Ed., CSLI Publications and Cambridge University Press, 1997, 65–89.
9. Shneiderman, B. *Designing the User Interface: Strategies for Effective Human-Computer Interaction, Third Edition*. Addison Wesley, Reading, MA, 1998.
10. Silver, D. Margins in the wires: Looking for race, gender, and sexuality in the Blacksburg Electronic Village. In B. Kolko, L. Nakamura, and G. Rodman, Eds., *Race in Cyberspace: Politics, Identity, and Cyberspace*. Routledge, London, 1999.
11. Thomas, J.C., Basson, S., and Gardner-Bonneau, D. Universal design and assistive technology. In D. Gardner-Bonneau, Ed., *Human Factors and Voice Interactive Systems*, Kluwer Academic Publishers, Boston, 1999.
12. van der Meij, H. and Carroll, J.M. Principles and heuristics in designing minimalist instruction. *Technical Communication* (Second Quarter 1995), 243–261.

BEN SHNEIDERMAN (ben@cs.umd.edu) is a professor in the Department of Computer Science, Director of the Human-Computer Interaction Laboratory, and Member of the Institutes for Advanced Computer Studies and for Systems Research, at the University of Maryland at College Park.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, to republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee.

© 2000 ACM 0002-0782/00/0500 \$5.00

Web Resources for Universal Usability

The forthcoming ACM SIGCHI (Special Interest Group on Computer Human Interaction; www.acm.org/sigchi) Research Agenda focuses on design of useful, usable and universal user interfaces. SIGCHI has also promoted diversity with its outreach efforts to seniors, kids, teachers, and international groups. The ACM's SIGCAPH (Special Interest Group on Computers and the Physically Handicapped; www.acm.org/sigcaph) has long promoted accessibility for disabled users and its ASSETS series of conference proceedings (www.acm.org/sigcaph/assets) provides useful guidance. The European conferences on User Inter-

faces for All (www.ics.forth.gr/proj/at-hci/UI4ALL/index.html) also deal with interface design strategies. The Web Accessibility Initiative (www.w3.org/WAI) of the World Wide Web Consortium has a guidelines document with 14 thoughtful content design items to support disabled users and Sun Microsystems offers Java-specific recommendations (www.sun.com/access/). North Carolina State University's Center for Universal Design lists seven key principles (www.design.ncsu.edu/cud/), and the University of Wisconsin's TRACE Center offers links to many resources (trace.wisc.edu/world). **□**