

CMSC 714

Lecture 16

Valgrind and DynInst

Alan Sussman

Notes

- Midterm exam scheduled for Nov. 17
 - move to Tues, Nov. 22?
 - sample exam questions posted soon
- Talk to me after class if you want access to GPU cluster for your project

2

Valgrind

- Framework for building dynamic binary analysis tools
 - works on program binaries
 - instrumentation inserted before the program runs
 - provides basic services that a tool writer can use to perform dynamic analyses
 - basic mechanism is *shadow values*
- Shadow values – heavyweight instrumentation
 - basic idea is to maintain a copy of all program state for an analysis tool to use (and tool can add more state needed for its analysis)
 - 9 requirements, 3 classes
 - shadow state – registers and memory
 - read/write operations – instrument instructions (loads and stores) and system calls – arguments and return values to/from registers/memory, and via pointers
 - allocation/deallocation operations – start-up (registers, static data), system calls (**brk**, **mmap**), stack pointer movement (function call/return), heap (esp. bookkeeping data)
 - transparent execution, but extra output – only effect on instrumented program is extra side-channel output

3

Valgrind

- Tool-specific code plugs into Valgrind core
 - to instrument code fragments that the core passes to it
- Dynamic binary recompilation
 - a tool loads client program, recompiles it a block at a time as the client program executes within Valgrind
 - core disassembles code block into IR, then tool plug-in instruments it, then core converts IR back to machine code to execute
 - can deal with dlls, shared libraries, and dynamically generated code – only problem is self-modifying code
 - disassemble/resynthesize (D&R), vs. copy/annotate (C&A) – claim is that D&R better for heavyweight analyses
 - key issue, and reason for difficulty of implementation, is having the tool/core sharing memory with the (instrumented) client program
- Events system used to inform tools about system call activities not directly visible from IR
 - i.e. what state gets changed in the system call
- One big problem is that thread execution is serialized, to keep updates to main and shadow memory consistent always
 - not clear how to fix this and allow concurrent thread execution
- Tool performance (e.g., Memcheck) similar to that of other equivalent tools

4

DynInst

- C++ class library for binary static and dynamic instrumentation
 - lightweight infrastructure for building dynamic analysis tools
 - differs from earlier instrumentation tools because can work on executing program, and uses machine independent description of inserted code
- Insert *snippets* into one or more client processes
 - at instrumentation *points*
 - *mutator* process inserts snippets into the application program, which was linked with the dyninst runtime library, either before or at runtime
- Implementation for runtime patching uses similar OS services as a debugger, for controlling activity of another process
 - control process execution
 - read/write address space

5

DynInst

- Generate code from snippet calls into machine language of host machine in the mutator, then copy into space allocated in application address space
 - use trampoline code – base tramp with pointers to pre and post code surrounding one relocated instruction from the point of insertion
 - mini-tramp for pre or post code snippet, to save/restore registers and set up arguments for snippet function code
 - multiple snippets can be chained at one point
- Conditional breakpoint example shows power of the method, and how it can reduce execution cost for expensive operations by directly inserting code into the application at runtime

6