

CMSC 714
Lecture 3
Message Passing with
PVM and MPI

Alan Sussman

Notes

- To access papers in ACM or IEEE digital library, must come from a UMD IP address
- Accounts handed out in grades server (grades.cs.umd.edu) for deepthought2 cluster, used for all assignments
- First assignment (MPI) announced by end of this week
- Check Readings page to see when you are assigned to send questions for a lecture
 - Starts for next week's lectures
 - 3-4 questions on average, more is OK
 - by 6PM day before lecture

CMSC714 - F18 - Alan Sussman and Jeffrey K. Hollingsworth

2


PVM

- Provide a simple, free, portable parallel environment
- Run on everything
 - Parallel Hardware: SMP, MPPs, Vector Machines
 - Network of Workstations: Infiniband, Ethernet, ...
 - UNIX machines and PCs running Win32 API
 - Works on a heterogenous collection of machines
 - handles type conversion as needed
- Provides two things
 - message passing library
 - point-to-point messages
 - synchronization: barriers, reductions
 - OS support
 - process creation (pvm_spawn)

CMSC714 - F18 - Alan Sussman and Jeffrey K. Hollingsworth

3

PVM Environment (UNIX)



CMSC714 - F18 - Alan Sussman and Jeffrey K. Hollingsworth

4

PVM Message Passing

- All messages have tags
 - an integer to identify the message
 - defined by the user
- Messages are constructed, then sent
 - pvm_pk{int,char,float}{*var, count, stride}
 - pvm_unpk{int,char,float} to unpack
- All processes are named based on task ids (tids)
 - local/remote processes are the same
- Primary message passing functions
 - pvm_send(tid, tag)
 - pvm_recv(tid, tag)

CMSC714 - F18 - Alan Sussman and Jeffrey K.
Hollingsworth

5

PVM Process Control

- Creating a process
 - pvm_spawn(task, argv, flag, where, ntask, tids)
 - **task** is name of program to start
 - **flag** and **where** provide control of where tasks are started
 - **ntask** determines how many copies are started
 - program must be installed on each target machine
 - returns number of tasks actually started
- Ending a task
 - pvm_exit
 - does not exit the process, just the PVM machine
- Info functions
 - pvm_mytid() - get the process task id

CMSC714 - F18 - Alan Sussman and Jeffrey K.
Hollingsworth

6

PVM Group Operations

- Group is the unit of communication
 - a collection of one or more processes
 - processes join group with pvm_joingroup("<group name>")
 - each process in the group has a unique id
 - pvm_gettid("<group name>")
- Barrier
 - can involve a subset of the processes in the group
 - pvm_barrier("<group name>", count)
- Reduction Operations
 - pvm_reduce(void (*func)(), void *data, int count, int datatype, int msgtag, char *group, int rootinst)
 - result is returned to **rootinst** node
 - does not block
 - pre-defined funcs: PvmMin, PvmMax, PvmSum, PvmProduct

CMSC714 - F18 - Alan Sussman and Jeffrey K.
Hollingsworth

7

PVM Performance Issues

- Messages have to go through PVMD
 - can use *direct route* option to prevent this problem
- Packing messages
 - semantics imply a copy
 - extra function call to pack messages
- Heterogenous Support
 - information is sent in machine independent format
 - has a short circuit option for known homogenous comm.
 - passes data in native format then

CMSC714 - F18 - Alan Sussman and Jeffrey K.
Hollingsworth

8

```

Sample PVM Program

int main(int argc, char **argv) {
    int myGroupNum;
    int friendTid;
    int mytid;
    int tids[2];
    int message[MESSAGESIZE];
    int c,i,okSpawn;

    /* Initialize process and spawn if necessary */
    myGroupNum=pvm_joingroup("ping-pong");
    mytid=pvm_mytid();
    if (myGroupNum==0) { /* I am the first process */
        pvm_catchout(stdout);
        okSpawn=pvm_spawn(MYNAME,argc,0,"&,&friendTid");
        if (okSpawn!=1) {
            printf("Can't spawn a copy of myself\n");
            pvm_exit();
            exit(1);
        }
        tids[0]=mytid;
        tids[1]=friendTid;
    } else { /* I am the second process */
        friendTid=pvm_parent();
        tids[0]=friendTid;
        tids[1]=mytid;
    }
    pvm_barrier("ping-pong",2);

    if (myGroupNum==0) {
        /* Initialize the message */
        for (i=0 ; i<MESSAGESIZE ; i++) {
            message[i]=1;
        }
        /* Now start passing the message back and forth */
        for (i=0 ; i<ITERATIONS ; i++) {
            if (myGroupNum==0) {
                pvm_initsend(PvmDataDefault);
                pvm_pknt(message,MESSAGESIZE,1);
                pvm_send(friendTid,msqid);
                pvm_recv(friendTid,msqid);
                pvm_upknt(message,MESSAGESIZE,1);
            } else {
                pvm_recv(friendTid,msqid);
                pvm_upknt(message,MESSAGESIZE,1);
                pvm_initsend(PvmDataDefault);
                pvm_pknt(message,MESSAGESIZE,1);
                pvm_send(friendTid,msqid);
            }
        }
        pvm_exit();
        exit(0);
    }
}

CMSC714 - F18 - Alan Sussman and Jeffrey K.
Hollingsworth

```

9

MPI

- Goals:

- Standardize previous message passing:
 - PVM, P4, NX (Intel), MPL (IBM), ...
- Support copy-free message passing
- Portable to many platforms – defines an API, not an implementation

- Features:

- point-to-point messaging
- group/collective communications
- profiling interface: every function has a name-shifted version

- Buffering (in standard mode)

- no guarantee that there are buffers
- possible that send will block until receive is called

- Delivery Order

- two sends from same process to same dest. will arrive in order
- no guarantee of fairness between processes on receive

CMSC714 - F18 - Alan Sussman and Jeffrey K.

Hollingsworth

10

MPI Communicators

- Provide a named set of processes for communication
 - plus a context – system allocated unique tag
- All processes within a communicator can be named
 - a communicator is a group of processes and a context
 - numbered from 0...n-1
- Allows libraries to be constructed
 - application creates communicators
 - library uses it
 - prevents problems with posting wildcard receives
 - adds a communicator scope to each receive
- All programs start with MPI_COMM_WORLD
 - Functions for creating communicators from other communicators (split, duplicate, etc.)
 - Functions for finding out about processes within communicator (size, my_rank, ...)

CMSC714 - F18 - Alan Sussman and Jeffrey K.

Hollingsworth

11

Non-Blocking Point-to-point Functions

- Two Parts

- post the operation
- wait for results

- Also includes a poll/test option

- checks if the operation has finished

- Semantics

- must not alter buffer while operation is pending (wait returns or test returns true)
- and data not valid for a receive until operation completes

CMSC714 - F18 - Alan Sussman and Jeffrey K.

Hollingsworth

12

Collective Communication

- Communicator specifies process group to participate
- Various operations, that may be optimized in an MPI implementation
 - Barrier synchronization
 - Broadcast
 - Gather/scatter (with one destination, or all in group)
 - Reduction operations – predefined and user-defined
 - Also with one destination or all in group
 - Scan – prefix reductions
- Collective operations may or may not synchronize
 - Up to the implementation, so application can't make assumptions

CMSC714 - F18 - Alan Sussman and Jeffrey K.
Hollingsworth

13

MPI Calls

- Include <mpi.h> in your C/C++ program
- First call MPI_Init(&argc, &argv)
- MPI_Comm_rank(MPI_COMM_WORLD, &myrank)
 - myrank is set to id of this process (in range 0 to P-1)
- MPI_Wtime()
 - Returns wall time
- At the end, call MPI_Finalize()
 - No MPI calls allowed after this

CMSC714 - F18 - Alan Sussman and Jeffrey K.
Hollingsworth

14

MPI Communication

- Parameters of various calls (in later example)
 - var – a variable (pointer to memory)
 - num – number of elements in the variable to use
 - type {MPI_INT, MPI_REAL, MPI_BYTE, ...}
 - root – rank of process at root of collective operation
 - src/dest – rank of source/destination process
 - status - variable of type MPI_Status;
- Calls (all return a code – check for MPI_Success)
 - MPI_Send(var, num, type, dest, tag, MPI_COMM_WORLD)
 - MPI_Recv(var, num, type, src, MPI_ANY_TAG, MPI_COMM_WORLD, &status)
 - MPI_Bcast(var, num, type, root, MPI_COMM_WORLD)
 - MPI_Barrier(MPI_COMM_WORLD)

CMSC714 - F18 - Alan Sussman and Jeffrey K.
Hollingsworth

15

MPI Misc.

- MPI Types
 - All messages are typed
 - base/primitive types are pre-defined:
 - int, double, real, (unsigned)short, char, long
 - can construct user-defined types
 - includes non-contiguous data types
- Processor Topologies
 - Allows construction of Cartesian & arbitrary graphs
 - May allow some systems to run faster
- Language bindings for C, Fortran, C++, ...
- What else is in current versions of MPI
 - Dynamic process creation
 - Parallel I/O – MPI-IO
 - One-sided communication

CMSC714 - F18 - Alan Sussman and Jeffrey K.
Hollingsworth

16

Sample MPI Program

```
#include "mpi.h"
int main(int argc, char **argv) {
    int myrank, friendRank;
    char message[MESSAGESIZE];
    int i, tag=MSG_TAG;
    MPI_Status status;

    /* Initialize, no spawning necessary */
    MPI_Init(&argc, &argv);
    MPI_Comm_rank(MPI_COMM_WORLD,&myrank);
    if (myrank==0) { /* I am the first process */
        friendRank = 1;
    }
    else { /* I am the second process */
        friendRank=0;
    }
    MPI_Barrier(MPI_COMM_WORLD);
    if (myrank==0) {
        /* Initialize the message */
        for (i=0 ; i<MESSAGESIZE ; i++) {
            message[i]='!';
        }
    }
    /* Now start passing the message back and forth */
    for (i=0 ; i<ITERATIONS ; i++) {
        if (myrank==0) {
            MPI_Send(message, MESSAGESIZE,
                     MPI_CHAR, friendRank, tag,
                     MPI_COMM_WORLD);
            MPI_Recv(message, MESSAGESIZE,
                     MPI_CHAR, friendRank, tag,
                     MPI_COMM_WORLD, &status);
        }
        else {
            MPI_Recv(message, MESSAGESIZE,
                     MPI_CHAR, friendRank, tag,
                     MPI_COMM_WORLD, &status);
            MPI_Send(message, MESSAGESIZE,
                     MPI_CHAR, friendRank, tag,
                     MPI_COMM_WORLD);
        }
    }
    MPI_Finalize();
    exit(0);
}
```

CMSC714 - F18 - Alan Sussman and Jeffrey K.
Hollingsworth

17

For more details

- **PVM –**
http://www.csm.ornl.gov/pvm/pvm_home.html
 - current version is 3.4.6, available for download from ORNL
 - book from MIT Press is *PVM: Parallel Virtual Machine A Users' Guide and Tutorial for Networked Parallel Computing*
- **MPI –**
<http://www.mpi-forum.org>
 - includes both 1.1 and 3.1 documentation (API)
 - 4.0 under development
 - books from MIT Press include *Using MPI* and *MPI: The Complete Reference*
 - multiple public domain implementations available
 - mpich2 – Argonne National Lab and open source team –
<http://www.mpich.org/>
 - OpenMPI (formerly LAM) – large open source team –
<http://www.open-mpi.org>
 - vendor implementations available too (IBM, Cray, ...)
 - for deepthought2 cluster info, see
<http://hpcc.umd.edu/hpcc/help/usage.html>

CMSC714 - F18 - Alan Sussman and Jeffrey K.
Hollingsworth

18