
Announcements

- ❖ Midterm #2 this Wednesday
 - ❖ P5 posted
-

HTML Miscellaneous

- Disclaimer: several of the examples presented in this section are not using XHTML
- Example of formatting tables: **TableExamples.html**
- Example of using tables to define regions: **TablesAndRegions.html**
- Example of customizing an image: **ImageExample.html**
- Example for customizing the background: **BackGroundExample.html**

Applets

- ❑ Applet – Java program that can be run in a browser. The program is represented by a file with the .class extension.
- ❑ Web sites with Java Applets
 - <http://javaboutique.internet.com/javasource/>
 - Sites provide instructions on how to install the applet and the parameters you need to specify.
 - <http://freewarejava.com/>
- ❑ Two main types of Java Applets
 - **Type 1:** You only need one file (a <fileName>.class file)
 - **Type 2:** You need other files besides the main <fileName>.class file). A folder with all the required files needs to be specified.
- ❑ Example: AppletExampleOne (Type 1)
 - Based on <http://javaboutique.internet.com/Mdrain/>
- ❑ Example: AppletExampleTwo (Type 2)
 - Based on <http://javaboutique.internet.com/BallDrop/>

In-Class Discussion (15 minutes)

- Let's go over the in-class discussion