

Test Coverage & Adequacy

- How much testing is enough?
- When to stop testing
- Test data selection criteria
- Test data adequacy criteria
 - Stopping rule
 - Degree of adequacy
- Test coverage criteria
- Objective measurement of test quality

Preliminaries

- Test data selection
 - What test cases
- Test data adequacy criteria
 - When to stop testing
- Examples
 - Statement Coverage
 - Branch coverage
 - Def-use coverage
 - Path coverage

Goodenough & Gerhart ['75]

- What is a software test adequacy criterion
 - Predicate that defines "what properties of a program must be exercised to constitute a thorough test", i.e., one whose successful execution implies no errors in a tested program

Goodenough & Gerhart ['75]

- Reliability requirement
 - "Test criterion always produces consistent test results"
 - If a program tested successfully on one test set that satisfies the criterion, then the program also tested successfully on all test sets that satisfy the criterion
- Validity requirement
 - "Test always produces a meaningful result"
 - For every error in a program, there exists a test set that satisfies the criterion and is capable of revealing the error
- There is no computable criterion that satisfies the above requirements

Uses of test adequacy

- Objectives of testing
- In terms that can be measured
 - For example branch coverage
- Two levels of testing
 - First as a stopping rule
 - Then as a guideline for additional test cases

Categories of Criteria

- Specification based
 - All-combination criterion
 - choices
 - Each-choice-used criterion
- Program based
 - Statement
 - Branch
- Note that in both the above types, the correctness of the output must be checked against the specifications

Others

- Random testing
- Statistical testing
- Interface based

Classification according to underlying testing approach

- Structural testing
 - Coverage of a particular set of elements in the structure of the program
- Fault-based testing
 - Some measurement of the fault detecting ability of test sets
- Error-based testing
 - Check on some error-prone points


Structural Testing

- Program-based structural testing
 - Control-flow based adequacy criteria
 - Statement coverage
 - Branch coverage
 - Path coverage
 - Length-i path coverage
 - Cyclomatic number criterion
 - Set of v independent paths, where $v = e - n + 1$
 - Multiple condition coverage
 - All possible combinations of truth values of predicates
 - Data-flow based adequacy criteria

Structural Testing

- Data-flow based adequacy criteria
 - All definitions criterion
 - Each definition to some *reachable* use
 - All uses criterion
 - Definition to each reachable use
 - All def-use criterion
 - Each definition to each reachable use


Data-flow Testing



All Definitions Criterion


- A set P of execution paths satisfies the all-definitions criterion iff

- for all definition occurrences of a variable x such that
 - there is a use of x , which is feasibly reachable from that definition,
- there is at least one path p in P such that
 - p includes a subpath through which the definition of x reaches some use occurrence of x




All Uses Criterion

- A set P of execution paths satisfies the all-uses criterion iff
 - for all definition occurrences of a variable x and all use occurrences of x ,
 - that the definition feasibly reaches,
 - there is at least one path p in P such that
 - p includes a subpath through which that definition reaches the use



All Uses Criterion



All DU-paths criterion

- A set P of execution paths satisfies the all-DU paths criterion iff
 - for all definitions of a variable x and all paths q through which that definition reaches a use of x ,
 - there is at least one path p in P such that
 - q is a subpath of p and q is cycle-free

Fault-based Adequacy

- Error seeding
 - Introducing artificial faults to estimate the actual number of faults
- Program mutation testing
 - Distinguishing between original and mutants
 - Competent programmer assumption
 - Mutants are close to the program
 - Coupling effect assumption
 - Simple and complex errors are coupled

Subsumption

- Criteria C_1 subsumes criteria C_2 , iff
 - For all programs p being tested with specifications s
 - All test sets t
 - t is adequate according to C_1 for testing p with respect to s implies that t is adequate according to C_2 for testing p with respect to s
- Path subsumes branch
- Path subsumes statement