




Texture

- This isn't described in Trucco and Verri
- Parts are described in:
 - Computer Vision, a Modern Approach by Forsyth and Ponce
 - “Texture Synthesis by Non-parametric Sampling”, by Efros and Leung, Int. Conf. On Comp. Vis. 1999.

Texture


- Edge detectors find differences in overall intensity.
- Average intensity is only simplest difference.





Issues: 1) Discrimination/Analysis

The Goal of Texture Analysis




Compare textures and decide if they're made of the same “stuff”.

(Freeman)

2) Synthesis

The Goal of Texture Synthesis




Many more issues

3. Texture boundary detection.

4. Shape from texture.

We'll focus on 1 and 2.

(www.cmap.polytechnique.fr/~maureen/vasarely3.jpg)



What is texture?

- Something that repeats with variation.
- Must separate what repeats and what stays the same.
- Model as repeated trials of a random process
 - The probability distribution stays the same.
 - But each trial is different.
 - This may be true (eg., pile of objects)
 - Or not really (tile floor).

Simplest Texture

- Each pixel independent, identically distributed (iid).
- Examples:
 - Region of constant intensity.
 - Gaussian noise pattern.
 - Speckled pattern


Matlab

Texture Discrimination is then Statistics

- Two sets of samples.
- Do they come from the same random process?

Simplest Texture Discrimination

- Compare sample distributions (histograms).
 - Divide intensities into discrete ranges.
 - Count how many pixels in each range.




How/why to compare

- Simplest comparison is SSD, many others.
- Can view probabilistically.
 - Histogram is a set of samples from a probability distribution.
 - With many samples it approximates distribution.
 - Test probability samples drawn from same distribution. I.e., is difference greater than expected when two samples come from same distribution?

Matlab

Chi square distance between texton histograms

Chi-square



(Malik)


More Complex Discrimination

- Histogram comparison is very limiting
 - Every pixel is independent.
 - Everything happens at a tiny scale.

Matlab

- Use output of filters of different scales.


Example (Forsyth & Ponce)







vertical filter


Squared responses




Spatially blurred



image



horizontal filter



Threshold squared,
blurred responses,
then categorize
texture based on
those two bits

What are Right Filters?

- Multi-scale is good, since we don't know right scale a priori.
- Easiest to compare assuming independence:

Filter image one: $(F1, F2, \dots)$

Filter image two: $(G1, G2, \dots)$

S means image one and two have same texture.


Approximate: $P(F1, G1, F2, G2, \dots | S)$

By $P(F1, G1 | S) * P(F2, G2 | S) * \dots$

What are Right Filters?


- The more independent the better.
 - In an image, output of one filter should be independent of others.
 - Because our comparison assumes independence.
 - Wavelets seem to be best.



Difference of Gaussian Filters





Spots and Oriented Bars


(Malik and Perona)







Gabor Filters



Gabor filters at different
scales and spatial frequencies

top row shows anti-symmetric
(or odd) filters, bottom row the
symmetric (or even) filters.

$$\cos(k_x x + k_y y) \exp\left\{-\frac{x^2 + y^2}{2\sigma^2}\right\}$$

Matlab

Gabor filters are examples of Wavelets

- We know two bases for images:
 - Pixels are localized in space.
 - Fourier are localized in frequency.
- Wavelets are a little of both.
- Good for measuring frequency locally.

Synthesis with this Representation (Bergen and Heeger)




Figure 2: (Left) Input digitized sample texture: burlled mappa wood. (Middle) Input noise. (Right) Output synthetic texture that matches the appearance of the digitized sample. Note that the synthesized texture is larger than the digitized sample; our approach allows generation of as much texture as desired. In addition, the synthetic textures tile seamlessly.

Bergen and Heeger results




Figure 3: In each pair left image is original and right image is synthetic: stucco, induscent ribbon, green marble, panda fur, slag stone, figured yew wood.

Bergen and Heeger failures




Figure 8: Examples of failures: wood grain and red coral.




Figure 9: More failures: hay and marble.

Markov Model

- Captures local dependencies.
 - Each pixel depends on neighborhood.
- Example, 1D first order model

$$\begin{aligned} P(p_1, p_2, \dots, p_n) &= \\ &P(p_1) * P(p_2|p_1) * P(p_3|p_2, p_1) * \dots \\ &= P(p_1) * P(p_2|p_1) * P(p_3|p_2) * P(p_4|p_3) * \dots \end{aligned}$$

Markov model of Printed English

- From Shannon: “A mathematical theory of communication.”
- Think of text as a 1D texture
- Choose next letter at random, based on previous letters.

- Zero'th order:

XFOML RXKHJFFJUJ ZLPWCFWKCYJ
FFJEYVKCQSGHYD
QPAAMKBZAACIBZIHJQD

- Zero'th order:

XFOML RXKHJFFJUJ ZLPWCFWKCYJ
FFJEYVKCQSGHYD
QPAAMKBZAACIBZIHJQD

- First order:

OCRO HLI RGWR NMIELWIS EU LL
NBNESEBYA TH EEI ALHENHTTPA
OObTTVA NAH BRI

- First order:

OCRO HLI RGWR NMIELWIS EU LL
NBNESEBYA TH EEI ALHENHTTPA
OOBTTVA NAH BRI

- Second order

ON IE ANTSOUTINYS ARE T
INCTORE T BE S DEAMY ACHIN D
ILONASIVE TUCOOWE AT
TEASONARE FUSO TIZIN ANDY
TOBE SEACE CTISBE

- Second order

ON IE ANTSOUTINYS ARE T
INCTORE T BE S DEAMY ACHIN D
ILONASIVE TUCOOWE AT
TEASONARE FUSO TIZIN ANDY
TOBE SEACE CTISBE

Third order:

IN NO IST LAT WHEY CRATICT FROURE
BIRS GROCID PONDENOME OF
DEMONSTURES OF THE REPTAGIN IS
REGOACTIONA OF CRE.

- Zero'th order: XFOML RXKHJFFJUJ
ZLPWCFWKCYJ FFJEYVKCQSGHYD
QPAAMKBZAACIBZIHJQD
- First order: OCRO HLI RGWR NMIELWIS EU
LL NBNESEBYA TH EEI ALHENHTTPA
OOBTTVA NAH BRI
- Second order ON IE ANTSOUTINYS ARE T
INCTORE T BE S DEAMY ACHIN D
ILONASIVE TUCOOWE AT TEASONARE
FUSO TIZIN ANDY TOBE SEACE CTISBE
- Third order: IN NO IST LAT WHEY CRATICT
FROURE BIRS GROCID PONDENOME OF
DEMONSTURES OF THE REPTAGIN IS
REGOACTIONA OF CRE.

Markov models of words

- First order:

REPRESENTING AND SPEEDILY IS AN GOOD APT
OR COME CAN DIFFERENT NATURAL HERE HE
THE A IN CAME THE TO OF TO EXPERT GRAY
COME TO FURNISHES THE LINE MESSAGE HAD
BE THESE.

- Second order:

THE HEAD AND IN FRONTAL ATTACK ON AN
ENGLISH WRITER THAT THE CHARACTER OF
THIS POINT IS THEREFORE ANOTHER METHOD
FOR THE LETTERS THAT THE TIME OF WHO
EVER TOLD THE PROBLEM FOR AN
UNEXPECTED.

Example 1st Order Markov Model

- Each pixel is like neighbor to left + noise with some probability.











Matlab

- These capture a much wider range of phenomena.
 - Think about two images with identical histograms created with `imresize`.


There are dependencies in Filter Outputs

- Edge
 - Filter responds at one scale, often does at other scales.
 - Filter responds at one orientation, often doesn't at orthogonal orientation.
- Synthesis using wavelets and Markov model for dependencies:
 - DeBonet and Viola
 - Portilla and Simoncelli

DeBonet




Portilla and Simoncelli



We can do this without filters

- Each pixel depends on neighbors.
 1. As you synthesize, look at neighbors.
 2. Look for similar neighborhood in sample texture.
 3. Copy pixel from that neighborhood.
 4. Continue.


Efros and Leung



This is like copying, but not just repetition




Photo




Pattern Repeated


With Blocks




Input texture






Random placement
of blocks




Neighboring blocks
constrained by overlap





Minimal error
boundary cut







Failures (Chernobyl Harvest)



Conclusions

- Model texture as generated from random process.
- Discriminate by seeing whether statistics of two processes seem the same.
- Synthesize by generating image with same statistics.

To Think About

- 3D effects
 - Shape: Tiger's appearance depends on its shape.
 - Lighting: Bark looks different with light angle
- Given pictures of many chairs, can we generate a new chair?