

Bibliography on quadrees and related hierarchical data structures *

Hanan Samet

Computer Science Department
University of Maryland
College Park, Maryland 20742

ABSTRACT

This bibliography is an updated version of the one published in ACM Computing Surveys [214].

1. D.J. Abel, Comments on "detection of connectivity for regions represented linearly by quadrees", *Computers and Mathematics with Applications* 10, 2(1983), 167-170. [geometric property measurement]
2. D.J. Abel and J.L. Smith, A data structure and algorithm based on a linearly connected quadtree for a rectangle retrieval problem, *Computer Vision, Graphics, and Image Processing* 24, 1(October 1983), 1-13. [rectangles]
3. D.J. Abel and J.L. Smith, A simple approach to the nearest-neighbor problem for a set of rectangles, *The Australian Computer Journal* 16, 4(November 1984), 140-146. [point data]
4. D.J. Abel and J.L. Smith, A data structure and query algorithm for a database of areal entities, *The Australian Computer Journal* 16, 4(November 1984), 147-153. [region data]
5. N. Ahuja, On approaches to polygonal decomposition for hierarchical image representation, *Computer Vision, Graphics, and Image Processing* 24, 2(November 1983), 200-214. [region representation]
6. N. Ahuja and C. Nash, Octree representations of moving objects, *Computer Vision, Graphics, and Image Processing* 26, 2(May 1984), 207-216. [three-dimensional data]

* This work was supported in part by the National Science Foundation under Grant DCR-83-02118.

- exandridis and A. Klingner, Picture decomposition, tree data-structures, and 0g directional symmetries as node combinations, *Computer Graphics, and Processing* 8, 1(August 1978), 43-77. [region representation]
- Alexandrov and N.D. Grosky, Recursive approach to associative storage of information in data bases, *Proceedings of the Finnish-Soviet Symposium and Application of Data Base Systems*, Turku, Finland, 1980, 271-80 [region representation]
- Alexandrov, N.D. Grosky, and A.O. Polyakov, Recursive algorithms of presentation and processing, Academy of Sciences of the USSR, Leningrad Center, Leningrad, 1979. [region representation]
- Anderson, Techniques for reducing pen plotting time, *ACM Transactions* 2, 3(July 1983), 197-212. [computer graphics; point data]
- Andresen, L.S. Davis, R.D. Eastman, and S. Kambhampati, Visual algorithm autonomous navigation, *Proceedings of the International Conference on St. Louis, March 1985*, 856-861. [three-dimensional data, path planning]
- Arizy, G. Frieder, and G.T. Herman, The theory, design, implementation, of a surface detection algorithm, *Computer Graphics and Image Processing*, 1(January 1981), 1-24. [three-dimensional data]
- Atkinson, I. Gargantini, and T.R.S. Walsh, Counting regions, holes, and ing level in time proportional to their border, *Computer Vision, Graphics, and Processing* 29, 2(February 1985), 196-215. [geometric property measurement]
- vis, A survey of heuristics for the weighted matching problem, *Networks* 3, 3, 475-493. [point data; Euclidean matching]
- Ballard, Strip trees: A hierarchical representation for curves, *Communications of the ACM* 24, 5(May 1981), 310-321 (see also corrigendum, *Communications of the ACM* 25, 3(March 1982), 213). [line data]
- tera and A.M. Vazquez A hierarchical method for representing terrain readings of the *Pecora 9 Symposium on Spatial Information Technologies for Planning Today and Tomorrow*, Sioux Falls, South Dakota, October 1984, [face representation]
- Bauer, Set operations in linear quadrates, *Computer Vision, Graphics, and Processing* 29, 2(February 1985), 248-258. [region data]
1. Bell, B.M. Diaz, F. Holroyd, and M.J. Jackson, Spatially referenced processing raster and vector data, *Image and Vision Computing* 1, 4(November 1983), 211-220. [region representation]
- entley, A survey of techniques for fixed radius near neighbor searching, Report No. 186, Stanford Linear Accelerator Center, Stanford University, CA, August 1975. [point data]
- entley, Multidimensional binary search trees used for associative search- ings of the *ACM* 18, 9(September 1975), 509-517. [point data]
21. J.L. Bentley, Decomposable searching problems, *Information Processing Letters* 8, June 1979, 133-136. [point data]
22. J.L. Bentley, Multi-dimensional divide-and-conquer, *Communications of the ACM* 23, 4(April 1980), 214-229. [point data]
23. J.L. Bentley and J.H. Friedman, Data Structures for range searching, *ACM Computing Surveys* 11, 4(December 1979), 397-409. [point data]
24. J.L. Bentley and H.A. Maurer, A note on Euclidean near neighbor searching in the plane, *Information Processing Letters* 8, 3(March 1979), 133-136. [point data]
25. J.L. Bentley and H.A. Maurer, Efficient worst-case data structures for range searching, *Acta Informatica* 13, 2(1980), 155-168. [point data]
26. J.L. Bentley and J. Saxe, Decomposable searching problems I: static to dynamic transformations, *Journal of Algorithms* 1, (1980), 301-358. [point data]
27. J.L. Bentley and D.F. Stanat, Analysis of range searches in quad trees, *Information Processing Letters* 3, 6(July 1975), 170-173. [point data]
28. J.L. Bentley, D.F. Stanat, and E.H. Williams Jr., The complexity of fixed radius near neighbor searching, *Information Processing Letters* 6, December 1977, 209-212. [point data]
29. P.W. Besslich, Quadtree construction of binary images by dyadic array transformations, *Proceedings of the IEEE Conference on Pattern Recognition and Image Processing*, Las Vegas, 1982, 550-554. [hardware]
30. H. Blum, A transformation for extracting new descriptors of shape, in *Models for the Perception of Speech and Visual Form*, W. Wathen-Dunn, Ed., M.I.T. Press, Cambridge, MA, 1967, 362-380. [medial axis transforms]
31. A. Bolour, Optimality properties of multiple-key hashing functions, *Journal of the ACM* 26, 2(April 1979), 196-210. [point data]
32. R.A. Brooks and T. Lozano-Perez, A subdivision algorithm in configuration space for findpath with rotation, *Proceedings of the Seventh International Joint Conference on Artificial Intelligence*, Karlsruhe, West Germany, August 1983, 799-806. [three-dimensional data, path planning]
33. W.A. Burkhardt, Interpolation-based index maintenance, *BIT* 23, 3(1983), 274-294. [point data]
34. P.J. Burt, Tree and pyramid structures for coding hexagonally sampled binary images, *Computer Graphics and Image Processing* 14, 3(November 1980), 249-270. [pyramids]
35. P.J. Burt, T.H. Hong, and A. Rosenfeld, Segmentation and estimation of image region properties through cooperative hierarchical computation, *IEEE Transactions on Systems, Man, and Cybernetics* 11, 12(December 1981), 802-809. [pyramids]

36. F.W. Burton and J.G. Kollias, Comment on the explicit quadtree as a structure for computer graphics, *Computer Journal* 26, 2(May 1983), 188. [region representation]
37. F.W. Burton, V.J. Kollias, and J.G. Kollias, Expected and worst-case storage requirements for quadtrees, *Pattern Recognition Letters* 3, 2(March 1985), 131-135. [storage requirements]
38. F.W. Burton, J.G. Kollias, and N.A. Alexandridis, Implementation of the exponential pyramid data structure with application to determination of symmetries in pictures, *Computer Vision, Graphics, and Image Processing* 25, 2(February 1984), 218-225. [pyramids]
39. W. Burton, Representation of many-sided polygons and polygonal lines for rapid processing, *Communications of the ACM* 20, 3(March 1977), 166-171. [line data]
40. I. Carlbom, I. Chakravarty, and D. Vanderschel, A hierarchical data structure for representing the spatial decomposition of 3-D objects, *IEEE Computer Graphics and Applications* 5, 4(April 1985), 24-31. [three-dimensional data]
41. W.E. Carlson, An algorithm and data structure for 3D object synthesis using surface patch intersections, *Computer Graphics* 16, 3(July 1982), 255-264 (also *Proceedings of the SIGGRAPH82 Conference*, Boston, July 1982). [surface representation]
42. C.H. Chien and J.K. Aggarwal, A normalized quadtree representation, *Computer Vision, Graphics, and Image Processing* 26, 3(June 1984), 331-346. [three-dimensional data]
43. E. Cohen, T. Lyche, and R. Riesenfeld, Discrete B-splines and subdivision techniques in computer-aided geometric design and computer graphics, *Computer Graphics and Image Processing* 14, 3(October 1980), 87-111. [computer graphics]
44. Y. Cohen, M.S. Landy, and M. Pavel, Hierarchical coding of binary images, *IEEE Transactions on Pattern Analysis and Machine Intelligence* 7, 3(May 1985), 284-298. [coding; approximation]
45. D. Comer, The Ubiquitous B-tree, *ACM Computing Surveys* 11, 2(June 1979), 121-137. [point data]
46. C.I. Connolly, Cumulative generation of octree models from range data, *Proceedings of the International Conference on Robotics*, Atlanta, March 1984, 25-32. [three-dimensional data]
47. B.G. Cook, The structural and algorithmic basis of a geographic data base, in *Proceedings of the First International Advanced Study Symposium on Topological Data Structures for Geographic Information Systems*, G. Dutton, Ed., Harvard Papers on Geographic Information Systems, 1978. [region representation]
48. E. Creutzburg, Complexities of quadtrees and the structure of pictures, Friedrich-Schiller University Technical Report N/81/74, Jena, East Germany, 1981. [storage requirements]
49. S.P. Dandamui and P.G. Sorenson, Performance of a modified k-tree method of Computational Science Report 84-10, University of Saskatchewan, Saskatoon, Canada, 1984. [point data]
50. S.P. Dandamui and P.G. Sorenson, Algorithms for the BD tree: Department of Computational Science Report 84-11, University of Saskatchewan, Saskatoon, Canada, 1984. [point data]
51. S.P. Dandamui and P.G. Sorenson, An empirical performance comparison of some variations of the k-d-tree and BD tree, Department of Computational Science Report 84-13, University of Saskatchewan, Saskatoon, Canada, 1984. [point data]
52. E. Davis, Representing and acquiring geographic knowledge, Ph.D. dissertation, Department of Computer Science, Yale University, New Haven, Connecticut [artificial intelligence; expert systems]
53. L.S. Davis and N. Roussopoulos, Approximate pattern matching in database system, *Information Systems* 5, 2(1980), 107-119. [image process]
54. F. DeCoulon and U. Johnsen, Adaptive block schemes for source black-and-white facsimile, *Electronics Letters* 12, 3(1976), 61-62 (see: *turn, Electronics Letters* 12, 6(1976), 152). [coding; approximation]
55. L. DeFloriani, B. Falcidieno, G. Nagy, and C. Penov, Yet another in triangulation and contouring for automated cartography, *Proceedings of the American Congress on Surveying and Mapping*, American Society of Photogrammetry, F.S. Cardwell, R. Black, and B.M. Cole, Eds., Hollywood, Florida, 1982, [surface representation]
56. R.A. DeMillo, S.C. Eisenstat, and R.J. Lipton, Preserving average product arrays, *Communications of the ACM* 21, 3(March 1978), 228-231. [point data]
57. D. Dobkin and R.J. Lipton, Some generalizations of binary search, *Proceedings of the Sixth SIGACT Symposium on Theory of Computing*, Seattle, April 1976, 316. [point data]
58. D. Dobkin and R.J. Lipton, Multidimensional searching problems, *SIAM Journal on Computing* 5, 2(June 1976), 181-186. [point data]
59. I.J. Doctor and J.G. Torborg, Display techniques for octree-encoded images, *IEEE Computer Graphics and Applications* 1, 1(July 1981), 39-46. [region representation]
60. L. Dorst and R.P.W. Duin, Spirograph theory: a framework for coding on digitized straight lines, *IEEE Transactions on Pattern Analysis and Machine Intelligence* 6, 5(September 1984), 632-639. [line data; computer graphics; image processing]
61. L. Dorst and A.W.M. Smeulders, Discrete representation of straight lines, *Transactions on Pattern Analysis and Machine Intelligence* 6, 4(July 1984), 463. [line data; computer graphics; anti-aliasing]
62. R.O. Duda and P.E. Hart, *Pattern Classification and Scene Analysis*, Wiley-Interscience, New York, 1973. [general]

63. C.R. Dyer, Computing the Euler number of an image from its quadtree, *Computer Graphics and Image Processing* 13, 3(July 1980), 270-276. [region data]
64. C.R. Dyer, A VLSI pyramid machine for parallel image processing, *Proceedings of the IEEE Conference on Pattern Recognition and Image Processing*, Dallas, 1981, 381-386. [hardware]
65. C.R. Dyer, The space efficiency of quadtrees, *Computer Graphics and Image Processing* 19, 4(August 1982), 335-348. [storage requirements]
66. C.R. Dyer, A. Rosenfeld, and H. Samet, Region representation: boundary codes from quadtrees, *Communications of the ACM* 23, 3(March 1980), 171-179. [region data]
67. C.M. Eastman, Representations for space planning, *Communications of the ACM* 13, 4(April 1970), 242-250. [region representation]
68. C.M. Eastman, Optimal bucket size for nearest neighbor searching in k-d-trees, *Information Processing Letters* 12, 4(August 1981), 165-167. [point data]
69. C.M. Eastman and M. Zemanakova, Partially specified nearest neighbor searches using k-d trees, *Information Processing Letters* 15, 2(September 1982), 53-56. [point data]
70. H. Edelsbrunner, Key-problems and key-methods in computational geometry, *Proceedings of the Symposium of Theoretical Aspects of Computer Science*, Paris, 1984, 1-13 (Lecture Notes in Computer Science 166, Springer-Verlag, New York, 1984). [general]
71. H. Edelsbrunner, L.J. Guibas, and J. Stolfi, Optimal point location in a monotone subdivision, to appear in *SIAM Journal on Computing*, 1984. [line data]
72. H. Edelsbrunner and J. van Leeuwen, Multidimensional data structures and algorithms: a bibliography, Institute for Information Processing, Report F104, Technical University of Graz, Graz, Austria, January 1983. [general]
73. R. Fagin, J. Nievergelt, N. Pippenger, and H.R. Strong, Extendible hashing - a fast access method for dynamic files, *ACM Transactions on Database Systems* 4, 3(September 1979), 315-344. [point data]
74. O.D. Faugeras, M. Hebert, P. Mussi, and J.D. Boissonnat, Polyhedral approximation of 3-d objects without holes, *Computer Vision, Graphics, and Image Processing* 25, 2(February 1984), 169-183. [three-dimensional data]
75. O. D. Faugeras and J. Ponce, Prism trees: a hierarchical representation for 3-d objects, *Proceedings of the Eighth International Joint Conference on Artificial Intelligence*, Karlsruhe, West Germany, August 1983, 982-988. [surface representation]
76. B. Faverjon, Obstacle avoidance using an octree in the configuration space of a manipulator, *Proceedings of the International Conference on Robotics*, Atlanta, March 1984, 504-512. [three-dimensional data; path planning]
77. R.A. Finkel and J.L. Bentley, Quad trees: a data structure for retrieval on composite keys, *Acta Informatica* 4, 1(1974), 1-9. [point data]
78. P. Flajolet and C. Puech, Tree structures for partial match retrieval, *Proceedings of the Twenty-fourth Annual IEEE Symposium on the Foundations of Science*, Tucson, November 1983, 282-288. [point data]
79. E. Fredkin, The memory, *Communications of the ACM* 3, 9(September 1960), 490-499. [point data]
80. H. Freeman, Computer processing of line-drawing images, *ACM Computer Surveys* 6, 1(March 1974), 57-97. [line data; region representation]
81. J.H. Friedman, F. Baskett, and L.J. Shustek, An algorithm for finding neighbors, *IEEE Transactions on Computers* 24, 10(October 1975), 1000-1004. [point data]
82. J.H. Friedman, J.L. Bentley, and R.A. Finkel, An algorithm for finding matches in logarithmic expected time, *ACM Transactions on Mathematics* 3, 3(September 1977), 209-226. [point data]
83. I. Gargantini, An effective way to represent quadtrees, *Communications of the ACM* 25, 12(December 1982), 905-910. [region representation]
84. I. Gargantini, Linear octrees for fast processing of three dimension *Computer Graphics and Image Processing* 20, 4(December 1982), 365-374. [point data]
85. I. Gargantini, Detection of connectivity for regions represented by linear octrees, *Computers and Mathematics with Applications* 8, 4(1982), 401-406. [geometric property measurement]
86. I. Gargantini, Translation, rotation, and superposition of linear octrees, *International Journal of Man-Machine Studies* 18, 3(March 1983), 253-266. [point graphics]
87. P.C. Gaston and T. Lozano-Perez, Tactile recognition and localization of objects: the case of polyhedra on a plane, *IEEE Transactions on Systems, Man, and Cybernetics* 14, 3(May 1984), 257-266. [three-dimensional data]
88. L. Gibson and D. Lucas, Vectorization of raster images using hierarchical methods, *Computer Graphics and Image Processing* 20, 1(September 1982), 1-12. [region representation]
89. R. Gillespie and W.A. Davis, Tree data structures for graphics and image processing, *Proceedings of the Seventh Conference of the Canadian Man-Computer Communications Society*, Waterloo, Canada, June 1981, 155-161. [region representation]
90. A.S. Glassner, Space subdivision for fast ray tracing, *IEEE Computer Graphics and Applications* 4, 10(October 1984), 15-22. [ray tracing; computer graphics]
91. D. Gomez and A. Guzman, Digital model for three-dimensional representation, *Geo-Processing*, 1(1979), 53-70. [surface representation]

92. W.I. Grosky, M. Li, and R. Jain, A bottom-up approach to constructing quad-trees from binary arrays, Computer Science Report CSC-81-011, Wayne State University, Detroit, MI, 1981. [region data]
93. W.I. Grosky and R. Jain, hOptimal quadtrees for image segments, *IEEE Transactions on Pattern Analysis and Machine Intelligence* 5, 1(January 1983), 77-83. [storage requirements]
94. B. Grunbaum and G.C. Shephard, The eighty-one types of isohedral tilings in the plane, *Proceedings of the Cambridge Philosophical Society* 82, (1977), 177-196. [region representation]
95. H. Gutting and H.P. Kriegel, Multidimensional B-trees: an efficient dynamic file structure for exact match queries, *Informatik Fachberichte* 33, (1980), 375-388. [point data]
96. H. Gutting and H.P. Kriegel, Dynamic k-dimensional multiway search under time-varying access frequencies, Lecture Notes in Computer Science 104, (1981), 135-145. [point data]
97. R.M. Haralick, Some neighborhood operations, in *Real Time/Parallel Computing Image Analysis*, M. Ohoe, K. Preston, and A. Rosenfeld, Eds., Plenum Press, New York, NY, 1981. [geometric property measurement]
98. D.M. Haridas and S.N. Srihari, Progressive refinement of 3-d images using coded binary trees: algorithms and architecture, *IEEE Transactions on Pattern Analysis and Machine Intelligence* 6, 6(November 1984), 748-757. [coding; approximation]
99. T.C. Henderson and E. Triendi, Storing feature descriptions as 2-d trees, *Proceedings of Pattern Recognition and Image Processing* 82, Las Vegas, Nevada, 1982, 555-556. [image processing]
100. K. Hinrichs and J. Niewergel, The Grid File: a data structure to support proximity queries on spatial objects, Report 54, Institut für Informatik, ETH, Zürich, July 1983. [point data]
101. D.S. Hirschberg, On the complexity of searching a set of vectors, *SIAM Journal on Computing* 9, 1(February 1980), 126-129. [line data]
102. C.A.R. Hoare, Notes on data structuring, in *Structured Programming*, O.J. Dahl, E.W. Dijkstra, and C.A.R. Hoare, Eds., Academic Press, London, 1972, 154. [general]
103. S.I. Horowitz and T. Pavlidis, Picture segmentation by a tree traversal algorithm, *Journal of the ACM* 23, 2(April 1976), 368-388. [image processing]
104. M. Hoshi and T. Yuba, A counter example to a monotonicity property of k-d trees, *Information Processing Letters* 15, 4(October 1982), 169-173. [point data]
105. D.A. Huffman, A method for the construction of minimum-redundancy codes, *Proceedings of the IRE* 40, 9(September 1952), 1098-1101. [coding]
106. G.M. Hunter, Efficient computation and data structures for graph dissertation, Department of Electrical Engineering and Computer Science, University, Princeton, NJ, 1978. [region representation; computer graphics]
107. G.M. Hunter and K. Steiglitz, Operations on images using quad trees, *Transactions on Pattern Analysis and Machine Intelligence* 1, 2(April 1979), 153. [region representation; computer graphics]
108. G.M. Hunter and K. Steiglitz, Linear transformation of pictures re by quad trees, *Computer Graphics and Image Processing* 10, 3(July 1979), 296. [region representation; computer graphics]
109. H.A.H. Ibrahim, The connected component labeling algorithm on the VON supercomputer, *Proceedings of the Workshop on Computer Vision: Recognition and Control*, Annapolis, April 1984, 37-45. [hardware; geometric measurement]
110. T. Ichikawa, A pyramidal representation of images and its feature capability, *IEEE Transactions on Pattern Analysis and Machine Intelligence* 1981), 257-264. [region representation]
111. M.G.B. Ismail and R. Steele, Adaptive pel location coding for bilevel signals, *Electronics Letters* 16, 10(May 8, 1980), 361-363. [coding; approxi- mation]
112. C.L. Jackins and S.L. Tanimoto, Oct-trees and their use in representing three-dimensional objects, *Computer Graphics and Image Processing* 1980), 249-270. [three-dimensional data]
113. C. Jackins and S.L. Tanimoto, Quad-trees, oct-trees, and k-trees - a unified approach to recursive decomposition of Euclidean space, *IEEE Trans Pattern Analysis and Machine Intelligence* 5, 5(September 1983), 533-537. [representation]
114. L. Jones and S.S. Iyengar, Space and time efficient virtual quadtree representations on Pattern Analysis and Machine Intelligence 6, 2(March 1984), 247. [region representation]
115. E. Kawaguchi and T. Endo, On a method of binary picture representation and its application to data compression, *IEEE Transactions on Pattern Analysis and Machine Intelligence* 2, 1(January 1980), 27-35. [region representation]
116. E. Kawaguchi, T. Endo, and J. Matsunaga, Depth-first expression from digital picture processing, *IEEE Transactions on Pattern Analysis and Machine Intelligence* 5, 4(July 1983), 373-384. [region representation]
117. E. Kawaguchi, T. Endo, and M. Yokota, DF-expression of binary picture and its relation to other pyramidal representations, *Proceedings of International Conference on Pattern Recognition*, Miami Beach, December 822-827. [region representation]
118. G. Kedem, The Quad-CLF tree: a data structure for hierarchical algorithms, TR 91, Computer Science Department, The University of Rochester, New York, September 1981. [rectangles]

119. M.D. Kelly, Edge detection in pictures by computer using planning, *Machine Intelligence* 6(1971), 397-409. [image processing]
120. D. Kirkpatrick, Optimal search in planar subdivisions, *SIAM Journal on Computing* 12, 1(February 1983), 28-35. [line data]
121. A. Klinger, Patterns and Search Statistics, in *Optimizing Methods in Statistics*, J.S. Rustagi, Ed., Academic Press, New York, 1971, 303-337. [region representation]
122. A. Klinger and C.R. Dyer, Experiments in picture representation using regular decomposition, *Computer Graphics and Image Processing* 5, 1(March 1976), 68-105. [region representation]
123. A. Klinger and M.L. Rhodes, Organization and access of image data by areas, *IEEE Transactions on Pattern Analysis and Machine Intelligence* 1, 1(January 1979), 50-60. [region representation]
124. G.D. Knott, Expandable open addressing hash table storage and retrieval, *Proceedings of SIGFIDET Workshop on Data Description, Access, and Control*, San Diego, November 1971, 187-206. [point data]
125. K. Knowlton, Progressive transmission of grey-scale and binary pictures by simple, efficient, and lossless encoding schemes, *Proceedings of the IEEE* 68, 7(July 1980), 885-896. [loading: approximation]
126. D.E. Knuth, *The Art of Computer Programming*, vol. 3, *Sorting and Searching*, Addison-Wesley, Reading, MA, 1973. [general]
127. P. Koistinen, M. Tamminen, and H. Samet, Viewing solid models by bintree conversion, *Proceedings of the EUROGRAPHICS'85 Conference*, Nice, September 1985. [CSG: three-dimensional data]
128. T.L. Kunii, T. Satoh, and K. Yamaguchi, Generation of topological boundary representations from octree encoding, *IEEE Computer Graphics and Applications* 5, 3(March 1985), 29-38. [three-dimensional data]
129. J.P. Lawton, D.M. Mark, L. Kikuchi, and J.A. Guevara, Two-dimensional run-encoding for quadtree representation, *Computer Vision, Graphics, and Image Processing* 30, 1(April 1985), 56-69. [region representation]
130. D.T. Lee and B.J. Shacter, Two algorithms for constructing a Delaunay triangulation, *International Journal of Computer and Information Sciences* 9, 3(June 1980), 219-242. [point data]
131. D.T. Lee and C.K. Wong, Worst-case analysis for region and partial region searches in multidimensional binary search trees and quad trees, *Acta Informatica* 9, 1(1977), 23-29. [point data]
132. D.T. Lee and C.K. Wong, Quinary trees: a file structure for multidimensional database systems, *ACM Transactions on Database Systems* 5, 4(September 1980), 339-353. [point data]
133. P. Lefebvre, Transmission d'images à bas débit pour un système de cation téléphonique adapté aux sourds, Thèse de docteur-ingénieur, Université Paris-Sud, Paris, September 1983. [region representation]
134. M. Li, W.I. Grosky, and R. Jain, Normalized quadtrees with respect relations, *Computer Graphics and Image Processing* 20, 1(September 1982) [storage requirements]
135. J. Linn, General methods for parallel searching, Technical Report 8 Systems Laboratory, Stanford University, Stanford, CA, May 1973. [point data]
136. R.J. Lipton and R.E. Tarjan, Application of a planar separator, *Proceedings of the Eighteenth Annual IEEE Symposium on the Foundation of Computer Science*, Providence, October 1977, 162-170. [point data]
137. W. Litwin, Linear hashing: a new tool for file and table addressing, *Proceedings of the Sixth International Conference on Very Large Data Bases*, Morrocco, 1980, 212-223. [point data]
138. T. Lozano-Perez, Automatic planning of manipulator transfer motions, *IEEE Transactions on Systems, Man, and Cybernetics* 11, 10(October 1981), 698. [three-dimensional data; path planning]
139. G. Lueker, A data structure for orthogonal range queries, *Proceedings of the Symposium on Foundations of Computer Science*, IEEE, October 1978, 28-33. [point data]
140. V.Y. Lum, Multi-attribute retrieval with combined indexes, *Communications of the ACM* 13, 11(November 1970), 660-665. [point data]
141. R. Lumia, I. Shapiro, and O. Zuniga, A new connected components algorithm for virtual memory computers, *Computer Vision, Graphics, and Image Processing* 22, 2(May 1983), 287-300. [geometric property measurement]
142. R. Lumia, A new three-dimensional connected components algorithm, *Computer Vision, Graphics, and Image Processing* 23, 2(August 1983), 145-155. [geometric property measurement]
143. E.M. McCreight, Priority search trees, *SIAM Journal on Computing* 14, 1(January 1985), 257-276. [rectangles]
144. D.M. McKeown Jr. and J.L. Denlinger, Map-guided feature extraction from aerial imagery, *Proceedings of the Workshop on Computer Vision: Representation and Control*, Annapolis, April 1984, 205-213. [image processing]
145. D.M. Mark and D.J. Abel, Linear quadtrees from vector representations of polygons, *IEEE Transactions on Pattern Analysis and Machine Intelligence* 6, 3(May 1984), 344-349. [region data]
146. J.J. Martin, Organization of geographical data with quad trees and square approximation, *Proceedings of the IEEE Conference on Pattern Recognition and Image Processing*, Las Vegas, 1982, 458-463. [line data]

147. T. Matsuyama, L.V. Hao, and M. Nago, A file organization for geographic information systems based on spatial proximity, *Computer Vision, Graphics, and Image Processing* 26, 3(June 1984), 303-318. [region data]
148. D. Meagher, Geometric modeling using octree encoding, *Computer Graphics and Image Processing* 19, 2(June 1982), 129-147. [three-dimensional data]
149. D. Meagher, The Solids engine: a processor for interactive solid modeling, *Proceedings of the MICOGRAPIH '84 Conference*, Tokyo, November 1984. [three-dimensional data]
150. K. Mehlhorn, *Multi-dimensional Searching and Computational Geometry*, Springer-Verlag, Berlin, 1984. [point data]
151. T.H. Merritt, Multidimensional paging for efficient database querying, *Proceedings of the International Conference on Management of Data*, Milan, June 1978, 277-289. [point data]
152. T.H. Merritt and E.J. Otoo, Dynamic multipaging: a storage structure for large shared data banks, in *Improving Database Usability and Responsiveness*, P. Scheuermann, Ed., Academic Press, New York, 1982, 237-254. [point data]
153. R.D. Merrill, Representations of contours and regions for efficient computer search, *Communications of the ACM* 16, 2(February 1973), 69-82. [line data]
154. D.J. Millford and P.C. Willis, Quad encoded display, *IEE Proceedings* 131, E3(May 1984), 70-75. [hardware]
155. G.M. Morton, A computer oriented geodetic data base and a new technique in file sequencing, IBM Ltd., Ottawa, Canada, 1966. [region representation]
156. S.P. Mudur and P.A. Kopardar, Interval methods for processing geometric objects, *IEEE Computer Graphics and Applications* 4, 2(February 1984), 7-17. [general]
157. G. Nagy and S. Wagle, Geographic data processing, *ACM Computing Surveys* 11, 2(June 1979), 139-181. [line data]
158. J. Nievergelt, H. Hinterberger, and K.C. Sevcik, The Grid File: an adaptable, symmetric multikley file structure, *ACM Transactions on Database Systems* 9, 1(March 1984), 38-71. [point data]
159. J. Nievergelt and F.P. Preparata, Plane-sweep algorithms for intersecting geometric figures, *Communications of the ACM* 25, 10(October 1982), 739-746. [line data]
160. N.I. Nilsson, A mobile automaton: an application of artificial intelligence techniques, *Proceedings of the First International Joint Conference on Artificial Intelligence*, Washington D.C., 1969, 509-520. [artificial intelligence]
161. M.A. Oliver, Two display algorithms for octrees, in *Proceedings of the EUROGRAPHICS'84 Conference*, K. Bo and H.A. Tucker, Eds., North-Holland, 1984, 251-264. [three-dimensional data]
162. M.A. Oliver, T.R. King, and N.E. Wiseman, Quadtree scan conversion, *Proceedings of the EUROGRAPHICS'84 Conference*, K. Bo and H.A. Tucker, North-Holland, 1984, 265-276. [region data]
163. M.A. Oliver and N.E. Wiseman, Operations on quadtree-encoded images, *Computer Journal* 26, 1(February 1983), 83-91. [region representation]
164. M.A. Oliver and N.E. Wiseman, Operations on quadtree leaves and image areas, *Computer Journal* 26, 4(November 1983), 375-380. [region representation]
165. J.O. Omolayole and A. Klinger, A hierarchical data structure scheme for pictorial information systems, S.K. Chang and K.S. Springer-Verlag, 1980. [region representation]
166. J.A. Orenstein, Multidimensional trees used for associative search, *Information Processing Letters* 14, 4(June 1982), 150-157. [point data]
167. J.A. Orenstein, A dynamic hash file for random and sequential access, *Proceedings of the Sixth International Conference on Very Large Databases*, October 1983, 132-141. [point data]
168. J.A. Orenstein and T.H. Merritt, A class of data structures for searching, *Proceedings of the Third ACM SIGACT-SIGMOD Symposium on Principles of Database Systems*, Waterloo, April 1984, 181-190. [point data]
169. J. O'Rourke, Dynamically quantized spaces for focusing, *Proceedings of the Sixth International Joint Conference on Artificial Intelligence*, Vancouver, August 1981, 737-739. [point data]
170. J. O'Rourke and K.R. Sloan Jr., Dynamic quantization: two data structures for multidimensional squares, *IEEE Transactions on Pattern Recognition and Machine Intelligence* 6, 3(May 1984), 266-280. [point data]
171. T. Ottmann and D. Wood, 1-2 brother trees or AVL trees revisited, *Journal of Computer Science* 23, 3(August 1980), 248-255. [point data]
172. M. Ouksel and P. Scheuermann, Storage mappings for multidimensional dynamic hashing, *Proceedings of the Second ACM SIGACT-SIGMOD Symposium on Principles of Database Systems*, Atlanta, March 1983, 90-105. [point data]
173. M.H. Overmars, *The Design of Dynamic Data Structures*, Lecture Notes in Computer Science 156, Springer-Verlag, New York, 1983. [point data]
174. M.H. Overmars and J. van Leeuwen, Dynamic multidimensional structures based on quad- and k-d trees, *Acta Informatica* 17, 3(1982), 267-280. [point data]
175. C.M. Park and A. Rosenfeld, Connectivity and genus in three-dimensional images, *Computer Science TR-156*, University of Maryland, College Park, MD, 1978. [geometric property measurement]

176. F. Peters, An algorithm for transformations of pictures represented by quadrants, to appear in *Computer Vision, Graphics, and Image Processing* (also Department of Mathematics and Computing Science, Eindhoven University of Technology, Eindhoven, The Netherlands, 1984). [region representation; computer graphics]
177. T. Peucker, A theory of the cartographic line, *International Yearbook of Cartography* 16, 1976, 134-143. [line data]
178. D.J. Pequet, Raster processing: an alternative approach to automated cartographic data handling, *American Cartographer* 6 2(April 1979), 129-139. [region data]
179. D.J. Pequet, A hybrid data structure for the storage and manipulation of very large spatial data sets, *Computer Vision, Graphics, and Image Processing* 24, 1(October 1983), 14-27. [region data]
180. J.L. Praltz and A. Rosenfeld, Computer representation of planar regions by their skeletons, *Communications of the ACM* 10, 2(February 1967), 119-122. [line-dial axis transforms]
181. M. Pietkainen, A. Rosenfeld, and I. Walter, Split-and-link algorithms for image segmentation, *Pattern Recognition* 15, 4(1982), 287-298. [pyramids]
182. C. Puech and H. Yahia, Quadrees, octrees, hypertrees: a unified analytical approach to tree data structures used in graphics, geometric modeling, and image processing, *Proceedings of the Symposium on Computational Geometry*, Baltimore, June 1985, 272-280. [region data]
183. V.V. Raghavan and C.T. Yu, A note on a multidimensional searching problem, *Information Processing Letters* 6, 4(August 1977), 133-135. [point data]
184. V. Raman and S.S. Iyengar, Properties and applications of forests of quadrees for pictorial data representation, *BIT* 23, 4(1983), 472-486. [region data]
185. S. Ranade, Use of quadrees for edge enhancement, *IEEE Transactions on Systems, Man, and Cybernetics* 11, 5(May 1981), 370-373. [image processing]
186. S. Ranade, A. Rosenfeld, and J.M.S. Prewitt, Use of quadrees for image segmentation, *Computer Science TR-878*, University of Maryland, College Park, MD, February 1980. [image processing]
187. S. Ranade, A. Rosenfeld, and H. Samet, Shape approximation using quadrees, *Pattern Recognition* 15, 1(1982), 31-40. [image processing]
188. S. Ranade and M. Shneier, Using quadrees to smooth images, *IEEE Transactions on Systems, Man, and Cybernetics* 11, 5(May 1981), 373-376. [image processing]
189. D.R. Reddy and S. Rubin, Representation of three-dimensional objects, CMU-CS-78-113, Computer Science Department, Carnegie-Mellon University, Pittsburgh, April 1978. [three-dimensional data]
190. E.M. Reingold and R.E. Tarjan, On the greedy heuristic for compiling, *SIAM Journal on Computing* 10, 4(November 1981), 676-681. [point-dclidean matching]
191. A.A.G. Requicha, Representations of rigid solids: theory, methods, and algorithms, *ACM Computing Surveys* 12, 4(December 1980), 437-464. [three-dimensional data]
192. W.C. Rheinboldt and C.K. Mesztenyi, On a data structure for adaptive element mesh refinements, *ACM Transactions on Mathematical Software* 6, 1(1980), 166-187. [numerical analysis]
193. E.M. Riseman and M.A. Arbib, Computational techniques in the representation of static scenes, *Computer Graphics and Image Processing* 1977, 221-276. [image processing]
194. J.T. Robinson, The k-d-B-tree: a search structure for large multidimensional indexes, *Proceedings of the SIGMOD Conference*, Ann Arbor April 1981, 10-18. [point data]
195. J.B. Rosenberg, Geographical data structures compared: a study of structures supporting region queries, *IEEE Transactions on Computer-Aided Design* 3, 1(January 1985), 53-67. [rectangles]
196. A. Rosenfeld, Ed., *Multiresolution Image Processing and Analysis*, Springer-Verlag, Berlin, 1983. [general]
197. Rosenfeld, A., Picture processing 1984, *Computer Vision, Graphics, and Image Processing* 26, 3(June 1984), 347-384. [general]
198. A. Rosenfeld and A.C. Kak, *Digital Picture Processing*, Second Edition, Academic Press, New York, 1982. [general]
199. A. Rosenfeld and J.L. Praltz, Sequential operations in digital image processing, *Journal of the ACM* 13, 4(October 1966), 471-494. [image processing]
200. A. Rosenfeld, H. Samet, C. Shaffer, and R.E. Webber, Application of quadrees to geographical information systems, *Computer Science TR-1197*, University of Maryland, College Park, MD, June 1982. [geographical information systems]
201. A. Rosenfeld, H. Samet, C. Shaffer, and R.E. Webber, Application of quadrees to geographical information systems phase II, *Computer Science TR-1327*, University of Maryland, College Park, MD, September 1983. [information systems]
202. S.D. Roth, Ray casting for modeling solids, *Computer Graphics and Image Processing* 18, 2(February 1982), 109-144. [computer graphics]
203. D. Rutovitz, G.C. Cheng et al., Eds., *Thompson Book Co.*, Wash DC, 1968, 105-133. [region representation]

204. H. Samet, Region representation: quadrees from boundary codes, *Communications of the ACM* 23, 3(March 1980), 163-170. [region data]
205. H. Samet, Region representation: quadrees from binary arrays, *Computer Graphics and Image Processing* 13, 1(May 1980), 88-93. [region data]
206. H. Samet, Deletion in two-dimensional quad trees, *Communications of the ACM* 23, 12(December 1980), 703-710. [point data]
207. H. Samet, An algorithm for converting rasters to quadrees, *IEEE Transactions on Pattern Analysis and Machine Intelligence* 3, 1(January 1981), 93-95. [region data]
208. H. Samet, Connected component labeling using quadrees, *Journal of the ACM* 28, 3(July 1981), 487-501. [geometric property measurement]
209. H. Samet, Computing perimeters of images represented by quadrees, *IEEE Transactions on Pattern Analysis and Machine Intelligence* 3, 6(November 1981), 683-687. [geometric property measurement]
210. H. Samet, Neighbor finding techniques for images represented by quadrees, *Computer Graphics and Image Processing* 18, 1(January 1982), 37-57. [region data]
211. H. Samet, Distance transform for images represented by quadrees, *IEEE Transactions on Pattern Analysis and Machine Intelligence* 4, 3(May 1982), 298-303. [medial axis transforms]
212. H. Samet, A quadtree medial axis transform, *Communications of the ACM* 26, 9(September 1983), 680-693 (see also corrigendum, *Communications of the ACM* 27, 2(February 1984), 151). [medial axis transforms]
213. H. Samet, Algorithms for the conversion of quadrees to rasters, *Computer Vision, Graphics, and Image Processing* 26, 1(April 1984), 1-16. [region data]
214. H. Samet, The quadtree and related hierarchical data structures, *ACM Computing Surveys* 16, 2(June 1984), 187-260. [general]
215. H. Samet, A top-down quadtree traversal algorithm, *IEEE Transactions on Pattern Analysis and Machine Intelligence* 7, 1(January 1985), 94-98 (also University of Maryland Computer Science TR-1237). [region data]
216. H. Samet, Reconstruction of quadrees from quadtree medial axis transforms, *Computer Vision, Graphics, and Image Processing* 29, 3(March 1985), 311-328 (also University of Maryland Computer Science TR-1224). [medial axis transforms]
217. H. Samet, Data structures for quadtree approximation and compression, *Communications of the ACM* 28, 9(September 1985), 973-993 (also University of Maryland Computer Science TR-1209). [coding; approximation]
218. H. Samet and A. Rosenfeld, Quadtree structures for image processing, *Proceedings of the Fifth International Conference on Pattern Recognition*, Miami Beach, December 1980, 815-818. [region data]
219. H. Samet, A. Rosenfeld, C. Shaffer, and R.E. Webber, Quadtree representation in cartography: experimental results, *IEEE Transactions on Man, and Cybernetics* 13, 6(November/December 1983), pp. 1148-1154. [ic information systems]
220. H. Samet, A. Rosenfeld, C. Shaffer, and R.E. Webber, A geographic information system using quadrees, *Pattern Recognition* 17, 6(November/December 1984), 647-656. [geographic information systems]
221. H. Samet, A. Rosenfeld, C.A. Shaffer, R.C. Nelson, and Y.G. Huang, tion of hierarchical data structures to geographical information systems, *Computer Science TR 1457*, University of Maryland, College Park, MD, 1984. [geographic information systems]
222. H. Samet and C.A. Shaffer, A model for the analysis of neighbor pointer-based quadrees, *IEEE Transactions on Pattern Analysis and Machine Intelligence* 7, 6(November 1985) (also University of Maryland Computer Science TR 1432). [region data]
223. H. Samet, C.A. Shaffer, and R.E. Webber, The segment quadtree: quadtree-based representation for linear features, *Proceedings of Computer Graphics and Image Processing* 85, San Francisco, June 1985, 385-389. [line data]
224. H. Samet and M. Tamminen, Efficient component labeling of image binary dimension, *Computer Science TR-1480*, University of Maryland Park, MD, February 1985 (subseries TR-1420). [geometric property measurement]
225. H. Samet and M. Tamminen, Computing geometric properties represented by linear quadrees, *IEEE Transactions on Pattern Analysis and Machine Intelligence* 7, 2(March 1985), 229-240 (also University of Computer Science TR 1359). [geometric property measurement]
226. H. Samet and M. Tamminen, Bintree, CSG trees, and time, *Computics* 19, 3(July 1985), pp. 121-130 (also *Proceedings of the SIGGRAPH '85*, San Francisco, July 1985 and University of Maryland Computer Science TR 1472). [three-dimensional data]
227. H. Samet and R.E. Webber, On encoding boundaries with quadrees, *Computer Science TR-1162*, University of Maryland, College Park, MD, February 1985. [line data]
228. H. Samet and R.E. Webber, Using quadrees to represent polygons, *Proceedings of Computer Vision and Pattern Recognition* 83, Washington, 1983, 127-132. [line data]
229. H. Samet and R.E. Webber, On encoding boundaries with quadrees, *Transactions on Pattern Analysis and Machine Intelligence* 6, 3(May 1984), 369. [line data]
230. H. Samet and R.E. Webber, Storing a collection of polygons using quadrees, *Computer Science TR-1372*. [line data]

231. J.B. Saxe, On the number of range queries in k-space, *Discrete Applied Math* 1, 3(1979), 217-225. [point data]
232. D.S. Scott and S.S. Iyengar, A new data structure for efficient storing of images, *Pattern Recognition Letters* 3, 3(May 1985), 211-214. [region representation]
233. M.I. Shamos, Computational geometry, Ph.D. dissertation, Department of Computer Science, Yale University, New Haven, Connecticut, 1978. [point data]
234. M.I. Shamos and D. Hoey, Closest-point problems, *Proceedings of the Sixteenth Annual IEEE Symposium on the Foundations of Computer Science*, Berkeley, October 1975, 151-162. [point data]
235. M. Shneier, Path-length distances for quadrees, *Information Sciences* 23, 1(February 1981), 49-67. [region data]
236. M. Shneier, Calculations of geometric properties using quadtrees, *Computer Graphics and Image Processing* 16, 3(July 1981), 296-302. [region data]
237. M. Shneier, Two hierarchical linear feature representations: edge pyramids and edge quadtrees, *Computer Graphics and Image Processing* 17, 3(November 1981), 211-224. [line data]
238. Y.V. Silva Filho, Average case analysis of region search in balanced k-d trees, *Information Processing Letters* 8, 5(June 1979), 219-223. [point data]
239. Y.V. Silva Filho, Optimal choice of discriminators in a balanced k-d binary search tree, *Information Processing Letters* 13, 2(November 1981), 67-70. [point data]
240. K.R. Sloan Jr., Dynamically quantized pyramids, *Proceedings of the Sixth International Joint Conference on Artificial Intelligence*, Vancouver, August 1981, 734-736. [point data]
241. K.R. Sloan Jr. and S.L. Tanimoto, Progressive refinement of raster images, *IEEE Transactions on Computers* 28, 11(November 1979), 871-874. [coding; approximation]
242. N. Soltis and D. Wood, Pyramids: A data type for matrix representation in PASCAL, *BIT* 17, (1977), 344-350. [point data; matrix representation]
243. S.N. Srihari, Representation of three-dimensional digital images, *ACM Computing Surveys* 13, 1(December 1981), 399-424. [three-dimensional data]
244. Q. Stout, Linear-time component labeling and distance transforms in quadtrees, University of Michigan, Ann Arbor, 1985. [geometric property measurement]
245. I.E. Sutherland, R.F. Sproull, and R.A. Schumacker, A characterization of ten hidden-surface algorithms, *ACM Computing Surveys* 6, 1(March 1974), 1-55. [computer graphics]
246. M. Tamminen, The EXCELL method for efficient geometric access to data, *Acta Polytechnica Scandinavica, Mathematics and Computer Science Series No. 34*, Helsinki, 1981. [point data]
247. M. Tamminen, Hidden lines using the EXCELL method, *Computer Forum* 11, No. 3, 1982, 96-105. [computer graphics]
248. M. Tamminen, Performance analysis of cell based geometric file org, *Computer Vision, Graphics, and Image Processing* 24, 2(November 1983) [region data]
249. M. Tamminen, Comment on quad- and octrees, *Communications*, 27, 3(March 1984), 248-249. [region data]
250. M. Tamminen, Encoding pixel trees, *Computer Vision, Graphics, and Image Processing* 28, 1(October 1984), 44-57. [region data]
251. M. Tamminen and H. Samet, Efficient octree conversion by connecting, *Computer Graphics* 18, 3(July 1984), pp. 43-51 (also *Proceedings of GRAPH'84 Conference*, Minneapolis, July 1984). [three-dimensional data]
252. S. Tanimoto, Pictorial feature distortion in a pyramid, *Computer and Image Processing* 5, 3(September 1976), 333-352. [pyramids]
253. S.L. Tanimoto, Image transmission with gross information first, *Graphics and Image Processing* 9, 1(January 1979), 72-76. [coding; 2-tion]
254. S. Tanimoto and A. Klinger, Eds., *Structured Computer Vision*, Press, New York, 1980. [general]
255. S. Tanimoto and T. Pavlidis, A hierarchical data structure for processing, *Computer Graphics and Image Processing* 4, 2(June 1975), 104. [age processing]
256. G.T. Toussaint, Pattern recognition and geometrical complexity, *1 of the Fifth International Conference on Pattern Recognition*, Miami December 1980, 1324-1346. [general]
257. H. Trops and H. Herzog, Multidimensional range search in dynamic trees, *Angewandte Informatik*, 2(1981), 71-77. [point data]
258. L.W. Tucker, Control strategy for an expert vision system user refinement, *Proceedings of the Workshop on Computer Vision: Representation*, Annapolis, April 1984, 214-218. [image processing]
259. L.W. Tucker, Computer vision using quadtree refinement, Ph.D. Department of Electrical Engineering and Computer Science, Polytechnic of New York, Brooklyn, NY, May 1984. [image processing]
260. L. Uhr, Layered "recognition cone" networks that preprocess, describe, *IEEE Transactions on Computers* 21, 7(July 1972), 758-768. [describe]
261. A. Umnikrishnan and Y.V. Venkatesh, On the conversion of raster quadtrees, Department of Electrical Engineering, Indian Institute of Science, Bangalore, India, May 1984. [region data]

262. V.K. Vaishnavi, Multidimensional height-balanced trees, *IEEE Transactions on Computers* 33, 4(April 1984), 334-343. [point data]
263. V.K. Vaishnavi, H.P. Krieger, and D. Wood, Space and time optimal algorithms for a class of rectangle intersection problems, *Information Sciences* 21, (1980), 59-67. [point data]
264. V. Vaishnavi and D. Wood, Data structures for the rectangle containment and enclosure problems, *Computer Graphics and Image Processing* 13, (1980) 372-384. [point data]
265. J. van Leeuwen and D. Wood, The measure problem for rectangular ranges in d-space, *Journal of Algorithms* 2, 3(September 1981), 282-300. [rectangles]
266. M.L.P. van Lierop, Transformations on pictures represented by leafcodes, Department of Mathematics and Computing Science, Eindhoven University of Technology, Eindhoven, The Netherlands, 1984. [region representation; computer graphics]
267. J. Veenstra and N. Ahuja, Octree generation from silhouette views of an object, *Proceedings of the International Conference on Robotics*, St. Louis, March 1985, 843-848. [three-dimensional data]
268. J.L. Warnock, A hidden surface algorithm for computer generated half tone pictures, Computer Science Department TR 4-15, University of Utah, Salt Lake City, June 1969. [computer graphics]
269. R.E. Weber, Analysis of quadtree algorithms, Ph.D. dissertation, Computer Science Department, University of Maryland, College Park, MD, March 1984 (also University of Maryland Computer Science TR-1376). [general]
270. W. Weber, Three types of map data structures, their ANDs and NOTs, and a possible OR, in *Proceedings of the First International Advanced Study Symposium on Topological Data Structures for Geographic Information Systems*, G. Dutton, Ed., Harvard Papers on Geographic Information Systems, 1978. [region representation]
271. M. White, N-trees: large ordered indexes for multi-dimensional space, U.S. Bureau of the Census, Statistical Research Division, 1982. [point data]
272. D.E. Willard, Balanced forests of #roman {k-d} sup *# trees as a dynamic data structure, Aiken Computation Lab TR-23-78, Harvard University, Cambridge, 1978. [point data]
273. D.E. Willard, Polygon retrieval, *SIAM Journal on Computing* 11, 1(February 1982), 149-165. [point data]
274. D.E. Willard, New data structures for orthogonal range queries, *SIAM Journal on Computing* 14, 1(February 1982), 232-253. [point data]
275. D.S. Wise, Representing matrices as quadtrees for parallel processors, *Information Processing Letters* 20, 4(May 1985), 195-199. [numerical analysis]
276. E.K. Wong and K.S. Fu, A hierarchical-orthogonal-space ap collision-free path planning, *Proceedings of the International Conference*, St. Louis, March 1985, 506-511. [three-dimensional data, path plan]
277. T.C. Woo, A combinatorial analysis of boundary data structure *IEEE Computer Graphics and Applications* 5, 3(March 1985), 19-2 dimensional data]
278. J.R. Woodwark, The explicit quad tree as a structure for compute *Computer Journal* 25, 2(May 1982), 235-238. [region representation]
279. J.R. Woodwark, Compressed quad trees, *Computer Journal* 27, 1984), 225-229. [region representation]
280. A.Y. Wu, T.H. Hong, and A. Rosenfeld, Threshold selection using *IEEE Transactions on Pattern Analysis and Machine Intelligence* 4, 1982), 90-94. [image processing]
281. K. Yamaguchi, T.L. Kunii, K. Fujimura, and H. Toriya, Octree-structures and algorithms, *IEEE Computer Graphics and Applications* 4, 1984), 53-59. [three-dimensional data]
282. M. Yau, Generating quadtrees of cross-sections from octrees, *Computer Graphics, and Image Processing* 27, 2(August 1984), 211-238. [three-dimensional data]
283. M. Yau and S.N. Srinari, A hierarchical data structure for multid digital images, *Communications of the ACM* 26, 7(July 1983), 504-5 dimensional data]
284. M.A. Yerry and M.S. Shepard, A modified quadtree approach to fin mesh generation, *IEEE Computer Graphics and Applications* 3, 1(Januar 1983), 39-46. [numerical analysis]