


CMSC 330: Organization of Programming Languages

Parsing

CMSC 330 - Fall 2013

1

Recall: Steps of Compilation



CMSC 330 - Fall 2013

2

Implementing Parsers

- ▶ Many efficient techniques for parsing
 - I.e., turning strings into parse trees
 - Examples
 - LL(k), SLR(k), LR(k), LALR(k)...
 - Take CMSC 430 for more details
- ▶ One simple technique: **recursive descent parsing**
 - This is a **top-down** parsing algorithm
 - Other algorithms are **bottom-up**

CMSC 330 - Fall 2013

3

Top-Down Parsing


$E \rightarrow \text{id} = n \mid \{ L \}$

$L \rightarrow E ; L \mid \epsilon$

(Assume: id is
variable name, n is
integer)

Show parse tree for

$\{ x = 3 ; \{ y = 4 ; \} ; \}$



CMSC 330 - Fall 2013

4

Bottom-up Parsing


$E \rightarrow \text{id} = n \mid \{ L \}$

$L \rightarrow E ; L \mid \epsilon$

Show parse tree for

$\{ x = 3 ; \{ y = 4 ; \} ; \}$

Note that final trees constructed are same as for top-down; only order in which nodes are added to tree is different



CMSC 330 - Fall 2013

5

Example: Shift-Reduce Parsing

- ▶ Replaces RHS of production with LHS (nonterminal)
- ▶ Example grammar
 - $S \rightarrow aA, A \rightarrow Bc, B \rightarrow b$
- ▶ Example parse
 - $abc \Rightarrow aBc \Rightarrow aA \Rightarrow S$
 - Derivation happens in reverse
- ▶ Something to look forward to in CMSC 430
- ▶ Complicated to use; requires tool support
 - Bison, yacc produce shift-reduce parsers from CFGs

CMSC 330 - Fall 2013

6

Tradeoffs

- ▶ Recursive descent parsers
 - Easy to write
 - The formal definition is a little clunky, but if you follow the code then it's almost what you might have done if you weren't told about grammars formally
 - Fast
 - Can be implemented with a simple table
- ▶ Shift-reduce parsers handle more grammars
 - Error messages may be confusing
- ▶ Most languages use hacked parsers (!)
 - Strange combination of the two

CMS 330 - Fall 2013

7

Recursive Descent Parsing

- ▶ Goal
 - Determine if we can produce the string to be parsed from the grammar's start symbol
- ▶ Approach
 - Recursively replace nonterminal with RHS of production
- ▶ At each step, we'll keep track of two facts
 - What tree node are we trying to match?
 - What is the lookahead (next token of the input string)?
 - Helps guide selection of production used to replace nonterminal

CMS 330

8

Recursive Descent Parsing (cont.)

- ▶ At each step, 3 possible cases
 - If we're trying to match a terminal
 - If the lookahead is that token, then succeed, advance the lookahead, and continue
 - If we're trying to match a nonterminal
 - Pick which production to apply based on the lookahead
 - Otherwise fail with a parsing error

CMSC 330

9

Parsing Example

$E \rightarrow \text{id} = n \mid \{ L \}$

$L \rightarrow E ; L \mid \epsilon$

- Here n is an integer and id is an identifier

- ▶ One input might be
 - $\{ x = 3 ; \{ y = 4 ; \} ; \}$
 - This would get turned into a list of tokens
 $\{ x = 3 ; \{ y = 4 ; \} ; \}$
 - And we want to turn it into a parse tree

CMSC 330

10

Parsing Example (cont.)


$E \rightarrow id = n \mid \{ L \}$

$L \rightarrow E ; L \mid \epsilon$

$\{ x = 3 ; \{ y = 4 ; \} ; \}$

↑↑↑↑↑↑↑↑↑↑↑↑↑↑↑↑

lookahead



CMSC 330

11

Recursive Descent Parsing (cont.)

- ▶ Key step
 - Choosing which production should be selected
- ▶ Two approaches
 - Backtracking
 - Choose some production
 - If fails, try different production
 - Parse fails if all choices fail
 - Predictive parsing
 - Analyze grammar to find FIRST sets for productions
 - Compare with lookahead to decide which production to select
 - Parse fails if lookahead does not match FIRST

CMSC 330

12

First Sets

- ▶ Motivating example
 - The lookahead is x
 - Given grammar $S \rightarrow xyz \mid abc$
 - Select $S \rightarrow xyz$ since 1st terminal in RHS matches x
 - Given grammar $S \rightarrow A \mid B \quad A \rightarrow x \mid y \quad B \rightarrow z$
 - Select $S \rightarrow A$, since A can derive string beginning with x
- ▶ In general
 - Choose a production that can derive a sentential form beginning with the lookahead
 - Need to know what terminal may be **first** in any sentential form derived from a nonterminal / production

CMS 330

13

First Sets

- ▶ Definition
 - **First**(γ), for any terminal or nonterminal γ , is the set of initial terminals of all strings that γ may expand to
 - We'll use this to decide what production to apply
- ▶ Examples
 - Given grammar $S \rightarrow xyz \mid abc$
 - $\text{First}(xyz) = \{ x \}$, $\text{First}(abc) = \{ a \}$
 - $\text{First}(S) = \text{First}(xyz) \cup \text{First}(abc) = \{ x, a \}$
 - Given grammar $S \rightarrow A \mid B \quad A \rightarrow x \mid y \quad B \rightarrow z$
 - $\text{First}(x) = \{ x \}$, $\text{First}(y) = \{ y \}$, $\text{First}(A) = \{ x, y \}$
 - $\text{First}(z) = \{ z \}$, $\text{First}(B) = \{ z \}$
 - $\text{First}(S) = \{ x, y, z \}$

CMS 330

14

Calculating First(y)

- ▶ For a terminal a
 - $\text{First}(a) = \{ a \}$
- ▶ For a nonterminal N
 - If $N \rightarrow \epsilon$, then add ϵ to $\text{First}(N)$
 - If $N \rightarrow \alpha_1 \alpha_2 \dots \alpha_n$, then (note the α_i are all the symbols on the right side of one single production):
 - Add $\text{First}(\alpha_1 \alpha_2 \dots \alpha_n)$ to $\text{First}(N)$, where $\text{First}(\alpha_1 \alpha_2 \dots \alpha_n)$ is defined as
 - $\text{First}(\alpha_1)$ if $\epsilon \notin \text{First}(\alpha_1)$
 - Otherwise $(\text{First}(\alpha_1) - \epsilon) \cup \text{First}(\alpha_2 \dots \alpha_n)$
 - If $\epsilon \in \text{First}(\alpha_i)$ for all i , $1 \leq i \leq n$, then add ϵ to $\text{First}(N)$

CMS3 330

15

First() Examples

$E \rightarrow \text{id} = n \mid \{ L \}$
 $L \rightarrow E ; L \mid \epsilon$

$\text{First}(\text{id}) = \{ \text{id} \}$
 $\text{First}("=") = \{ "=" \}$
 $\text{First}(n) = \{ n \}$
 $\text{First}("\{") = \{ "{" \}$
 $\text{First}("\}") = \{ "}" \}$
 $\text{First}(";") = \{ ";" \}$
 $\text{First}(E) = \{ \text{id}, "{" \}$
 $\text{First}(L) = \{ \text{id}, "{", \epsilon \}$

$E \rightarrow \text{id} = n \mid \{ L \} \mid \epsilon$
 $L \rightarrow E ; L$

$\text{First}(\text{id}) = \{ \text{id} \}$
 $\text{First}("=") = \{ "=" \}$
 $\text{First}(n) = \{ n \}$
 $\text{First}("\{") = \{ "{" \}$
 $\text{First}("\}") = \{ "}" \}$
 $\text{First}(";") = \{ ";" \}$
 $\text{First}(E) = \{ \text{id}, "{", \epsilon \}$
 $\text{First}(L) = \{ \text{id}, "{", ";" \}$

CMS3 330

16

Recursive Descent Parser Implementation

- ▶ For terminals, create function `match(a)`
 - If lookahead is `a` it consumes the lookahead by advancing the lookahead to the next token, and returns
 - Otherwise fails with a parse error if lookahead is not `a`
 - In algorithm descriptions, consider `parse_a`, `parse_term(a)` to be aliases for `match(a)`
- ▶ For each nonterminal `N`, create a function `parse_N`
 - Called when we're trying to parse a part of the input which corresponds to (or can be derived from) `N`
 - `parse_S` for the start symbol `S` begins the parse

CMS3 330

17

Parser Implementation (cont.)

- ▶ The body of `parse_N` for a nonterminal `N` does the following
 - Let $N \rightarrow \beta_1 \mid \dots \mid \beta_k$ be the productions of `N`
 - Here β_i is the entire right side of a production- a sequence of terminals and nonterminals
 - Pick the production $N \rightarrow \beta_i$ such that the lookahead is in $\text{First}(\beta_i)$
 - It must be that $\text{First}(\beta_i) \cap \text{First}(\beta_j) = \emptyset$ for $i \neq j$
 - If there is no such production, but $N \rightarrow \epsilon$ then return
 - Otherwise fail with a parse error
 - Suppose $\beta_i = \alpha_1 \alpha_2 \dots \alpha_n$. Then call `parse_α1()`; ... ; `parse_αn()` to match the expected right-hand side, and return

CMS3 330

18

Parser Implementation (cont.)

- ▶ Parse is built on procedure calls
- ▶ Procedures may be (mutually) recursive

CMSC 330

19

Recursive Descent Parser

- ▶ Given grammar $S \rightarrow xyz \mid abc$
 - $\text{First}(xyz) = \{ x \}$, $\text{First}(abc) = \{ a \}$

- ▶ Parser

```
parse_S() {  
    if (lookahead == "x") {  
        match("x"); match("y"); match("z");    // S → xyz  
    }  
    else if (lookahead == "a") {  
        match("a"); match("b"); match("c");    // S → abc  
    }  
    else error();  
}
```

CMSC 330

20

Recursive Descent Parser

- Given grammar $S \rightarrow A \mid B$ $A \rightarrow x \mid y$ $B \rightarrow z$
 - $\text{First}(A) = \{ x, y \}$, $\text{First}(B) = \{ z \}$

► Parser

```

parse_S() {
    if ((lookahead == "x") ||
        (lookahead == "y"))
        parse_A(); // S → A
    else if (lookahead == "z")
        parse_B(); // S → B
    else error();
}

parse_A() {
    if (lookahead == "x")
        match("x"); // A → x
    else if (lookahead == "y")
        match("y"); // A → y
    else error();
}

parse_B() {
    if (lookahead == "z")
        match("z"); // B → z
    else error();
}
    
```

CMSC 330

21

Example

$E \rightarrow \text{id} = n \mid \{ L \}$ $\text{First}(E) = \{ \text{id}, \text{"{"} \}$

$L \rightarrow E ; L \mid \epsilon$

```

parse_E() {
    if (lookahead == "id") {
        match("id");
        match("="); // E → id =
        match("n");
    }
    else if (lookahead == "{") {
        match("{");
        parse_L(); // E → { L
        match("}");
    }
    else error();
}

parse_L() {
    if ((lookahead == "id") ||
        (lookahead == "{")) {
        parse_E();
        match(";"); // L → E ; L
        parse_L();
    }
    else ; // L → ε
}
    
```

CMSC 330

22

Things to Notice

- ▶ If you draw the execution trace of the parser
 - You get the parse tree

▶ Examples

- Grammar

$S \rightarrow xyz$

$S \rightarrow abc$

- String "xyz"

```

parse_S( )
  match("x")
  match("y")
  match("z")
    
```

$\begin{matrix} & S \\ & / \backslash \\ x & y & z \end{matrix}$

- Grammar

$S \rightarrow A \mid B$

$A \rightarrow x \mid y$

$B \rightarrow z$

- String "x"

```

parse_S( )
  parse_A( )
    match("x")
    
```

$\begin{matrix} S \\ | \\ A \\ | \\ x \end{matrix}$

CMSC 330

23

Things to Notice (cont.)

- ▶ This is a **predictive** parser
 - Because the lookahead determines exactly which production to use
- ▶ This parsing strategy may fail on some grammars
 - Production First sets overlap
 - Production First sets contain ϵ
 - Possible infinite recursion
- ▶ Does not mean grammar is not usable
 - Just means this parsing method not powerful enough
 - May be able to change grammar

CMSC 330

24

Conflicting FIRST Sets

- ▶ Consider parsing the grammar $E \rightarrow ab \mid ac$
 - $\text{First}(ab) = a$ Parser cannot choose between
 - $\text{First}(ac) = a$ RHS based on lookahead!
- ▶ Parser fails whenever $A \rightarrow \alpha_1 \mid \alpha_2$ and
 - $\text{First}(\alpha_1) \cap \text{First}(\alpha_2) \neq \epsilon$ or $\emptyset$
- ▶ Solution
 - Rewrite grammar using left factoring

CMSC 330

25

Left Factoring Algorithm

- ▶ Given grammar
 - $A \rightarrow x\alpha_1 \mid x\alpha_2 \mid \dots \mid x\alpha_n \mid \beta$
- ▶ Rewrite grammar as
 - $A \rightarrow xL \mid \beta$
 - $L \rightarrow \alpha_1 \mid \alpha_2 \mid \dots \mid \alpha_n$
- ▶ Repeat as necessary
- ▶ Examples
 - $S \rightarrow ab \mid ac \quad \Rightarrow S \rightarrow aL \quad L \rightarrow b \mid c$
 - $S \rightarrow abcA \mid abB \mid a \quad \Rightarrow S \rightarrow aL \quad L \rightarrow bcA \mid bB \mid \epsilon$
 - $L \rightarrow bcA \mid bB \mid \epsilon \quad \Rightarrow L \rightarrow bL' \mid \epsilon \quad L' \rightarrow cA \mid B$

CMSC 330

26

Alternative Approach

- ▶ Change structure of parser
 - First match **common prefix** of productions
 - Then use lookahead to chose between productions
- ▶ Example
 - Consider parsing the grammar $E \rightarrow a+b \mid a*b \mid a$

```
parse_E( ) {  
    match("a");           // common prefix  
    if (lookahead == "+") { // E → a+b  
        match("+"); match("b"); }  
    if (lookahead == "*") { // E → a*b  
        match("*"); match("b"); }  
    else { }              // E → a  
}
```

CMSC 330

27

Left Recursion

- ▶ Consider grammar $S \rightarrow Sa \mid \epsilon$
 - Try writing parser

```
parse_S( ) {  
    if (lookahead == "a") {  
        parse_S( );  
        match("a"); // S → Sa  
    }  
    else { }  
}
```

- Body of `parse_S( )` has an infinite loop
 - ▶ if (lookahead = "a") then `parse_S( )`
- Infinite loop occurs in grammar with **left recursion**

CMSC 330

28

Right Recursion

- ▶ Consider grammar $S \rightarrow aS \mid \epsilon$

- Again, $\text{First}(aS) = a$
- Try writing parser

```
parse_S( ) {  
    if (lookahead == "a") {  
        match("a");  
        parse_S( ); // S → aS  
    }  
    else { }  
}
```

- Will `parse_S( )` infinite loop?
 - Invoking `match( )` will advance lookahead, eventually stop
- Top down parsers handles grammar w/ right recursion

CMS 330

29

Algorithm To Eliminate Left Recursion

- ▶ Given grammar
 - $A \rightarrow A\alpha_1 \mid A\alpha_2 \mid \dots \mid A\alpha_n \mid \beta$
 - β must exist or derivation will not yield string
- ▶ Rewrite grammar as (repeat as needed)
 - $A \rightarrow \beta L$
 - $L \rightarrow \alpha_1 L \mid \alpha_2 L \mid \dots \mid \alpha_n L \mid \epsilon$
- ▶ Replaces left recursion with right recursion
- ▶ Examples
 - $S \rightarrow Sa \mid \epsilon \quad \Rightarrow S \rightarrow L \quad L \rightarrow aL \mid \epsilon$
 - $S \rightarrow Sa \mid Sb \mid c \quad \Rightarrow S \rightarrow cL \quad L \rightarrow aL \mid bL \mid \epsilon$

CMS 330

30

What's Wrong With Parse Trees?


- ▶ Parse trees contain too much information
 - Example
 - Parentheses
 - Extra nonterminals for precedence
 - This extra stuff is needed for parsing
- ▶ But when we want to **reason** about languages
 - Extra information gets in the way (too much detail)

CMSC 330 - Fall 2013

31

Abstract Syntax Trees (ASTs)

- ▶ An **abstract syntax tree** is a more compact, abstract representation of a parse tree, with only the essential parts




CMSC 330 - Fall 2013

32

Abstract Syntax Trees (cont.)

- ▶ Intuitively, ASTs correspond to the data structure you'd use to represent strings in the language
 - Note that grammars describe trees
 - So do OCaml datatypes (which we'll see later)
 - $E \rightarrow a \mid b \mid c \mid E+E \mid E-E \mid E * E \mid (E)$



CMSC 330 - Fall 2013

33


Producing an AST

- ▶ To produce an AST, we can modify the `parse()` functions to construct the AST along the way
 - `match(a)` returns an AST node (leaf) for a
 - `Parse_A` returns an AST node for A
 - AST nodes for RHS of production become children of LHS node

- ▶ Example

- $S \rightarrow aA$

```
Node parse_S( ) {
  Node n1, n2;
  if (lookahead == "a") {
    n1 = match("a");
    n2 = parse_A( );
    return new Node(n1,n2);
  }
}
```



CMSC 330

34

The Compilation Process

