

These are practice problems for the upcoming final exam. You will be given a sheet of notes for the exam. Also, go over your homework assignments. **Warning:** This does not necessarily reflect the length, difficulty, or coverage of the actual exam.


**Problem 1.** Assume you have a list of  $n$  elements where every number is within  $k$  positions of its correct location, for some constant  $k$ .

- Give an algorithm that sorts this list with as few comparisons as possible (as a function of  $n$  and  $k$ ). Just get the high order term right. How many comparisons does your algorithm use?
- Show that your algorithm is optimal using a decision tree argument.

**Problem 2.** Assume that you developed an algorithm to find the (index of the)  $n/3$  smallest element of a list of  $n$  elements in  $2n$  comparisons.

- Using the algorithm (as a black box), give an algorithm, efficient in the worst case, to find the  $k$ th smallest element of a list.
- Write down a recurrence for (a bound on) the number of comparisons it executes in the worst case.
- Solve the recurrence (using constructive induction). Find the high order term exactly (but you do not need any low order terms).
- Using the (black box) algorithm for finding the  $n/3$  smallest element and using the ideas and results of Parts (a), (b), and (c), give an efficient algorithm to find (the index of) two elements, the  $k_1$ th smallest and the  $k_2$  smallest (for inputs  $k_1$  and  $k_2$ ). The algorithm description can be very high level and brief.
- How many comparisons does it use? Find the high order term exactly (but you do not need any low order terms). Give a brief justification.

**Problem 3.** A graph is tripartite if the vertices can be partitioned into three sets so that there are no edges internal to any set. The *complete* tripartite graph,  $K(a, b, c)$ , has three sets of vertices with sizes  $a$ ,  $b$ , and  $c$  and all possible edges between each pair of sets of vertices.  $K(3, 2, 3)$  is pictured below. A *Hamiltonian* cycle in a graph is a cycle that traverses every vertex exactly once.



- For which values of  $n$  does  $K(1, 1, n)$  have a Hamiltonian cycle. Justify your answer.
- For which values of  $n$  does  $K(1, n, n)$  have a Hamiltonian cycle. Justify your answer.
- For which values of  $n$  does  $K(n, n, n)$  have a Hamiltonian cycle. Justify your answer.

**Problem 4.** Let  $G = (V, E)$  be an undirected graph. A *triangle* is a set of three vertices such that each pair has an edge.

- (a) Give an efficient algorithm to find all of the triangles in a graph.
- (b) How fast is your algorithm?

**Problem 5.** Show that you can convert a formula in Conjunctive Normal Form (CNF) where every clause has *at most* three literals, into a new formula where every clause has *exactly* three literals, so that the new formula is satisfiable if and only if the original formula is satisfiable. No variable may occur twice in the same clause.

**Problem 6.** In a graph  $G = (V, E)$  edge  $(x, y)$  *touches* vertices  $x$  and  $y$ .

A *newtonian cluster* in a graph  $G = (V, E)$  is a subset of the edges such that every vertex is touched by at least one edge. The *size of a newtonian cluster* is the number of edges in the subset.

- (a) Give an example of a graph that has a newtonian cluster of size four but not of size three.
- (b) Let  $C$  be a newtonian cluster of  $G$ . What can you say about the minimum size of  $C$  as a function of the number of vertices  $n$ ? Justify.
- (c) A *minimal newtonian cluster* is a newtonian cluster such that if any edge is removed it is no longer a newtonian cluster. Let  $C$  be a minimal newtonian cluster of  $G$ . What can you say about the maximum size of  $C$  as a function of the number of vertices  $n$ ? Justify.
- (d) The (decision version of) *newtonian cluster problem* is given a graph  $G = (V, E)$  and an integer  $k$  does  $G$  have a newtonian cluster of size (at most)  $k$ . Show that the newtonian cluster problem is in **NP**. What is the certificate?

**Problem 7.** A *vertex cover* in a graph  $G = (V, E)$  is a subset of vertices such every edge is incident on at least one vertex of the subset. The *Weighted Vertex Cover Problem (WVCP)* is, given a graph  $G = (V, E)$  with integer weights on the vertices, find a vertex cover whose sum of weights is as small as possible. You can assume that the weights are between 1 and  $n$  (inclusive).

- (a) WVCP is an optimization problem. Define a decision version of WVCP.
- (b) Show that the decision version is in **NP**. Make sure to state the certificate and give the pseudo code.
- (c) Show that if you could solve the optimization version in polynomial time that you could also solve the decision version in polynomial time.
- (d) Show that if you could solve the decision version in polynomial time that you could also solve the optimization version in polynomial time. HINT: First find the weight of an optimal weighted vertex cover.

**Problem 8.** This problem is more open-ended than you would see on an exam: If you do not know how to play Sudoku, look it up. Normally, Sudoku is played on a  $9 \times 9$  grid.

- (a) Generalize Sudoku to larger grids.
- (b) State the (generalized) Sudoku game as a decision problem.
- (c) Show that the decision version of (generalized) Sudoku is in NP.
- (d) Show that if you can solve the decision version of (generalized) Sudoku in polynomial time, you can solve a (generalized) Sudoku puzzle in polynomial time.

**Problem 9.** Assume you use a Bloom filter to store items in a hash table of size  $s$ . Each item hashes into two distinct, random locations. For each of the following show your calculation:

- (a) What is the probability that you will get a false positive if there is one item in the table?
- (b) What is the probability that you will get a false positive if there are two items in the table?