

# CMSC436: Programming Handheld Systems

# Location & Maps

# Today's Topics

Location

Location support classes

Maps

Map support classes

# Location Services

Mobile applications can benefit from being location-aware

Allows applications to determine their location and modify their behavior

# Using Location Information

Find stores near the user's current location

Direct a user from a current to a particular store

Define a geofence

Initiate action when user enters or exits the geofence

# Location Architecture

Location

LocationProvider

LocationManager

LocationListener

# Location

Represents a position on the Earth

A Location instance consists of:

Latitude, longitude, timestamp and, optionally, accuracy, altitude, speed, and bearing

# LocationProvider

Represents a location data source

Actual data may come from

- GPS satellites

- Cell phone towers

- WiFi access points

# LocationProvider Types

Network – WiFi and cell tower

GPS - Satellite

Passive – Piggyback on the readings requested by other applications

# NetworkProvider

Determines location based on cell tower and WiFi access points

Requires either

`android.permission.ACCESS_COARSE_LOCATION`

`android.permission.ACCESS_FINE_LOCATION`

# GPSProvider

Determines location using satellites

Requires

`android.permission.ACCESS_FINE_LOCATION`

# PassiveProvider

Returns locations generated by other providers

Requires

`android.permission.ACCESS_FINE_LOCATION`

# LocationProvider

Different LocationProviders offer different tradeoffs between cost, accuracy, availability & timeliness

# LocationProvider Tradeoffs

GPS – expensive, accurate, slower, available outdoors

Network - cheaper, less accurate, faster, availability varies

Passive – cheapest, fastest, not always available

# LocationManager

System service for accessing location data

```
getSystemService(Context.LOCATION_SERVICE)
```

# LocationManager

Determine the last known user location

Register for location updates

Register to receive Intents when the device nears or moves away from a given geographic area

# LocationListener

Defines callback methods that are called when Location or LocationProvider status changes

# LocationListener

void onLocationChanged (Location location)

void onProviderDisabled (String provider)

void onProviderEnabled (String provider)

void onStatusChanged (String provider,  
int status,  
Bundle extras)

# Obtaining and Using Location Information

Start listening for updates from LocationProviders

Maintain a "current best estimate" of location

When estimate is "good enough", stop listening for location updates

Use best location estimate

# Determining Best Location

Several factors to consider

Measurement time

Accuracy

Power usage

# LocationGetLocation

Application acquires and displays the last known locations from all providers

If necessary, acquires and displays new readings from all providers

Location  
Get Location



Extended controls

Location

Cellular

Battery

Phone

Directional pad

Microphone

Fingerprint

Virtual sensors

Bug report

Settings

Help

GPS data point

Coordinate system: Decimal

Longitude: 44

Latitude: 38.9847

Altitude (meters): 0.0

Currently reported location

Longitude: 44.0000  
Latitude: 38.9847  
Altitude: 0.0


SEND

GPS data playback

Delay (sec)	Latitude	Longitude	Elevation	Name	Description
-------------	----------	-----------	-----------	------	-------------

Speed 1X

LOAD GPX/KML



# LocationGetLocationServices

The same as LocationGetLocation, but uses newer FusedLocationProvider class

Uses Google Play Services

# Battery Saving Tips

Always check last known measurement

Return updates as infrequently as possible

Limit measurement time

Use the least accurate measurement necessary

Turn off updates in `onPause()`

# Maps

A visual representation of area

Android provides Mapping support through the Google Maps Android v2 API

# Map Types

Normal: traditional road map

Satellite – Aerial photograph

Hybrid - Satellite + road map

Terrain - Topographic details

# Customizing the Map

Change the camera position

Add Markers & ground overlays

Respond to gestures

Indicate the user's current Location

# Some Map Classes

GoogleMap

MapFragment

Camera

Marker

# Setting up a Maps Application

Set up the Google Play services SDK

Obtain an API key

Specify settings in Application Manifest

Add map to project

See: [https://developers.google.com/maps  
/documentation/android/start](https://developers.google.com/maps/documentation/android/start)

# Map Permissions

```
<uses-permission android:name=  
    "android.permission.INTERNET"/>
```

```
<uses-permission android:name=  
    "android.permission.ACCESS_NETWORK_STATE"/>
```

# Map Permissions

```
<uses-permission android:name=  
    "android.permission.WRITE_EXTERNAL_STORAGE"/>
```

```
<uses-permission android:name=  
    "com.google.android.providers.  
        gsf.permission.READ_GSERVICES"/>
```

# Map Permissions

```
<uses-permission android:name=  
    "android.permission.ACCESS_COARSE_LOCATION"/>
```



```
<uses-permission android:name=  
    "android.permission.ACCESS_FINE_LOCATION"/>
```

# MapEarthQuakeMap

This application acquires earthquake data from a server

Then it displays the data on a map, using clickable markers

# MapEarth QuakeMap



# MapsEarthquakeMapActivity.kt

```
// Set up UI and get earthquake data
public override fun onCreate(savedInstanceState: Bundle?) {
    ...
    // The GoogleMap instance underlying the GoogleMapFragment defined
    // in main.xml
    val map = supportFragmentManager.findFragmentById(R.id.map)
                                                as SupportMapFragment?
    map?.getMapAsync(this)
}
```

# MapsEarthquakeMapActivity.kt

```
// Called when Map is ready
override fun onMapReady(googleMap: GoogleMap) {
    mMapReady = true
    mMap = googleMap
    mMap!!.moveCamera(CameraUpdateFactory.newLatLng(
                                                LatLng(CAMERA_LAT, CAMERA_LNG)))

    if (mDataReady) {
        placeMarkers()
        mMapReady = false
    }
}
```

# MapsEarthquakeMapActivity.kt

```
// Called when data is downloaded
override fun onDownloadfinished() {
    mDataReady = true
    if (mMapReady) {
        placeMarkers()
        mDataReady = false
    }
}
```

# MapsEarthquakeMapActivity.kt

```
private fun placeMarkers() { // Add a marker for every earthquake
    for (rec in mRetainedFragment?.data!!) {
        // Add a new marker for this earthquake
        mMap!!.addMarker(MarkerOptions()
            // Set the Marker's position
            .position(LatLng(rec.lat, rec.lng))
            // Set the title of the Marker's information window
            .title(rec.magnitude.toString())
            // Set the color for the Marker
            .icon(BitmapDescriptorFactory.defaultMarker(
                getMarkerColor(rec.magnitude))))
    }
}
```

# Next Time

## The ContentProvider Class

# Example Applications

LocationGetLocation

LocationGetLocationServices

MapEarthQuakeMap