CMSC 330: Organization of Programming Languages

More Ruby: Methods, Classes, Arrays, Hashes

In Ruby, everything is an Object

- Ruby is object-oriented
- All values are (references to) objects
 - Java/C/C++ distinguish primitives from objects
- Objects communicate via method calls
- Each object has its own (private) state
- Every object is an instance of a class
 - An object's class determines its behavior:
 - The class contains method and field definitions
 Both instance fields and per-class ("static") fields

Everything is an Object

- Examples

> integers are instances of class Fixnum

- 3 + 4
 - > infix notation for "invoke the + method of 3 on argument 4"
- "programming".length
 - strings are instances of String
- String.new
 - > classes are objects with a new method
- 4.13.class
 - > use the class method to get the class for an object
 - Floating point numbers are instances of Float

Ruby Classes

- Class names begin with an uppercase letter
- The new method creates an object
 - s = String.new creates a new String and makes s refer to it
- Every class inherits from Object

Objects and Classes

- Objects are data
- Classes are types (the kind of data which things are)
- Classes are also objects

Object	Class (aka <i>type</i>)
10	Integer
-3.30	Float
"CMSC 330"	String
String.new	String
['a', 'b', 'c']	Array
Integer	Class

- Integer, Float, and String are objects of type Class
 - So is Class itself!

Two Cool Things to Do with Classes

- Since classes are objects, you can manipulate them however you like
 - Here, the type of y depends on p
 - > Either a String or a Time object

```
if p then
   x = String
else
   x = Time
End
y = x.new
```

- You can get names of all the methods of a class
 - Object.methods
 - > => ["send", "name", "class_eval", "object_id", "new", "autoload?", "singleton_methods", ...]

Creating Strings in Ruby (cont.)

- Ruby has printf and sprintf
 - printf("Hello, %s\n", name);
 - sprintf("%d: %s", count, Time.now)
 - Returns a String
- to_s returns a String representation of an object
 - Can be invoked implicitly write puts(p) instead of puts(p.to_s)
 - > Like Java's toString()
- inspect converts any object to a string

irb(main):033:0> p.inspect

=> "#<Point:0x54574 @y=4, @x=7>"

Symbols

- Ruby symbols begin with a colon
 - :foo, :baz_42, :"Any string at all"
- Symbols are "interned" Strings
 - The same symbol is at the same physical address
 - Can be compared with physical equality

"foo" == "foo"	#	true
"foo".equal? "foo"	#	false
:foo == :foo	#	true
:foo.equal :foo	#	true

Are symbols worth it? Probably not...

The nil Object

- Ruby uses nil (not null)
 - All uninitialized fields set to nil (@ prefix used for fields) irb(main):004:0> @x => nil
- nil is an object of class NilClass
 - Unlike null in Java, which is a non-object
 - nil is a *singleton object* there is only one instance of it
 NilClass does not have a **new** method
 - nil has methods like to_s, but not other methods irb(main):006:0> nil + 2 NoMethodError: undefined method `+' for nil:NilClass

Quiz 1

What is the type of variable x at the end of the following program?

- A. Integer
- B. NilClass

- c. String
- D. Nothing there's a type error

Quiz 1

What is the type of variable x at the end of the following program?

- A. Integer
- B. NilClass

p = nil
x = 3
if p then
x = "hello"
else
x = nil
end

- c. String
- D. Nothing there's a type error

Arrays and Hashes

- Ruby data structures are typically constructed from Arrays and Hashes
 - Built-in syntax for both
 - Each has a rich set of standard library methods
 - They are integrated/used by methods of other classes

Array

- Arrays of objects are instances of class Array
 - Arrays may be heterogeneous a = [1, "foo", 2.14]
- C-like syntax for accessing elements
 - indexed from 0
 - return nil if no element at given index irb(main):001:0> b = []; b[0] = 0; b[0] => 0 irb(main):002:0> b[1] # no element at this index => nil

Arrays Grow and Shrink

- Arrays are growable
 - Increase in size automatically as you access elements
 - **irb(main):001:0>** b = []; b[0] = 0; b[5] = 0; b
 - => [0, nil, nil, nil, nil, 0]
 - [] is the empty array, same as Array.new
- Arrays can also shrink
 - Contents shift left when you delete elements
 - a = [1, 2, 3, 4, 5]
 - a.delete_at(3)

a.delete(2)

delete at position 3; a = [1,2,3,5] # delete element = 2; a = [1,3,5]

Iterating Through Arrays

- It's easy to iterate over an array with while
 - length method returns array's current length

```
a = [1,2,3,4,5]
i = 0
while i < a.length
    puts a[i]
    i = i + 1
end
```

- Looping through elements of an array is common
 - We'll see a better way soon, using code blocks

Arrays as Stacks and Queues

Arrays can model stacks and queues

```
a = [1, 2, 3]
a.push("a")  # a = [1, 2, 3, "a"]
x = a.pop  # x = "a"
a.unshift("b")  # a = ["b", 1, 2, 3]
y = a.shift  # y = "b"
```

Note that push, pop, shift, and unshift all permanently modify the array

Hash

- A hash acts like an associative array
 - Elements can be indexed by any kind of value
 - Every Ruby object can be used as a hash key, because the Object class has a hash method
- Elements are referred to like array elements

```
italy = Hash.new
italy["population"] = 58103033
italy["continent"] = "europe"
italy[1861] = "independence"
pop = italy["population"] # pop is 58103033
planet = italy["planet"] # planet is nil
```

Hash methods

- new(o) returns hash whose default value is o
 - h = Hash.new("fish"); h["go"] # returns "fish"
- values returns array of a hash's values
- keys returns an array of a hash's keys
- delete(k) deletes mapping with key k
- has_key?(k) is true if mapping with key k present
 - has_value?(v) is similar

Hash creation

Convenient syntax for creating literal hashes

• Use { key => value, ... } to create hash table

```
credits = {
   "cmsc131" => 4,
   "cmsc330" => 3,
}
x = credits["cmsc330"] # x now 3
credits["cmsc311"] = 3
```

Use { } for the empty hash

Quiz 2: What is the output?

```
a = {"foo" => "bar"}
a[0] = "baz"
print a[1]
print a["foo"]
```

- A. Error
- в. bar
- c. bazbar
- D. baznilbar

Quiz 2: What is the output?

```
a = {"foo" => "bar"}
a[0] = "baz"
print a[1]
print a["foo"]
```

- A. Error
- в. bar
- c. bazbar
- D. baznilbar

Quiz 3: What is the output?

```
a = { "Yellow" => [] }
a["Yellow"] = {}
a["Yellow"]["Red"] = ["Green", "Blue"]
print a["Yellow"]["Red"][1]
```

- A. Green
- в. (nothing)
- c. Blue
- D. Error

Quiz 3: What is the output?

```
a = { "Yellow" => [] }
a["Yellow"] = {}
a["Yellow"]["Red"] = ["Green", "Blue"]
print a["Yellow"]["Red"][1]
```

- A. Green
- в. (nothing)
- c. Blue
- d. Error

Quiz 4: What is the output?

- A. Error
- в. 2
- c. 3
- d. **0**

Quiz 4: What is the output?

- A. Error
- в. 2

c. 3

d. 0

Defining Your Own Classes



Note: Methods need not be part of a class

Methods in Ruby



Methods should begin with lowercase letter and be defined before they are called Variable names that begin with uppercase letter are *constants* (only assigned once)

Methods: Terminology

- Formal parameters
 - Variable parameters used in the method
 - def sayN(message, n) in our example
- Actual arguments
 - Values passed in to the method at a call
 - x = sayN("hello", 3) in our example
- Top-level methods are "global"
 - Not part of a class. sayN is a top-level method.

Method Return Values

- Value of the return is the value of the last executed statement in the method
 - These are the same:

def add_three(x)	def add_three(x)
return x+3	x+3
end	end

Methods can return multiple results (as an Array)

```
def dup(x)
   return x,x
end
```

Method naming style

- Names of methods that return true or false should end in ?
- Names of methods that modify an object's state should end in !
- Example: suppose x = [3,1,2] (this is an array)
 - **x.member?** 3 returns true since 3 is in the array **x**
 - **x**.**sort** returns a **new** array that is sorted
 - **x**.**sort**! modifies **x** in place

No Outside Access To Internal State

- An object's instance variables (with @) can be directly accessed only by instance methods
- Outside class, they require accessors:

A typical getter	<u>A typical setter</u>
def x	def x= (value)
6 x 0	$@\mathbf{x} = \mathbf{value}$
end	end

Very common, so Ruby provides a shortcut class ClassWithXandY attr_accessor :x, :y end
Says to generate the x = and x and y = and y methods

No Method Overloading in Ruby

- Thus there can only be one initialize method
 - A typical Java class might have two or more constructors
- No overloading of methods in general
 - You can code up your own overloading by using a variable number of arguments, and checking at runtime the number/types of arguments
- Ruby does issue an exception or warning if a class defines more than one initialize method
 - But last initialize method defined is the valid one

Quiz 5: What is the output?

```
class Dog
  def smell(thing)
    "I smelled #{thing}"
  end
  def smell(thing,dur)
    "#{smell(thing)} for #{dur} seconds"
  end
end
fido = Dog.new
puts fido.smell("Alice",3)
```

- A. I smelled Alice for nil seconds
- B. I smelled #{thing}
- c. I smelled Alice
- d. Error

Quiz 5: What is the output?

```
class Dog
  def smell(thing)
    "I smelled #{thing}"
    end
    def smell(thing,dur)
    "#{smell(thing)} for #{dur} seconds"
    end
end
fido = Dog.new
puts fido.smell("Alice",3)
```

- A. I smelled Alice for nil seconds
- B. I smelled #{thing}
- c. I smelled Alice
- D. Error call from Dog expected two args 36

Quiz 6: What is the output?

```
class Dog
  def smell(thing)
    "I smelled #{thing}"
    end
    def smelltime(thing,dur)
    "#{smell(thing)} for #{dur} seconds"
    end
end
fido = Dog.new
puts fido.smelltime("Alice",3)
```

- A. I smelled Alice for seconds
- B. I smelled #{thing} for #{dur} seconds
- c. I smelled Alice for 3 seconds
- d. Error

Quiz 6: What is the output?

```
class Dog
  def smell(thing)
    "I smelled #{thing}"
    end
    def smelltime(thing,dur)
    "#{smell(thing)} for #{dur} seconds"
    end
end
fido = Dog.new
puts fido.smelltime("Alice",3)
```

- A. I smelled Alice for seconds
- B. I smelled #{thing} for #{dur} seconds
- c. I smelled Alice for 3 seconds
- d. Error

Inheritance

Recall that every class inherits from Object



Quiz 7: What is the output?

```
class Gunslinger
                           Α.
  def initialize(name)
    Qname = name
                           B.
  end
  def full name
                           D. Error
    "#{@name}"
  end
end
class Outlaw < Gunslinger
   def full name
      "Dirty, no good #{super}"
   end
end
d = Outlaw.new("Billy the Kid")
puts d.full name
```

- Dirty, no good Billy the kid
- Dirty, no good
- c. Billy the Kid

Quiz 7: What is the output?

```
class Gunslinger
                           Α.
  def initialize(name)
    Qname = name
                           B.
  end
                           C.
  def full name
                           D. Error
    "#{@name}"
  end
end
class Outlaw < Gunslinger
   def full name
      "Dirty, no good #{super}"
   end
end
d = Outlaw.new("Billy the Kid")
puts d.full name
```

Dirty, no good Billy the kid

- Dirty, no good
- Billy the Kid

Global Variables in Ruby

- Ruby has two kinds of global variables
 - Class variables beginning with @@ (static in Java)
 - Global variables across classes beginning with \$



Quiz 8: What is the output?

```
class Rectangle
 def initialize(h, w)
    00h = h
    \mathbf{w} = \mathbf{w}
 end
 def measure()
  return @@h + @w
 end
End
r = Rectangle.new(1,2)
s = Rectangle.new(3,4)
puts r.measure()
```

A. 0
B. 5
C. 3
D. 7

Quiz 8: What is the output?

```
class Rectangle
 def initialize(h, w)
     \partial \partial h = h
     \mathbf{w} = \mathbf{w}
 end
 def measure()
  return @@h + @w
 end
End
r = Rectangle.new(1,2)
s = Rectangle.new(3,4)
puts r.measure()
```

A. 0
B. 5
C. 3
D. 7

What is a Program?

- In C/C++, a program is...
 - A collection of declarations and definitions
 - With a distinguished function definition
 > int main(int argc, char *argv[]) { ... }
 - When you run a C/C++ program, it's like the OS calls main(...)
- In Java, a program is...
 - A collection of class definitions
 - With some class (say, MyClass) containing a method
 - > public static void main(String[] args)
 - When you run java MyClass, the main method of class MyClass is invoked

A Ruby Program is...

The class Object

 When the class is loaded, any expressions not in method bodies are executed

defines a method of Object (i.e., top-level methods belong to Object)

invokes self.sayN

invokes self.puts (part of Object) def sayN(message, n)
 i = 0
 while i < n
 puts message
 i = i + 1
 end
 return i
end

x = sayN("hello", 3)
puts(x)</pre>