

# CMSC 330: Organization of Programming Languages

---

Lets, Tuples, Records

# Let Expressions

---

- Enable binding variables in other expressions
  - These are different from the `let` *definitions* we've been using at the top-level
- They are expressions, so they have a value
- Syntax
  - `let x = e1 in e2`
  - **x** is a *bound variable*
  - **e1** is the *binding expression*
  - **e2** is the *body expression*

# Let Expressions

---

- Syntax

- `let  $x$  =  $e1$  in  $e2$`

- Evaluation

- Evaluate  $e1$  to  $v1$

- Substitute  $v1$  for  $x$  in  $e2$  yielding new expression  $e2'$

- Evaluate  $e2'$  to  $v2$

- Result of evaluation is  $v2$

## Example

```
let x = 3+4 in 3*x
```

```
➤ let x = 7 in 3*x
```

```
➤ 3*7
```

```
➤ 21
```

# Let Expression Example

---

`let x = 3+27 in x*3`

- `3+27 : int`
- `x*3 : int` (assuming `x:int`)
- **so** `let x = 3+27 in x*3 : int`

# Let Definitions vs. Let Expressions

---

- At the top-level, we write
  - `let x = e;;` (\* no in e2 part \*)
  - This is called a let *definition*, not a let *expression*
    - Because it doesn't, itself, evaluate to anything
- Omitting `in` means “from now on”:
  - # `let pi = 3.14;;`
  - (\* pi is now *bound* in the rest of the top-level scope \*)

# Top-level expressions

---

- We can write any expression at top-level, too

- `e;;`

- This says to evaluate `e` and then ignore the result

- Equivalent to `let _ = e;;`
    - Useful when `e` has a side effect, such as reading/writing a file, printing to the screen, etc.

```
let x = 37;;  
let y = x + 5;;  
print_int y;;  
print_string "\n";;
```

- When run, outputs `42` to the screen

# Let Expressions: Scope

---

- In `let x = e1 in e2`, variable `x` is *not* visible outside of `e2`

```
let pi = 3.14 in pi *. 3.0 *. 3.0;;  
print_float pi;;
```

error: `pi` not bound

bind `pi` (only) in body of `let`  
(which is `pi *. 3.0 *. 3.0`)

# Binding in other languages

---

- Compare to similar usage in Java/C

```
let pi = 3.14 in
  pi *. 3.0 *. 3.0;;
pi;; (* pi unbound! *)
```

```
{
  float pi = 3.14;

  pi * 3.0 * 3.0;
}
pi; /* pi unbound! */
```



# Examples – Scope of Let bindings

---

- `x;;`
  - (\* Unbound value x \*)
- `let x = 1 in x + 1;;`
  - (\* 2 \*)
- `let x = x in x + 1;;`
  - (\* Unbound value x \*)

# Examples – Scope of Let bindings

---

- `let x = 1 in (x + 1 + x) ;;`
  - (\* 3 \*)
- `(let x = 1 in x + 1) ;; x;;`
  - (\* Unbound value x \*)
- `let x = 4 in (let x = x + 1 in x) ;;`
  - (\* 5 \*)

# Shadowing Names

---

- **Shadowing** is rebinding a name in an inner scope to have a different meaning
  - May or may not be allowed by the language

## C

```
int i;

void f(float i) {
    {
        char *i = NULL;
        ...
    }
}
```

## Java

```
void h(int i) {
    {
        float i; // not allowed
        ...
    }
}
```

## OCaml

```
let x = 3;;
let g x = x + 3;;
```

# Shadowing, by the Semantics

---

- What if **e2** is also a **let** for **x** ?
  - Substitution will **stop** at the **e2** of a shadowing **x**

## Example

```
let x = 3+4 in let x = 3*x in x+1
```

```
➤ let x = 7 in let x = 3*x in x+1
```


```
➤ let x = 3*7 in x+1
```

```
➤ let x = 21 in x+1
```

```
➤ 21+1
```

```
➤ 22
```

Not substituted,  
since it is shadowed  
by the inner let



# Let Expressions in Functions

---

- You can use `let` inside of functions for local vars

```
let area r =  
  let pi = 3.14 in  
  pi *. r *. r
```

- And you can use many `lets` in sequence

```
let area d =  
  let pi = 3.14 in  
  let r = d /. 2.0 in  
  pi *. r *. r
```

# Shadowing (of Locals) Discouraged

---

- You can use shadowing to simulate mutation (variable update)

```
let rec f x n =  
  if x = 0 then 1  
  else  
    let x = x - 1 in (* shadowed *)  
    n * (f x n)
```

- But avoiding shadowing can be clearer, so we **recommend not using it**
  - With no shadowing, if you see a variable  $x$ , you know it hasn't been "changed," no matter where it appears
  - if you want to "update"  $n$ , use a new name  $n_1$ ,  $n'$ , etc.

# Nested Let Expressions

---

- Uses of `let` can be nested in OCaml
  - Nested bound variables (`pi` and `r`) invisible outside
- Similar scoping possibilities C and Java

```
let res =  
  (let area =  
    (let pi = 3.14 in  
     let r = 3.0 in  
      pi *. r *. r) in  
   area /. 2.0);;
```

```
float res;  
{ float area;  
  { float pi = 3.14  
    float r = 3.0;  
    area = pi * r *  
r;  
  }  
  res = area / 2.0;  
}
```


# Nested Let Style: Generally Avoid

---

- Oftentimes a nested binding can be rewritten in a more linear style
  - Easier to understand
- Can go too far: namespace pollution
  - Avoiding adding unnecessary variable bindings to top-level

```
let res =  
  (let area =  
    (let pi = 3.14 in  
      let r = 3.0 in  
        pi *. r *. r) in  
    area /. 2.0);;
```

```
let res =  
  let pi = 3.14 in  
  let r = 3.0 in  
  let area = pi *. r *. r  
in  
  area /. 2.0;;
```



```
let pi = 3.14;;  
let r = 3.0;;  
let area = pi *. r *. r;;  
let res = area /. 2.0;;
```



## Quiz 1

---

Which of these is **not** an expression that evaluates to 3?

A. `let x=3`

B. `let x=2 in x+1`

C. `let x=3 in x`

D. `3`

## Quiz 1

---

Which of these is **not** an expression that evaluates to 3?

A. `let x=3` ---> not an expression

B. `let x=2 in x+1`

C. `let x=3 in x`

D. `3`

## Quiz 2: What does this evaluate to?

---

```
let x = 2 in  
x = 3
```

- A. 3
- B. 2
- C. true
- D. false

## Quiz 2: What does this evaluate to?

---

```
let x = 2 in  
x = 3
```

- A. 3
- B. 2
- C. true
- D. false

## Quiz 3: What does this evaluate to?

---

```
let x = 3 in
let y = x+2 in
let x = 8 in
x+y
```

- A. 13
- B. 8
- C. 11
- D. 18

## Quiz 3: What does this evaluate to?

---

```
let x = 3 in
let y = x+2 in
let x = 8 in
x+y
```

- A. 13
- B. 8
- C. 11
- D. 18

# let Specializes match

---

More general form of `let` allows patterns:

- `let p = e1 in e2`
  - where *p* is a pattern. If *e1* fails to match that pattern then an exception is thrown

This pattern form of `let` is equivalent to

- `match e1 with p -> e2`

Examples

- `let [x] = [1] in 1::x (* evaluates to [1;1] *)`
- `let h::_ = [1;2;3] in h (* evaluates to 1 *)`
- `let () = print_int 5 in 3 (* evaluates to 3 *)`

# Tuples

---

- **Constructed** using  $(e1, \dots, en)$
- **Deconstructed** using pattern matching
  - Patterns involve parens and commas, e.g.,  $(p1, p2, \dots)$
- Tuples are similar to C structs
  - But without field labels
  - Allocated on the heap
- Tuples can be heterogenous
  - Unlike lists, which must be homogenous
  - $(1, ["string1"; "string2"])$  is a valid tuple



# Tuple Types

---

- Tuple types use `*` to separate components
  - Type joins types of its components
- Examples
  - `(1, 2)` :
  - `(1, "string", 3.5)` :
  - `(1, ["a"; "b"], 'c')` :
  - `[(1,2)]` :
  - `[(1, 2); (3, 4)]` :
  - `[(1,2); (1,2,3)]` :

# Tuple Types

---

- Tuple types use **\*** to separate components

- Type joins types of its components

- Examples

- (1, 2) : **int \* int**

- (1, "string", 3.5) : **int \* string \* float**

- (1, ["a"; "b"], 'c') : **int \* string list \* char**

- [(1,2)] : **(int \* int) list**

- [(1, 2); (3, 4)] : **(int \* int) list**

- [(1,2); (1,2,3)] : **error**

Because the first list element has type `int * int`, but the second has type `int * int * int` – list elements must all be of the same type

# Pattern Matching Tuples

---

```
# let plusThree t =  
  match t with  
    (x, y, z) -> x + y + z;;  
plusThree : int*int*int -> int = <fun>  
  
# let plusThree' (x, y, z) = x + y + z;;  
plusThree' : int*int*int -> int = <fun>  
  
# let addOne (x, y, z) = (x+1, y+1, z+1);;  
addOne : int*int*int -> int*int*int = <fun>  
  
# plusThree (addOne (3, 4, 5));;  
- : int = 15
```

Remember, **semicolon** for lists, **comma** for tuples

- `[1, 2] = [(1, 2)]` which is a list of size one
- `(1; 2)` *Warning: This expression should have type unit*

# Tuples Are A Fixed Size

---

- This OCaml definition
  - `# let foo x = match x with`  
    `(a, b) -> a + b`  
    | (a, b, c) -> a + b + c;;
- Tuples of different size have different types
  - `(a, b)` has type: `'a * 'b * 'c`
  - `(a, b, c)` has type: `'a * 'b`

# Records

---

- Records: identify elements by **name**
  - Elements of a tuple are identified by **position**
- Define a **record type** before defining record values

```
type date = { month: string; day: int; year: int }
```

- Define a **record value**

```
# let today = { day=16; year=2017; month="f"^"eb" };;  
today : date = { day=16; year=2017; month="feb" };;
```

# Destructing Records

---

```
type date = { month: string; day: int; year: int }
let today = { day=16; year=2017; month="feb" };;
```

- **Access** by **field name** or **pattern matching**

```
print_string today.month;; (* prints feb *)
(* patterns *)
let { month=_; day=d } = today in
let { year } = today in
let _ = print_int d in      (* prints 16 *)
print_int year;;           (* prints 2017 *)
```

- Notes:
  - In record patterns, you can skip or reorder fields
  - You can use the field name as the bound variable

## Quiz 4: What does this evaluate to?

---

```
let get (a,b) = a+b in  
get 1 2
```

- A. 3
- B. 2
- C. 1
- D. type error

## Quiz 4: What does this evaluate to?

---

```
let get (a,b) = a+b in  
get 1 2
```

A. 3

B. 2

C. 1

D. type error – **get** takes one argument (a pair)



## Quiz 5: What does this evaluate to?

---

```
let get x y =  
  match x with  
    (a,b) -> a+y  
in  
get (1,2) 1
```

- A. 3
- B. type error
- C. 2
- D. 1

## Quiz 5: What does this evaluate to?

---

```
let get x y =  
  match x with  
    (a,b) -> a+y  
in  
get (1,2) 1
```

- A. 3
- B. type error
- C. 2
- D. 1

## Quiz 6: What is the type of `shift`?

---

```
type point = {x:int; y:int}

let shift p =
  match p with
  { x=px; y=py } -> [px;py]
```

- A. `point -> int list`
- B. `int list -> int list`
- C. `point -> point`
- D. `point -> bool list`

## Quiz 6: What is the type of `shift`?

---

```
type point = {x:int; y:int}

let shift p =
  match p with
  { x=px; y=py } -> [px;py]
```

- A. `point -> int list`
- B. `int list -> int list`
- C. `point -> point`
- D. `point -> bool list`