


CMSC 330: Organization of Programming Languages

Lambda Calculus

Turing Machine



Turing Completeness

- ▶ Turing machines are the most powerful description of computation possible
 - They define the Turing-computable functions
- ▶ A programming language is **Turing complete** if
 - It can map every Turing machine to a program
 - A program can be written to emulate a Turing machine
 - It is a superset of a known Turing-complete language
- ▶ Most powerful programming language possible
 - Since Turing machine is most powerful automaton

Programming Language Expressiveness

- ▶ So what language features are needed to express all computable functions?
 - What's a minimal language that is Turing Complete?
- ▶ Observe: some features exist just for convenience
 - Multi-argument functions `foo (a, b, c)`
 - Use currying or tuples
 - Loops `while (a < b) ...`
 - Use recursion
 - Side effects `a := 1`
 - Use functional programming pass “heap” as an argument to each function, return it when with function's result

Mini C

You only have:

- If statement
- Plus 1
- Minus 1
- functions

Sum $n = 1+2+3+4+5\dots n$ in Mini C

```
int add1(int n){return n+1;}
int sub1(int n){return n-1;}
int add(int a,int b){
    if(b == 0) return a;
    else return add( add1(a),sub1(b));
}
int sum(int n){
    if(n == 1) return 1;
    else return add(n, sum(sub1(n)));
}
int main(){
    printf("%d\n",sum(5));
}
```

Lambda Calculus (λ -calculus)

- ▶ Proposed in 1930s by
 - Alonzo Church
(born in Washington DC!)
- ▶ Formal system
 - Designed to investigate functions & recursion
 - For exploration of foundations of mathematics
- ▶ Now used as
 - Tool for investigating computability
 - Basis of functional programming languages
 - Lisp, Scheme, ML, OCaml, Haskell...



Lambda Calculus Syntax

- ▶ A lambda calculus **expression** is defined as

$e ::= x$

variable

| $\lambda x.e$

abstraction (fun def)

| $e e$

application (fun call)

- ▶ This grammar describes ASTs; not for parsing (ambiguous!)
- ▶ Lambda expressions also known as lambda **terms**
- $\lambda x.e$ is like `(fun x -> e)` in OCaml

That's it! Nothing but higher-order functions

Why Study Lambda Calculus?

- ▶ It is a “core” language
 - Very small but still Turing complete
- ▶ But with it can explore general ideas
 - Language features, semantics, proof systems, algorithms, ...
- ▶ Plus, higher-order, anonymous functions (aka *lambdas*) are now very popular!
 - C++ (C++11), PHP (PHP 5.3.0), C# (C# v2.0), Delphi (since 2009), Objective C, Java 8, Swift, Python, Ruby (Procs), ... (and functional languages like OCaml, Haskell, F#, ...)

Three Conventions

- ▶ Scope of λ extends as far right as possible
 - Subject to scope delimited by parentheses
 - $\lambda x. \lambda y. x y$ is same as $\lambda x. (\lambda y. (x y))$
- ▶ Function application is left-associative
 - $x y z$ is $(x y) z$
 - Same rule as OCaml
- ▶ As a convenience, we use the following “syntactic sugar” for local declarations
 - $\text{let } x = e1 \text{ in } e2$ is short for $(\lambda x. e2) e1$

OCaml Lambda Calc Interpreter

► $e ::= x$
| $\lambda x.e$
| $e e$

```
type id = string
type exp = Var of id
        | Lam of id * exp
        | App of exp * exp
```

y	<code>Var "y"</code>
$\lambda x.x$	<code>Lam ("x", Var "x")</code>
$\lambda x.\lambda y.x y$	<code>Lam ("x", (Lam ("y", App (Var "x", Var "y"))))</code>
$(\lambda x.\lambda y.x y) \lambda x.x x$	<code>App</code> <code>(Lam ("x", Lam ("y", App (Var "x", Var "y"))),</code> <code>Lam ("x", App (Var "x", Var "x")))</code>

Quiz #1

$\lambda x. (y\ z)$ and $\lambda x. y\ z$ are equivalent

- A. True
- B. False

Quiz #1

$\lambda x. (y\ z)$ and $\lambda x. y\ z$ are equivalent

A. True

B. False

Quiz #2

What is this term's AST?

$\lambda x. x \ x$

```
type id = string
type exp =
    Var of id
  | Lam of id * exp
  | App of exp * exp
```

- A. App (Lam ("x", Var "x"), Var "x")
- B. Lam (Var "x", Var "x", Var "x")
- C. Lam ("x", App (Var "x", Var "x"))
- D. App (Lam ("x", App ("x", "x")))

Quiz #2

What is this term's AST?

$\lambda x. x \ x$

```
type id = string
type exp =
    Var of id
  | Lam of id * exp
  | App of exp * exp
```

- A. App (Lam ("x", Var "x"), Var "x")
- B. Lam (Var "x", Var "x", Var "x")
- C. Lam ("x", App (Var "x", Var "x"))
- D. App (Lam ("x", App ("x", "x")))

Quiz #3

This term is equivalent to which of the following?

$\lambda x. x \ a \ b$

A. $(\lambda x. x) \ (a \ b)$

B. $((\lambda x. x) \ a) \ b)$

C. $\lambda x. (x \ (a \ b))$

D. $(\lambda x. ((x \ a) \ b))$

Quiz #3

This term is equivalent to which of the following?

$\lambda x. x \ a \ b$

A. $(\lambda x. x) \ (a \ b)$

B. $((\lambda x. x) \ a) \ b)$

C. $\lambda x. (x \ (a \ b))$

D. $(\lambda x. ((x \ a) \ b))$

Lambda Calculus Semantics


- ▶ Evaluation: All that's involved are function calls $(\lambda x.e1) e2$
 - Evaluate $e1$ with x replaced by $e2$
- ▶ This application is called **beta-reduction**
 - $(\lambda x.e1) e2 \rightarrow e1[x:=e2]$
 - $e1[x:=e2]$ is $e1$ with occurrences of x replaced by $e2$
 - This operation is called *substitution*
 - **Replace** formals with actuals
 - Instead of using environment to map formals to actuals
 - We allow reductions to occur *anywhere* in a term
 - Order reductions are applied does not affect final value!
- ▶ When a term **cannot be reduced further** it is in **beta normal form**

Beta Reduction Example

► $(\lambda x. \lambda z. x z) y$

$\rightarrow (\lambda x. (\lambda z. (x z))) y$ // since λ extends to right

$\rightarrow (\lambda x. (\lambda z. (x z))) y$ // apply $(\lambda x. e1) e2 \rightarrow e1[x:=e2]$
// where $e1 = \lambda z. (x z)$, $e2 = y$



$\rightarrow \lambda z. (y z)$ // final result

Parameters

- Formal
- Actual

► Equivalent OCaml code

• $(\text{fun } x \rightarrow (\text{fun } z \rightarrow (x z))) y \rightarrow \text{fun } z \rightarrow (y z)$

Beta Reduction Examples

► $(\lambda x.x) z \rightarrow z$

► $(\lambda x.y) z \rightarrow y$

► $(\lambda x.x y) z \rightarrow z y$

- A function that applies its argument to y

Beta Reduction Examples (cont.)

- ▶ $(\lambda x.x\ y)\ (\lambda z.z) \rightarrow (\lambda z.z)\ y \rightarrow y$
- ▶ $(\lambda x.\lambda y.x\ y)\ z \rightarrow \lambda y.z\ y$
 - A curried function of two arguments
 - Applies its first argument to its second
- ▶ $(\lambda x.\lambda y.x\ y)\ (\lambda z.zz)\ x \rightarrow (\lambda y.(\lambda z.zz)y)x \rightarrow (\lambda z.zz)x \rightarrow x\ x$

Beta Reduction Examples (cont.)

$(\lambda x.x (\lambda y.y)) (u r) \rightarrow$

$(\lambda x.(\lambda w. x w)) (y z) \rightarrow$

Beta Reduction Examples (cont.)

$$(\lambda x. x (\lambda y. y)) (u r) \rightarrow (u r) (\lambda y. y)$$

$$(\lambda x. (\lambda w. x w)) (y z) \rightarrow (\lambda w. (y z) w)$$

Quiz #4

$(\lambda x. y) z$ can be beta-reduced to

A. y

B. $y z$

C. z

D. cannot be reduced

Quiz #4

$(\lambda x. y) z$ can be beta-reduced to

A. y

B. $y z$

C. z

D. cannot be reduced

Quiz #5

Which of the following reduces to $\lambda z. z$?

- a) $(\lambda y. \lambda z. x) z$
- b) $(\lambda z. \lambda x. z) y$
- c) $(\lambda y. y) (\lambda x. \lambda z. z) w$
- d) $(\lambda y. \lambda x. z) z (\lambda z. z)$

Quiz #5

Which of the following reduces to $\lambda z. z$?

- a) $(\lambda y. \lambda z. x) z$
- b) $(\lambda z. \lambda x. z) y$
- c) $(\lambda y. y) (\lambda x. \lambda z. z) w$**
- d) $(\lambda y. \lambda x. z) z (\lambda z. z)$

Static Scoping & Alpha Conversion

- ▶ Lambda calculus uses **static scoping**
- ▶ Consider the following
 - $(\lambda x.x (\lambda x.x)) z \rightarrow ?$
 - The rightmost “x” refers to the second binding
 - This is a function that
 - Takes its argument and applies it to the identity function
- ▶ This function is “the same” as $(\lambda x.x (\lambda y.y))$
 - Renaming bound variables consistently preserves meaning
 - This is called **alpha-renaming** or **alpha conversion**
 - Ex. $\lambda x.x = \lambda y.y = \lambda z.z$ $\lambda y.\lambda x.y = \lambda z.\lambda x.z$

Quiz #6

Which of the following expressions is **alpha equivalent** to (alpha-converts from)

$(\lambda x. \lambda y. x y) y$

a) $\lambda y. y y$

b) $\lambda z. y z$

c) $(\lambda x. \lambda z. x z) y$

d) $(\lambda x. \lambda y. x y) z$

Quiz #6

Which of the following expressions is **alpha equivalent** to (alpha-converts from)

$(\lambda x. \lambda y. x y) y$

a) $\lambda y. y y$

b) $\lambda z. y z$

c) $(\lambda x. \lambda z. x z) y$

d) $(\lambda x. \lambda y. x y) z$

Defining Substitution

► Use recursion on structure of terms

- $x[x:=e] = e$ // Replace x by e
- $y[x:=e] = y$ // y is different than x , so no effect
- $(e1\ e2)[x:=e] = (e1[x:=e])\ (e2[x:=e])$
// Substitute both parts of application
- $(\lambda x.e')[x:=e] = \lambda x.e'$
 - In $\lambda x.e'$, the x is a parameter, and thus a local variable that is different from other x 's. Implements static scoping.
 - So the substitution has no effect in this case, since the x being substituted for is different from the parameter x that is in e'
- $(\lambda y.e')[x:=e] = ?$
 - The parameter y does not share the same name as x , the variable being substituted for
 - Is $\lambda y.(e'\ [x:=e])$ correct? No...

Variable capture

► How about the following?

- $(\lambda x. \lambda y. x y) y \rightarrow ?$
- When we replace y inside, we don't want it to be **captured** by the inner binding of y , as this violates static scoping
- I.e., $(\lambda x. \lambda y. x y) y \neq \lambda y. y y$

► Solution

- $(\lambda x. \lambda y. x y)$ is “the same” as $(\lambda x. \lambda z. x z)$
 - Due to alpha conversion
- So alpha-convert $(\lambda x. \lambda y. x y) y$ to $(\lambda x. \lambda z. x z) y$ first
 - Now $(\lambda x. \lambda z. x z) y \rightarrow \lambda z. y z$

Completing the Definition of Substitution

- ▶ Recall: we need to define $(\lambda y.e')[x:=e]$
 - We want to avoid capturing (free) occurrences of y in e
 - Solution: alpha-conversion!
 - Change y to a variable w that does not appear in e' or e
(Such a w is called **fresh**)
 - Replace all occurrences of y in e' by w .
 - Then replace all occurrences of x in e' by e !
- ▶ Formally:
$$(\lambda y.e')[x:=e] = \lambda w.((e' [y:=w]) [x:=e]) \text{ (} w \text{ is fresh)}$$

Beta-Reduction, Again

- ▶ Whenever we do a step of beta reduction
 - $(\lambda x.e1) e2 \rightarrow e1[x:=e2]$
 - We must alpha-convert variables as necessary
 - Sometimes performed implicitly (w/o showing conversion)
- ▶ Examples
 - $(\lambda x.\lambda y.x\ y) y = (\lambda x.\lambda z.x\ z) y \rightarrow \lambda z.y\ z \quad //\ y \rightarrow z$
 - $(\lambda x.x\ (\lambda x.x)) z = (\lambda y.y\ (\lambda x.x)) z \rightarrow z\ (\lambda x.x) \quad //\ x \rightarrow y$

OCaml Implementation: Substitution

```
(* substitute e for y in m-- m[y:=e] *)  
let rec subst m y e =  
  match m with  
  | Var x ->  
    if y = x then e (* substitute *)  
    else m          (* don't subst *)  
  | App (e1,e2) ->  
    App (subst e1 y e, subst e2 y e)  
  | Lam (x,e0) -> ...
```

OCaml Impl: Substitution (cont'd)

```
(* substitute e for y in m-- m[y:=e] *)  
let rec subst m y e = match m with ...  
  | Lam (x,e0) ->  
    if y = x then m                                     Shadowing blocks  
    else if not (List.mem x (fvs e)) then                substitution  
      Lam (x, subst e0 y e)                               Safe: no capture possible  
    else          Might capture; need to  $\alpha$ -convert  
      let z = newvar() in (* fresh *)  
      let e0' = subst e0 x (Var z) in  
      Lam (z,subst e0' y e)
```

OCaml Impl: Reduction

```
let rec reduce e =
```

```
  match e with
```

Straight β rule

```
    App (Lam (x,e), e2) -> subst e x e2
```

```
  | App (e1,e2) ->
```

```
    let e1' = reduce e1 in
```

Reduce lhs of app

```
    if e1' != e1 then App(e1',e2)
```

```
    else App (e1,reduce e2)
```

Reduce rhs of app

```
  | Lam (x,e) -> Lam (x, reduce e)
```

```
  | _ -> e
```

Reduce function body

nothing to do

Quiz #7

Beta-reducing the following term produces what result?

$(\lambda x.x \ \lambda y.y \ x) \ y$

- A. $y \ (\lambda z.z \ y)$
- B. $z \ (\lambda y.y \ z)$
- C. $y \ (\lambda y.y \ y)$
- D. $y \ y$

Quiz #7

Beta-reducing the following term produces what result?

$(\lambda x.x \ \lambda y.y \ x) \ y$

- A. $y \ (\lambda z.z \ y)$
- B. $z \ (\lambda y.y \ z)$
- C. $y \ (\lambda y.y \ y)$
- D. $y \ y$

Quiz #8

Beta reducing the following term produces what result?

$$\lambda x. (\lambda y. y y) w z$$

- a) $\lambda x. w w z$
- b) $\lambda x. w z$
- c) $w z$
- d) Does not reduce

Quiz #8

Beta reducing the following term produces what result?

$\lambda x. (\lambda y. y y) w z$

a) $\lambda x. w w z$

b) $\lambda x. w z$

c) $w z$

d) Does not reduce