

Announcements

- Project #3 has been posted
- If you're stuck, look at class examples – many are similar
- Don't forget the Term Paper
- Don't miss class!
- **Practice writing Javascript!**

Reminder....

If your JavaScript is not working (especially if NOTHING shows up in the browser) then:

Render it in Google Chrome and invoke the “Java Console”

- **Ctrl-Shift-J on PC**
- **Cmd-Option-J on Mac**

This will usually give you a message about where and why things went wrong.

Another Reminder....

If Komodo Edit is giving you annoying errors every time you use `document.write`, see the announcement from 02/27 on the class webpage!

Recall: Parameters

Parameters are variables declared at the top of a function. We can use these variables to pass information to the function when it is called:

```
function printName(name, size) {  
    document.writeln("<p style='font-size:" + size + "pt'");  
    document.writeln(name);  
    document.writeln("</p>");  
}
```

To call this function, we must specify values (arguments):

```
printName("Fawzi", 12);  or...  
printName("Bob", 18);
```

Example: [Parameters1.html](#)
[Parameters2.html](#)
[PrintNameExample1.html](#)

Return Values

Sometimes functions can *return* a value back to the caller:

```
function areaOfRectangle(length, width) {  
    var area = length * width;  
    return area;  
}
```

To call this function, we must USE the return value somehow:

```
answer = areaOfRectangle(10, 4);
```

Example: [ReturnValues1.html](#)
[ReturnValues2.html](#)
[RandomNames.html](#)