

CMSC 330: Organization of Programming Languages

Lets, Tuples, Records

Let Expressions

- Enable binding variables in other expressions
 - These are different from the `let definitions` we've been using at the top-level
- They are expressions, so they have a value
- Syntax
 - `let x = e1 in e2`
 - **x** is a *bound variable*
 - **e1** is the *binding expression*
 - **e2** is the *body expression*

Let Expressions

- Syntax

- `let x = e1 in e2`

- Evaluation

- Evaluate **e1** to **v1**

- Substitute **v1** for **x** in **e2** yielding new expression **e2'**

- Evaluate **e2'** to **v2**

- Result of evaluation is **v2**

Example

```
let x = 3+4 in 3*x
```

```
➤ let x = 7 in 3*x
```

```
➤ 3*7
```

```
➤ 21
```

Let Expressions

- Syntax

- `let x = $e1$ in $e2$`

- Type checking

- If $e1 : t1$ and $e2 : t$ (assuming $x : t1$)

- Then `let x = $e1$ in $e2$: t`

- Example: `let x = $3+27$ in $x*3$`

- `$3+27$: int`

- `$x*3$: int (assuming $x:int$)`

- `so let x = $3+27$ in $x*3$: int`

Let Definitions vs. Let Expressions

- At the top-level, we write
 - `let x = e;;` (* no `in e2` part *)
 - This is called a let *definition*, not a let *expression*
 - Because it doesn't, itself, evaluate to anything
- Omitting `in` means “from now on”:
 - # `let pi = 3.14;;`
 - (* `pi` is now *bound* in the rest of the top-level scope *)

Top-level expressions

- We can write any expression at top-level, too
 - `e;;`
 - This says to evaluate `e` and then ignore the result
 - Equivalent to `let _ = e;;`
 - Useful when `e` has a side effect, such as reading/writing a file, printing to the screen, etc.

```
let x = 37;;  
let y = x + 5;;  
print_int y;;  
print_string "\n";;
```

- When run, outputs **42** to the screen

Let Expressions: Scope

- In `let x = e1 in e2`, variable **x** is *not* visible outside of **e2**

```
let pi = 3.14 in pi *. 3.0 *. 3.0;;  
print_float pi;;
```

error: **pi** not bound

bind **pi** (only) in body of **let**
(which is `pi *. 3.0 *. 3.0`)

Binding in other languages




- Compare to similar usage in Java/C

```
let pi = 3.14 in
  pi *. 3.0 *. 3.0;;
pi;; (* pi unbound! *)
```

```
{
  float pi = 3.14;

  pi * 3.0 * 3.0;
}
pi; /* pi unbound! */
```


Examples – Scope of Let bindings

- $x;;$
– (* Unbound value x *)

- $\text{let } x = 1 \text{ in } x + 1;;$
– (* 2 *)

- $\text{let } x = x \text{ in } x + 1;;$
– (* Unbound value x *)


Examples – Scope of Let bindings

- `let x = 1 in (x + 1 + x) ;;`
– (* 3 *)

- `(let x = 1 in x + 1) ;; x ;;`
– (* Unbound value x *)

- `let x = 4 in (let x = x + 1 in x) ;;`
– (* 5 *)
Second binding of x shadows the first

Shadowing Names

- **Shadowing** is rebinding a name in an inner scope to have a different meaning
 - May or may not be allowed by the language

C

```
int i;  
  
void f(float i) {  
    {  
        char *i = NULL;  
        ...  
    }  
}
```

Java

```
void h(int i) {  
    {  
        float i; // not allowed  
        ...  
    }  
}
```

OCaml

```
let x = 3;;  
let g x = x + 3;;
```

Shadowing, by the Semantics

- Evaluation of `let x = e1 in e2`:
 - Evaluate `e1` to `v1` then **substitute** `v1` for `x` in `e2` yielding new expression `e2'` ...
- What if `e2` is also a `let` for `x`?
 - Substitution will **stop** at the `e2` of a shadowing `x`

Example

```
let x = 3+4 in let x = 3*x in x+1
```


```
➤ let x = 7 in let x = 3*x in x+1
```

```
➤ let x = 3*7 in x+1
```

```
➤ let x = 21 in x+1
```

```
➤ 21+1
```

```
➤ 22
```



Not substituted,
since it is shadowed
by the inner let

Let Expressions in Functions

- You can use **let** inside of functions for local vars

```
let area r =  
  let pi = 3.14 in  
  pi *. r *. r
```

- And you can use many **lets** in sequence

```
let area d =  
  let pi = 3.14 in  
  let r = d /. 2.0 in  
  pi *. r *. r
```

- This is **good style**: more readable with lets than without

```
let area_bad d =  
  3.14 *. (d /. 2.0) *. (d /. 2.0)
```

Shadowing (of Locals) Discouraged

- You can use shadowing to simulate mutation (variable update)

```
let rec f x n =  
  if x = 0 then 1  
  else  
    let x = x - 1 in (* shadowed *)  
    n * (f x n)
```

- But avoiding shadowing can be clearer, so we **recommend not using it**
 - With no shadowing, if you see a variable x , you know it hasn't been "changed," no matter where it appears
 - if you want to "update" n , use a new name n_1 , n' , etc.

Nested Let Expressions

- Uses of `let` can be nested in OCaml
 - Nested bound variables (`pi` and `r`) invisible outside
- Similar scoping possibilities C and Java

```
let res =  
  (let area =  
    (let pi = 3.14 in  
     let r = 3.0 in  
      pi *. r *. r) in  
   area /. 2.0);;
```


```
float res;  
{ float area;  
  { float pi = 3.14  
    float r = 3.0;  
    area = pi * r * r;  
  }  
  res = area / 2.0;  
}
```

Nested Let Style: Generally Avoid

- Oftentimes a nested binding can be rewritten in a more linear style
 - Easier to understand
- Can go too far: namespace pollution
 - Avoiding adding unnecessary variable bindings to top-level

```
let res =  
  (let area =  
    (let pi = 3.14 in  
     let r = 3.0 in  
      pi *. r *. r) in  
   area /. 2.0);;
```

```
let res =  
  let pi = 3.14 in  
  let r = 3.0 in  
  let area = pi *. r *. r in  
  area /. 2.0;;
```



```
let pi = 3.14;;  
let r = 3.0;;  
let area = pi *. r *. r;;  
let res = area /. 2.0;;
```


Quiz 1

Which of these is **not** an expression that evaluates to 3?

A. `let x=3`

B. `let x=2 in x+1`

C. `let x=3 in x`

D. `3`

Quiz 1

Which of these is **not** an expression that evaluates to 3?

A. **let x=3** ---> not an expression

B. **let x=2 in x+1**

C. **let x=3 in x**

D. **3**

Quiz 2: What does this evaluate to?

```
let x = 2 in  
x = 3
```

- A. 3
- B. 2
- C. true
- D. false

Quiz 2: What does this evaluate to?

```
let x = 2 in  
x = 3
```

- A. 3
- B. 2
- C. true
- D. false

Quiz 3: What does this evaluate to?

```
let x = 3 in  
let y = x+2 in  
let x = 8 in  
x+y
```

- A. 13
- B. 8
- C. 11
- D. 18

Quiz 3: What does this evaluate to?

```
let x = 3 in  
let y = x+2 in  
let x = 8 in  
x+y
```

- A. 13
- B. 8
- C. 11
- D. 18

let Specializes match

More general form of let allows patterns:

- `let p = e1 in e2`
 - where *p* is a pattern. If *e1* fails to match that pattern then an exception is thrown

This pattern form of `let` is equivalent to

- `match e1 with p -> e2`

Examples

- `let [x] = [1] in 1::x (* evaluates to [1;1] *)`
- `let h::_ = [1;2;3] in h (* evaluates to 1 *)`
- `let () = print_int 5 in 3 (* evaluates to 3 *)`

Tuples

- **Constructed** using $(e1, \dots, en)$
- **Deconstructed** using pattern matching
 - Patterns involve parens and commas, e.g., $(p1, p2, \dots)$
- Tuples are similar to C structs
 - But without field labels
 - Allocated on the heap
- Tuples can be heterogenous
 - Unlike lists, which must be homogenous
 - $(1, ["string1"; "string2"])$ is a valid tuple

Tuple Types

- Tuple types use `*` to separate components
 - Type joins types of its components
- Examples
 - `(1, 2)` :
 - `(1, "string", 3.5)` :
 - `(1, ["a"; "b"], 'c')` :
 - `[(1,2)]` :
 - `[(1, 2); (3, 4)]` :
 - `[(1,2); (1,2,3)]` :

Tuple Types

- Tuple types use ***** to separate components
 - Type joins types of its components
- Examples
 - `(1, 2) : int * int`
 - `(1, "string", 3.5) : int * string * float`
 - `(1, ["a"; "b"], 'c') : int * string list * char`
 - `[(1,2)] : (int * int) list`
 - `[(1, 2); (3, 4)] : (int * int) list`
 - `[(1,2); (1,2,3)] : error`

Because the first list element has type `int * int`, but the second has type `int * int * int` – list elements must all be of the same type

Pattern Matching Tuples

```
# let plusThree t =  
  match t with  
    (x, y, z) -> x + y + z;;  
plusThree : int*int*int -> int = <fun>  
  
# let plusThree' (x, y, z) = x + y + z;;  
plusThree' : int*int*int -> int = <fun>  
  
# let addOne (x, y, z) = (x+1, y+1, z+1);;  
addOne : int*int*int -> int*int*int = <fun>  
  
# plusThree (addOne (3, 4, 5));;  
- : int = 15
```

Remember, **semicolon** for lists, **comma** for tuples

- `[1, 2] = [(1, 2)]` which is a list of size one
- `(1; 2)` *Warning: This expression should have type unit*

More Examples With Tuples

- `let sum ((a, b), c) = (a+c, b+c)`
 - `sum ((1, 2), 3) = (4, 5)`
- `let plusFirstTwo (x::y::_ , a) = (x + a, y + a)`
 - `plusFirstTwo ([1; 2; 3], 4) = (5, 6)`
- `let tls (_::xs, _::ys) = (xs, ys)`
 - `tls ([1; 2; 3], [4; 5; 6; 7]) = ([2; 3], [5; 6; 7])`

Tuples Are A Fixed Size

- This OCaml definition

- # let foo x = match x with

- (a, b) -> a + b

- | (a, b, c) -> a + b + c;;

- Would yield this error message

- This pattern matches values of type 'a * 'b * 'c

- but is here used to match values of type 'd * 'e

- Tuples of different size have different types

Records

- Records: identify elements by **name**
 - Elements of a tuple are identified by **position**
- Define a **record type** before defining record values

```
type date = { month: string; day: int; year: int }
```

- **Construct** a record
 - { **f1=e1**; ...; **fn=en** } : evaluates **e1** to **en**, assigns results to the given fields
 - Fields do not have to be written in order

```
# let today = { day=16; year=2017; month="f"^"eb" };;  
today : date = { day=16; year=2017; month="feb" };;
```

Destructing Records

```
type date = { month: string; day: int; year: int }  
let today = { day=16; year=2017; month="feb" };;
```

- **Access** by **field name** or **pattern matching**

```
print_string today.month;; (* prints feb *)  
(* patterns *)  
let { month=_; day=d } = today in  
let { year } = today in  
let _ = print_int d in      (* prints 16 *)  
print_int year;;           (* prints 2017 *)
```

- Notes:
 - In record patterns, you can skip or reorder fields
 - You can use the field name as the bound variable

Quiz 4: What does this evaluate to?

```
let get (a,b) = a+b in  
get 1 2
```

- A. 3
- B. 2
- C. 1
- D. type error

Quiz 4: What does this evaluate to?

```
let get (a,b) = a+b in  
get 1 2
```

A. 3

B. 2

C. 1

D. type error – `get` takes one argument (a pair)

Quiz 5: What does this evaluate to?

```
let get x y =  
  match x with  
    (a,b) -> a+y  
in  
get (1,2) 1
```

- A. 3
- B. type error
- C. 2
- D. 1

Quiz 5: What does this evaluate to?

```
let get x y =  
  match x with  
    (a,b) -> a+y  
in  
get (1,2) 1
```

- A. 3
- B. type error
- C. 2
- D. 1

Quiz 6: What is the type of `shift`?

```
type point = {x:int; y:int}

let shift p =
  match p with
  { x=px; y=py } -> [px;py]
```

- A. `point -> int list`
- B. `int list -> int list`
- C. `point -> point`
- D. `point -> bool list`

Quiz 6: What is the type of `shift`?

```
type point = {x:int; y:int}

let shift p =
  match p with
  { x=px; y=py } -> [px;py]
```

- A. `point -> int list`
- B. `int list -> int list`
- C. `point -> point`
- D. `point -> bool list`