
These are practice problems for the upcoming final exam. You will be given a sheet of notes for the exam. Also, go over your homework assignments. **Warning:** This does not necessarily reflect the length, difficulty, or coverage of the actual exam.

Problem 1. Assume that you developed an algorithm to find the (index of the) n/3 smallest element of a list of n elements in 2n comparisons.

- (a) Using the algorithm (as a black box), give an algorithm, efficient in the worst case, to find the kth smallest element of a list.
- (b) Write down a recurrence for (a bound on) the number of comparisons it executes in the worst case.
- (c) Solve the recurrence (using constructive induction). Find the high order term exactly (but you do not need any low order terms).
- (d) Using the (black box) algorithm for finding the n/3 smallest element and using the ideas and results of Parts (a), (b), and (c), give an efficient algorithm to find (the index of) two elements, the k_1 th smallest and the k_2 smallest (for inputs k_1 and k_2). The algorithm description can be very high level and brief.
- (e) How many comparisons does it use? Find the high order term exactly (but you do not need any low order terms). Give a brief justification.

Problem 2. A graph is tripartite if the vertices can be partitioned into three sets so that there are no edges internal to any set. The *complete* tripartite graph, K(a, b, c), has three sets of vertices with sizes a, b, and c and all possible edges between each pair of sets of vertices. K(3,2,3) is pictured below. A *Hamiltonian* cycle in a graph is a cycle that traverses every vertex exactly once.



- (a) For which values of n does K(1,1,n) have a Hamiltonian cycle. Justify your answer.
- (b) For which values of n does K(1, n, n) have a Hamiltonian cycle. Justify your answer.
- (c) For which values of n does K(n, n, n) have a Hamiltonian cycle. Justify your answer.

Problem 3. Let G = (V, E) be an undirected graph. A *triangle* is a set of three vertices such that each pair has an edge.

- (a) Give an efficient algorithm to find all of the triangles in a graph.
- (b) How fast is your algorithm?

Problem 4. Show that you can convert a formula in Conjuctive Normal Form (CNF) where every clause has *at most* three literals, into a new formula where every clause has *exactly* three literals, so that the new formula is satisfiable if and only if the original formula is satisfiable. No variable may occur twice in the same clause.

Problem 5. In a graph G = (V, E) edge (x, y) touches vertices x and y.

A newtonian cluster in a graph G = (V, E) is a subset of the edges such that every vertex is touched by at least one edge. The size of a newtonian cluster is the number of edges in the subset.

- (a) Give an example of a graph that has a newtonian cluster of size four but not of size three.
- (b) Let C be a newtonian cluster of G. What can you say about the minimum size of C as a function of the number of vertices n? Justify.
- (c) A minimal newtonian cluster is a newtonian cluster such that if any edge is removed it is no longer a newtonian cluster. Let C be a minimal newtonian cluster of G. What can you say about the maximum size of C as a function of the number of vertices n? Justify.
- (d) The (decision version of) newtonian cluster problem is given a graph G = (V, E) and an integer k does G have a newtonian cluster of size (at most) k. Show that the newtonian cluster problem is in **NP**. What is the certificate?
- **Problem 6.** A vertex cover in a graph G = (V, E) is a subset of vertices such every edge is incident on at least one vertex of the subset. The Weighted Vertex Cover Problem (WVCP) is, given a graph G = (V, E) with integer weights on the vertices, find a vertex cover whose sum of weights is as small as possible. You can assume that the weights are between 1 and n (inclusive).
 - (a) WVCP is an optimization problem. Define a decision version of WVCP.
 - (b) Show that the decision version is in **NP**. Make sure to state the certificate and give the pseudo code.
 - (c) Show that if you could solve the optimization version in polynomial time that you could also solve the decision version in polynomial time.
 - (d) Show that if you could solve the decision version in polynomial time that you could also solve the optimization version in polynomial time. HINT: First find the weight of an optimal weighted vertex cover.
- **Problem 7.** This problem is more open-ended than you would see on an exam: If you do not know how to play Sudoku, look it up. Normally, Sudoku is played on a 9×9 grid.
 - (a) Generalize Sudoku to larger grids.
 - (b) State the (generalized) Sudoku game as a decision problem.
 - (c) Show that the decision version of (generalized) Sudoku is in NP.
 - (d) Show that if you can solve the decision version of (generalized) Sudoku in polynomial time, you can solve a (generalized) Sudoku puzzle in polynomial time.