






Introduction to 3D Audio



There are many types of room reflection: all affect the sound of your system. A reflection off a nearby hard surface may be almost as loud as the original sound!

The most common way of controlling unwanted reflections is through the use of sound-absorbing foam or fiberglass.


A diffusive surface doesn't directly reflect or absorb sound, but scatters it in many directions. Recent diffusor designs use irregular surfaces based on mathematical number theory.



What is Sound?

- Elastic wave propagation in some medium


- Earth Science (Seismic waves)
- Ocean Acoustics (Sonar)
- UltraSound (Human Tissue)



What is Sound?


- Elastic wave propagation in some medium

- Structural Me
- Archite
Acous
- Game



3

Immersive Environments




- Imitation of reality in a computer-generated world
- Graphics hardware and techniques have evolved

4

How can it be done?


- Foley artists manually make and record the sound from the real-world interaction



Lucasfilm Foley Artist

How about Computer Simulation?

- Physical simulation drives visual simulation



- Sound rendering can also be automatically generated via 3D physical interaction

Immersive Audio

- Goal of immersive audio: Realistic *Auralization*
- Reality: Hearing and Sight work together
- Hearing provides additional information that complements Sight
- A natural approach: Physically-based Sound Simulation

7

Importance

- **Localization:** User should know where sound source is located
- **Avoid confusion:** Position should not be ambiguous unless intended to be
 - Front-back confusion: Common in VR; user doesn't know if source is in front or back of them (often described as sound coming from inside their head)
- **Maximize immersion:** Good audio increases immersion

Example of non-VR great 3D audio (ASMR-like):

<https://www.youtube.com/watch?v=IUDTlvagjJA>


Audio makes a difference!



Audio as a field

- Historically, the effects of “good” audio not as apparent as good graphics in general-purpose 3D scenes... so not much focus on this area
- Not as accessible as graphics....yet. Tools not as powerful/integrated
- Only in last few years, with rise of XR, became more popular as people realize good audio makes a big difference
 - XR: virtual assistants & humans, immersive environments, physics-based interaction
 - In parallel: ML/data-driven techniques to denoise, decompose, generate audio/voices
- **Conceptually very similar to how we describe light**
 - (similarly, we simplify wave-based mechanics as rays)
 - Similarities/Analogies denoted by Audio ~ Light


Sound Rendering: An Overview



Synthesis & Modeling


Acoustic vs. Graphics

- Low geometric detail vs. High geometric detail




Synthesis & Modeling

Modeling Acoustic Geometry [Vorländer,2007]




Visual Geometry



Acoustic Geometry

Modeling Sound Material




[Embrechts,2001] [Christensen,2005] [Tsingos,2007]

Sound Synthesis

- Collisions lead to surface vibrations
- Vibrations create pressure waves in air
- For small amplitudes, linear phenomenon

Vibration

Pressure Wave





Modeling Sound Source



Volumetric Sound Source

Directional Sound Source




Complex Vibration Source

Propagation

Acoustic vs. Graphics


- 343 m/s vs. 300,000,000 m/s
- 20 to 20K Hz vs. RGB
- 17m to 17cm vs. 700 to 400 nm



Propagation


Sound Propagation

- Sound waves propagate from source, complex interactions with boundary
- Diffraction, high-order reflection, scattering



Diffraction


- Waves tend to bend around obstacles when $\lambda > s$
- P will have appreciable reception only if there is a good amount of diffraction
- Low-frequencies tend to “bend” more than higher frequencies



19

Scattering

- For sound, scattering and diffraction are closely related



20


Physical Properties: Sound and Light

Physical Property	Light	Sound
Speed of propagation	~ 300,000,000 m/s	~ 340 m/s
Observable Wavelength	380 – 750 nanometers	17 mm – 17 m
Observable Frequency	400 – 790 TeraHertz	20 – 20,000 Hertz


- Transient phenomena perceivable
- Diffraction is important
- High update rate

Sound Propagation in Games

- Strict time budget for audio simulations
- Games are dynamic
 - Moving sound sources
 - Moving listeners
 - Moving scene geometry
- Trade-off speed with the accuracy of the simulation
- Static environment effects (assigned to regions in the scene)



Sound Simulation: Sub-problems


- 
- Sound Synthesis
 - How sound is produced locally due to an object's vibration
 - Sound Propagation
 - How sound travels in a scene, up to the listener's ears
 - Sound Perception (Psycho-acoustics)
 - How sound is processed by the human auditory system
 - Interactive approaches: Pre-processing and Runtime

23

3D Audio Rendering

Acoustic vs. Graphics

- Compute intensive DSP vs. addition of colors
- 44.1 KHz vs. 30 Hz
- Psychoacoustics vs. Visual psychophysics




3D Audio
Rendering

3D Audio Rendering


- Main Components
 - 3D Audio and HRTF
 - Artifact free rendering for dynamic scenes

Traditional pipeline




3D Audio Rendering

- Perceptual Audio Rendering [Moeck,2007]



▪




Overview of Sound Simulation

- The complete pipeline for sound simulation
 - Sound Synthesis
 - Sound Propagation
 - Sound Rendering




Overview of Sound Simulation


- Sound Synthesis



Overview of Sound Simulation



Overview of Sound Simulation




Themes


- Exploiting analytical solutions using Modal Analysis to accelerate numerical simulation and reducing runtime computation
- Capture only perceptually important auditory cues to perform real-time sound synthesis and acoustic propagation on complex 3D scenes

31

Color Illusion



Color Illusion





Terminologies & Concepts You Should Know

Some Basic Terms & Definitions


3D Audio Modelling: Soundscape

- **Source:** the point from which sound is coming
- **Listener:** the position where the sound is “heard” (in games, usually the Camera)
- **Objects:** things cable of blocking/reflecting sound
 - Can reflect, absorb, or diffuse sound (much like with light)




Global Illumination ~ Soundscape

- What VE looks/sounds like from user perspective
- Modelling of acoustic/lighting environment



(a) Local Illumination


(b) Global Illumination



Spatialized 3D Audio vs. Non-Spatialized


- Mono vs stereo sound:
 - **Mono**: audio sounds same for both ears

(music source)





(ASMR source)

- **Stereo**: audio can differ between ears (2 channels)





- **Spatialized (3D)**: You can tell where sound is coming from; simulating a virtual acoustic environment
- **Non-spatialized (2D)**: Can't tell where sound is in 3D space (can still be left/right)



Spatialized 3D Audio vs. Non-Spatialized


- Mono vs stereo sound:
 - **Mono**: audio sounds same for both ears

(music source)





(ASMR source)

- **Stereo**: audio can differ between ears (2 channels)




- **Spatialized (3D)**: You can tell where sound is coming from; simulating a virtual acoustic environment
- **Non-spatialized (2D)**: Sound is not simulated in acoustic environment



Applies to Source Audio AND Runtime Output


- Mono vs stereo sound:
 - **Mono**: audio sounds same for both ears

(music source)





(ASMR source)


- **Stereo**: audio can differ between ears (2 channels)



- **Spatialized (3D)**: You can tell where sound is coming from; simulating a virtual acoustic environment
- **Non-spatialized (2D)**: Sound is not simulated in acoustic environment




Mono/Stereo, Spatialized/Non-Spatialized Applies to Source Audio AND Runtime Output




Frequency

- **Waveforms:** Δ dB (signal strength) of air pressure over time
- **Spectrograms:** dB of each frequency/pitch over time
 - Various scaling options affect utility for different applications; e.g. Mel scale
- Often used to filter noise types
 - Low-frequency/**bass**: whale sounds, background noise
 - Mids: human voice
 - Highs/**treble**: hi-hats, bird chirps, snapping fingers, etc.
- (more info in a signal processing class)




Audio Unmixing

- Audio source gives us a spectrogram... how do we figure out source components?
- Applications in voice recognition, music decomposition, denoising, etc.
- Some ML techniques to figure it out
- New trend: AR tracking used during audio capture to help localize & isolate



HRTF: Modelling the Ear

- Accurate 3D audio requires us to estimate how sound will bounce through the ear
- *Head-related transfer function* (HRTF) lets us do this
- HRTF estimates sound from particular point travels through ear & head
- Very tedious to generate (use spinning array of speakers and microphones to estimate head shape effect on “hearability”), but there are many libraries of “generic” HRTFs



HRTF: Modelling the Ear





More HRTF







Camera ~ Listener

Both describe how the user hears/sees the rays




Falloff/Rolloff/Attenuation: Handling Distance

- Volume at various distances
- Logarithmic is common
 - Very loud when right next to sound
 - Levels out to pretty quiet after short distance
 - Decently preserves correct distance; estimate of source distance usually accurate





Falloff ~ Depth-of-Field

Both describe how visible/audio objects are based on distance (control the “perceived” depth/distance)



Filters

- Controls sound that survives to output
- Usually achieves effect/fakes audio environment
- Often mix of low-pass filter (LPF) & high-pass filter (HPF)
 - LPF: allow low-pitch sounds through but suppress high-pitch (achieves muffling sound) (focus on bass)
 - HPF: opposite (allow high-pitch sounds, suppress low-pitch) (focus on treble)
- Very fast but not always accurate (esp. For dynamic environments)
- Lot of setup & parameters




Good video on filters



In 3D...


- Filters often applied to “volumes”
- If listener is within that volume, that filter is applied
- Check out UE4 Content Example project for nice examples



Filters ~ ???

Filters ~ Post-Processing

Fast edits made to source/frame after the bulk of rendering/ “composition” is done




Occlusion

- Sound when something is in front of it (occluding)
- Often achieved with raycast+low-pass filter or propagation (soon to come)



Occlusion

- In light, some materials (e.g. glass) allow light to pass through
- In audio, some materials allow some sound to pass through (e.g. muffled)



Directionality

- Can have types of audio sources like light sources... point, directional, etc.
 - Point: sound radiates uniformly; sounds same from all directions in a vacuum (at same distance)
 - Directional: much louder when in front of the source (e.g. where sound is coming from, like front of radio)



Audio ~ Light: Types of Sources


- **Point:** radiates uniformly
- **Directional/Spotlight:** weighted towards direction
- **Ambient:** uniform strength applied to all surfaces (e.g. background noise/music)
 - In light, nothing is usually pitch black
 - In audio, nothing is usually perfectly silent



Reverberation

- Filtered or propagated
 - **Direct audio:** Sound that's in line of sight
 - **Early reflections:** Sounds that bounce and are heard soon after
 - **Late reflections:** Sounds that bounce and sound very delayed (e.g. echos, long-range, etc.)
- Light has similar concepts
 - **Direct light:** looking at the sun
 - **Early reflections:** objects that you look directly at
 - **Late reflections:** mirrors, stars, reflections, etc.
- Reflection "**order**" is how many bounces until reaches listener




(light travels much faster and doesn't attenuate much so the ray order doesn't matter as much)



Sound propagation ~ ???


Ray/Path-tracing ~ Sound propagation

- Trace how rays bounce around for more accurate results for things that are reflective




Diffraction

- How a sound is heard when not in line of sight
 - (similar effect to occlusion....except diffraction worries about how the sound wave “bends”)
- Often thought of as muffling....but is a bit more geometric than LPF
 - E.g. sound is usually still pretty clear near a boundary and transitions smoothly



Diffraction Example




Diffraction Example



Diffraction ~ ???


Diffraction ~ God Rays

- Distort light/sound around an edge.... Distorted rays can bounce around



Sound Propagation (Ray-Traced Audio)

Great video from UNC (by people now at Oculus)




Sound Propagation (Ray-Traced Audio)

Great video from GAMMA (by people now at Oculus, Microsoft, Valve)



Even more



Reverb Zone Parameters

- In real life, low-freq sounds echo for much longer (don't die as quickly)
- **Density**: how many rays are traced (fullness of the reverb)
- **Diffusion**: how far the bouncing rays get from each other
 - So more diffuse for environmental sounds, less for voices
- **Reflections Delay**: how long it takes ray to hit objects/time between echoes
 - Also affects how long it takes reflection to reach listener
- **Gain**: strength of source signal (volume before first bounce)
 - **Gain HF**: signal strength for high-freq sounds (e.g. should be higher for voices to travel)
- **Decay Time**: how quickly the sound attenuates/weakens
 - **Decay HF**: Same for high-freq sounds (high-freq sounds usually die faster)
 - Described as percent of decay time (e.g. <1 means HF lasts shorter)
- **Reflections Gain**: How much volume survives after hitting obstacle
- **Late Gain**: Above but for late reflections (e.g. after multiple bounces)
- **Late Delay**: Same as above but for late reflections
- **Air Absorption Gain HF**: How much air absorbs HF sounds
- **Room Rolloff Factor**: Size of reverb zone * attenuation
(so normalizes rays based on room size)

A pretty good resource (not exactly game engine params): <https://www.emusician.com/gear/cheat-sheet-reverb-parameters>
Also recommend playing with the UE4 Content Examples Audio map

Early Reflections	
Bypass Early Reflections	<input type="checkbox"/>
Reflections Delay	0.02
Gain HF	0.5781
Reflections Gain	0.4032

Late Reflections	
Bypass Late Reflections	<input type="checkbox"/>
Late Delay	0.03
Decay Time	4.32
Density	1.0
Diffusion	1.0
Air Absorption Gain HF	0.96
Decay HFRatio	0.59
Late Gain	0.717
Gain	0.6666

Reverb Parameters	
Density	1.0
Diffusion	1.0
Gain	0.32
Gain HF	0.89
Decay Time	1.49
Decay HFRatio	0.83
Reflections Gain	0.05
Reflections Delay	0.007
Late Gain	1.26
Late Delay	0.011
Air Absorption Gain HF	0.994
Room Rolloff Factor	0.0

Material Modelling



- Modern sound APIs model the materials of the room & objects
 - E.g. metal has a lot of reverb, carpet absorbs most reflections



Acoustic Materials ~ ???


Phong materials ~ Acoustic materials

- Both contain scalar parameters describing how that surface affects rays
- Mostly “baked”; not much will change during runtime (no “dynamic” params)




Ambient + Diffuse + Specular = Phong Reflection

What Are the Best Sound Absorption Materials?




Video of how geometry affects sound



Other Perceptual Illusions Apply to Sound

- E.g. distance compression (sound usually sounds way too close or far)
- E.g. Cocktail party effect (hearing specific audio cues when lot of sources)




APIs for game engines


- **Google Resonance:** doesn't seem to have geometric propagation but lower requirements/works better on mobile, open source
- **SteamAudio/Phonon:** IMO easiest to use, best documentation, has good geometric propagation, open source
- **Oculus Audio:** similar to SteamAudio, also has geometric propagation, has more and better preset materials/filters IMO
- **GSound/MSound:** Predecessor to many propagation libraries by GAMMA group
- **UE4 & Unity built-in audio:** Have built-in:
 - Spatialization
 - Filters
 - Occlusion
 - Reverb zones
 - Procedural sound/propagation

Sound Synthesis (Physically-Based Audio)


- **General idea:** use geometry & material params of mesh to figure out correct sound on impact
- Even less accessible today than propagation; still very hard to do realtime
- Common method: **modal sound synthesis:** figure out “modes”/features of the audio (e.g. glass, metal, etc.), apply those modes to other geometry, & simulate
 - So once you know modes, you can use a physically-based material on any mesh




From “Example-Guided Physically Based Modal Sound Synthesis”



Modal sound synthesis example



Game-focused modal sound synthesis





More Advanced Sound Synthesis



Challenges of sound synthesis

- Requires huge precompute step
- Has trouble with continuous contact sounds & damping (multi-object interaction)
- Usually performs poorly realtime depending on how much is precomputed
- Doesn't always respond well to questionable game engine physics
- **But we're getting there!**



GAMMA Research on VR sound synthesis





Sound Synthesis ~ ???


Physically-Based Rendering ~ Sound Synthesis

- Both generate results realtime starting from material definition + maps/features instead of precomputing/baking them

Modal Sound Synthesis



for quasi-rigid body sound (e.g., collision, bounce, and scratch)



Questions?