

CMSC 132: OBJECT-ORIENTED PROGRAMMING II




Graphs & Graph Traversal

Department of Computer Science
University of Maryland, College Park


Graph Data Structures

- Many-to-many relationship between elements
 - Each element has **multiple** predecessors
 - Each element has **multiple** successors





Graph Definitions

- Node
 - Element of graph
 - State
 - List of adjacent/neighbor/successor nodes
- Edge
 - Connection between two nodes
 - State
 - Endpoints of edge




Graph Definitions

- Directed graph
 - Directed edges
- Undirected graph
 - Undirected edges




(a) Directed graph



(b) Undirected graph

Graph Definitions


- Weighted graph
 - Weight (cost) associated with each edge



Graph Definitions


- Path

- Sequence of nodes $n_1, n_2, \dots, n_k$
- Edge exists between each pair of nodes n_i, n_{i+1}
- Example
 - A, B, C is a path
 - A, E, D is not a path




Graph Definitions

- Cycle
 - Path that ends back at starting node
 - Example
 - A, E, A
 - A, B, C, D, E, A
- Simple path
 - No cycles in path
- Acyclic graph
 - No cycles in graph
 - What is an example?



Graph Definitions

- Connected Graph
 - Every node in the graph is reachable from every other node in the graph
- Unconnected graph
 - Graph that has several disjoint components




Unconnected graph

Graph Operations

- Traversal (search)
 - Visit each node in graph exactly once
 - Usually perform computation at each node
 - Two approaches
 - Breadth first search (BFS)
 - Depth first search (DFS)


Breadth-first Search (BFS)

- Approach
 - Visit all neighbors of node first
 - View as series of expanding circles
 - Keep list of nodes to visit in queue
- Example traversal
 1. **n**
 2. **a, c, b**
 3. **e, g, h, i, j**
 4. **d, f**




Breadth-first Tree Traversal


- Example traversals starting from 1



Left to right



Right to left




Random

Traversals Orders

- Order of successors
 - For tree
 - Can order children nodes from left to right
 - For graph
 - Left to right doesn't make much sense
 - Each node just has a set of successors and predecessors; there is no order among edges
- For breadth first search
 - Visit all nodes at distance k from starting point
 - Before visiting any nodes at (minimum) distance $k+1$ from starting point


Depth-first Search (DFS)

- Approach
 - Visit all nodes on path first
 - **Backtrack** when path ends
 - Keep list of nodes to visit in a stack
- Similar to process in maze without exit
- Example traversal
 1. N
 2. A
 3. B, C, D, ...
 4. F...




Depth-first Tree Traversal


- Example traversals from 1 (preorder)



Left to right




Right to left



Random


Traversal Algorithms

- Issue
 - How to avoid revisiting nodes
 - Infinite loop if cycles present
- Approaches
 - Record set of visited nodes
 - Mark nodes as visited




Traversal – Avoid Revisiting Nodes


- Record set of visited nodes
 - Initialize { Visited } to empty set
 - Add to { Visited } as nodes is visited
 - Skip nodes already in { Visited }



$V = \emptyset$




$V = \{ 1 \}$



$V = \{ 1, 2 \}$

Traversal – Avoid Revisiting Nodes

- Mark nodes as visited
 - Initialize tag on all nodes (to False)
 - Set tag (to True) as node is visited
 - Skip nodes with tag = True



Traversal Algorithm Using Sets

$\{ \text{Visited} \} = \emptyset$

$\{ \text{Discovered} \} = \{ \text{1st node} \}$

while ($\{ \text{Discovered} \} \neq \emptyset$)

 take node X out of $\{ \text{Discovered} \}$

 if X not in $\{ \text{Visited} \}$

 add X to $\{ \text{Visited} \}$

 for each successor Y of X

 if (Y is not in $\{ \text{Visited} \}$)

 add Y to $\{ \text{Discovered} \}$

Traversal Algorithm Using Tags

for all nodes X

 set $X.tag = \text{False}$

$\{ \text{Discovered} \} = \{ \text{1st node} \}$

while ($\{ \text{Discovered} \} \neq \emptyset$)

 take node X out of $\{ \text{Discovered} \}$

 if ($X.tag = \text{False}$)

 set $X.tag = \text{True}$

 for each successor Y of X

 if ($Y.tag = \text{False}$)

 add Y to $\{ \text{Discovered} \}$

BFS vs. DFS Traversal

- Order nodes taken out of { Discovered } key
- Implement { Discovered } as Queue
 - First in, first out
 - Traverse nodes breadth first
- Implement { Discovered } as Stack
 - First in, last out
 - Traverse nodes depth first

BFS Traversal Algorithm

for all nodes X

 X.tag = False

put 1st node in Queue

while (Queue not empty)

 take node X out of Queue

 if (X.tag = False)

 set X.tag = True

 for each successor Y of X

 if (Y.tag = False)

 put Y in Queue

DFS Traversal Algorithm

for all nodes X

 X.tag = False

put 1st node in Stack

while (Stack not empty)

 pop X off Stack

 if (X.tag = False)

 set X.tag = True


 for each successor Y of X

 if (Y.tag = False)

 push Y onto Stack

Example

- Let's do a BFS/DFS using the following graph (start vertex C)



- Which Java class can help us implement BFS/DFS

Recursive Graph Traversal

- Can traverse graph using recursive algorithm
 - Recursively visit successors
- Approach
 - Visit (X)
 - for each successor Y of X
 - Visit (Y)
- Implicit call stack & backtracking
 - Results in depth-first traversal

Recursive DFS Algorithm

Traverse()

- for all nodes X

 - set X.tag = False

- Visit (1st node)

Visit (X)

- set X.tag = True

- for each successor Y of X

 - if (Y.tag = False)

 - Visit (Y)