

# CMSC 330: Organization of Programming Languages

---

## OCaml Data Types

# OCaml Data

---

- So far, we've seen the following kinds of data
  - Basic types (int, float, char, string)
  - Lists
    - One kind of data structure
    - A list is either `[]` or `h::t`, deconstructed with pattern matching
  - Tuples and Records
    - Let you collect data together in fixed-size pieces
  - Functions
- How can we build other data structures?
  - Building everything from lists and tuples is awkward

# User Defined Types

---

- `type` can be used to create new names for types
  - Useful for combinations of lists and tuples
- Examples
  - `type my_type = int * (int list)`
  - `let (x:my_type) = (3, [1; 2])`
  - `type my_type2 = int*char*(int*float)`
  - `let (y:my_type2) = (3, 'a', (5, 3.0))`

# (User-Defined) Variants

---

```
type coin = Heads | Tails
```

```
let flip x =
```

```
  match x with
```

```
    Heads -> Tails
```

```
  | Tails -> Heads
```

```
let rec count_heads x =
```

```
  match x with
```

```
    [] -> 0
```

```
  | (Heads::x') -> 1 + count_heads x'
```

```
  | (_::x') -> count_heads x'
```

In simplest form:  
Like a C enum

Basic pattern  
matching  
resembles C  
switch

Combined list  
and variant  
patterns possible

# Constructing and Destructing Variants

---

- Syntax

- **type**  $t = C1 \mid \dots \mid Cn$
- the  $Ci$  are called **constructors**
  - Must begin with a capital letter

- Evaluation

- A constructor  $Ci$  is already a value
- Destructing a value  $v$  of type  $t$  is done by pattern matching on  $v$ ; the patterns are the constructors  $Ci$

- Type Checking

- $Ci : t$  (for each  $Ci$  in  $t$ 's definition)

# Data Types: Variants with Data

---

- We can define variants that “carry data” too
  - Not just a constructor, but a constructor *plus values*

```
type shape =  
  Rect of float * float (* width*length *)  
| Circle of float      (* radius *)
```

- **Rect** and **Circle** are constructors
  - where a **shape** is either a **Rect** (***w***, ***l***)
    - for any floats ***w*** and ***l***
  - or a **Circle** ***r***
    - for any float ***r***

# Data Types (cont.)

---

```
let area s =
  match s with
    | Rect (w, l) -> w *. l
    | Circle r -> r *. r *. 3.14
;;
area (Rect (3.0, 4.0)) ;; (* 12.0 *)
area (Circle 3.0) ;;      (* 28.26 *)
```

- Use pattern matching to **deconstruct** values
  - Can bind pattern values to data parts
- Data types are *aka* **algebraic data types** and **tagged unions**

# Data Types (cont.)

---

```
type shape =  
  Rect of float * float (* width*length *)  
  | Circle of float      (* radius *)  
  
let lst = [Rect (3.0, 4.0) ; Circle 3.0]
```

- What's the type of `lst`?
  - **shape list**
- What's the type of `lst`'s first element?
  - **shape**



# Variation: Shapes in Java Compare this to OCaml

---

```
public interface Shape {  
    public double area();  
}
```

```
class Rect implements Shape {  
    private double width, length;  
  
    Rect (double w, double l) {  
        this.width = w;  
        this.length = l;  
    }  
  
    double area() {  
        return width * length;  
    }  
}
```

```
class Circle implements Shape {  
    private double rad;  
  
    Circle (double r) {  
        this.rad = r;  
    }  
  
    double area() {  
        return rad * rad * 3.14159;  
    }  
}
```

# Option Type

---

```
type optional_int =
  None
  | Some of int

let divide x y =
  if y != 0 then Some (x/y)
  else None

let string_of_opt o =
  match o with
  Some i -> string_of_int i
  | None -> "nothing"
```

```
let p = divide 1 0;;
print_string
  (string_of_opt p);;
(* prints "nothing" *)

let q = divide 1 1;;
print_string
  (string_of_opt q);;
(* prints "1" *)
```

- Comparing to Java: **None** is like `null`, while **Some *i*** is like an **Integer (*i*)** object

# Polymorphic Option Type

- A **Polymorphic** version of `option` type can work with *any kind of data*
  - As `int option`, `char option`, etc...

*Polymorphic parameter:  
like `Option<T>` in Java*

```
type 'a option =  
  Some of 'a  
| None
```

In fact, this `option` type is built into OCaml

```
let opthd l =  
  match l with  
    [] -> None  
  | x :: _ -> Some x
```

```
let p = opthd [];;      (* p = None *)  
let q = opthd [1;2];;  (* q = Some 1 *)  
let r = opthd ["a"];; (* r = Some "a" *)
```

# Quiz 1

---

```
type foo = (int * (string list)) list
```

Which one of the following could match foo?

- A. `[(3, "foo", "bar")]`
- B. `[(7, ["foo"; "bar"])]`
- C. `[(5, ["foo", "bar"])]`
- D. `[(9, [("foo", "bar")])]`

# Quiz 1

---

```
type foo = (int * (string list)) list
```

Which one of the following could match foo?

- A. `[(3, "foo", "bar")]`
- B. `[(7, ["foo"; "bar"])]`
- C. `[(5, ["foo", "bar"])]`
- D. `[(9, [("foo", "bar")])]`

## Quiz 2: What does this evaluate to?

---

```
type num = Int of int | Float of float;;
let plus a b =
  match a, b with
  | Int i, Int j -> Int (i+j)
  | Float i, Float j -> Float (i +. j)
  | Float i, Int j -> Float (i +. float_of_int j)
;;
plus (Float 3.0) (Int 2);;
```

- A. **Float 5.0**
- B. **5.0**
- C. **Int 5**
- D. **Type Error**

## Quiz 2: What does this evaluate to?

---

```
type num = Int of int | Float of float;;
let plus a b =
  match a, b with
  | Int i, Int j -> Int (i+j)
  | Float i, Float j -> Float (i +. j)
  | Float i, Int j -> Float (i +. float_of_int j)
;;
plus (Float 3.0) (Int 2);;
```

- A. **Float 5.0**
- B. 5.0
- C. Int 5
- D. Type Error

## Quiz 3: What does this evaluate to?

---

```
let foo f = match f with
  None -> 42.0
  | Some n -> n +. 42.0
;;
foo 3.3;;
```

- A. 45.3
- B. 42.0
- C. Some 45.3
- D. Error



## Quiz 3: What does this evaluate to?

---

```
let foo f = match f with
  None -> 42.0
  | Some n -> n +. 42.0
;;
foo 3.3;;   foo (Some 3.3)
```

- A. 45.3
- B. 42.0
- C. Some 45.3
- D. **Error**

# Recursive Data Types

---

- We can build up lists with **recursive** variant types

```
type 'a mylist =  
  Nil  
  | Cons of 'a * 'a mylist  
  
let rec len = function  
  Nil -> 0  
  | Cons (_, t) -> 1 + (len t)  
  
len (Cons (10, Cons (20, Cons (30, Nil))))  
(* evaluates to 3 *)
```

- Won't have nice `[1; 2; 3]` syntax for this kind of list

# Variants (full definition)

---

- Syntax

- **type**  $t = C1$  [of  $t1$ ] | ... |  $Cn$  [of  $tn$ ]

- the  $Ci$  are called constructors

- Must begin with a capital letter; may include associated data notated with brackets [] to indicate it's optional

- Evaluation

- A constructor  $Ci$  is a value if it has no assoc. data

- $Ci vi$  is a value if it does

- Destructing a value of type  $t$  is by pattern matching

- patterns are constructors  $Ci$  with data components, if any

- Type Checking

- $Ci$  [ $vi$ ] :  $t$  [if  $vi$  has type  $ti$ ]

# OCaml Exceptions

---

```
exception My_exception of int
let f n =
  if n > 0 then
    raise (My_exception n)
  else
    raise (Failure "foo")
let bar n =
  try
    f n
  with My_exception n ->
    Printf.printf "Caught %d\n" n
  | Failure s ->
    Printf.printf "Caught %s\n" s
```

# Exceptions (cont.)

---

- Exceptions are declared with **exception**
  - They may appear in the signature as well
- Exceptions may take arguments
  - Just like type constructors
  - May also have no arguments
- Catch exceptions with **try...with...**
  - Pattern-matching can be used in **with**
  - If an exception is uncaught
    - Current function exits immediately
    - Control transfers up the call chain
    - Until the exception is caught, or until it reaches the top level

# OCaml Exceptions (cont.)

---

- `failwith`: Raise exception `Failure` with the given string.
- `invalid_arg`: Raise exception `Invalid_argument` with the given string
- `Not_found`: Raised if the object does not exist

```
let div x y =  
  if y = 0 failwith "divide by zero" else x/y;;  
  
let lst = [ (1, "alice"); (2, "bob"); (3, "cat") ];;  
let lookup key lst =  
  try  
    List.assoc key lst  
  with  
    Not_found -> "key does not exist"
```