

CMSC 132: Object-Oriented Programming II

Hash Tables

Key Value Map

- ▶ Red Black Tree: $O(\log n)$
- ▶ BST: $O(n)$
- ▶ 2-3-4 Tree: $O(\log n)$

- ▶ Can we do better?

Hash Tables

- ▶ a data structure used to implement (a dictionary) an associative array, a structure that can map keys to values.
- ▶ $O(1)$ best case. (Or average case).
- ▶ $O(n)$ worst case. extremely unlikely to arise by chance, but a malicious adversary with knowledge of the hash function may be able to supply information to a hash that creates worst-case behavior by causing excessive collisions, resulting in very poor performance

Hash Table Example

- A hash table uses a magic hash function to compute an index into an array slots.
- An object can be found from the array using the index.

0	1	2	3	4	5	6	7	8	9	10	11	12

$$H(K) = K \% 13$$

Grades: 85, 91, 66, 96, 80, 88, 95, 87, 77, 63, 93, 82

Average Search Times:

Hash Table Example

- A hash table uses a magic hash function to compute an index into an array slots.
- An object can be found from the array using the index.

0	1	2	3	4	5	6	7	8	9	10	11	12	13
91	66	80	93	95	96	82	85		87	88	63	77	

$$H(K) = K \% 13$$

Grades: 85, 91, 66, 96, 80, 88, 95, 87, 77, 63, 93, 82

To find a number:

85, 91, 66, 96, 80, 88, 95, 87, 77, 63 need just 1 comparison,
93 needs 2 comparison, 82 needs 3 comparison


Average Search Times: $(10 * 1 + 1 * 2 + 1 * 3) / 12 = 1.25$

Hash Function

- ▶ a “magic function” that, given a value to search for, would tell us exactly where in the array to look
 - If it's in that location, it's in the array
 - If it's not in that location, it's not in the array
- ▶ When applied to an Object, returns a number
- ▶ When applied to *equal* Objects, returns the *same* number for each
- ▶ When applied to *unequal* Objects, is *very unlikely* to return the same number for each
- ▶ Hash functions is very important for searching.


Hash Functions

- Save items in a key-indexed table
- Array index is the function of the key
- Hash function: Method for computing array index from key
- Example:
 - Items are social security numbers
 - Hash function: $H(\text{Key}) = \text{Key} \% 100$



Hash Functions

- Issues:
 - Computing the hash function
 - Equality test: Method for checking whether two keys are equal
 - Collision resolution: Algorithm and data structure to handle two keys that hash to the same index




Hash Functions

- Classic space-time tradeoff
 - **No space limit**: trivial hash function with key as index
 - **No time limit**: trivial collision resolution with sequential search
 - **Space and time limit**: hashing in the real world

Computing the Hash Function

- Idealistic goal: Scramble the keys uniformly to produce a table index.
 - Efficiently computable.
 - Each table index equally likely for each key.
- Ex 1. Phone numbers
 - Bad: first three digits.
 - Better: last three digits.
- Ex 2. Social Security numbers.
 - Bad: first three digits.
 - Better: last three digits.
- Practical challenge. Need different approach for each key type.



Java's hash code conventions

- Java classes inherit a method `hashCode()`, which returns a 32-bit int.
- Requirement:
`If x.equals(y) then`
`(x.hashCode() == y.hashCode()) .`
- Highly desirable:
`If !x.equals(y) then`
`(x.hashCode() != y.hashCode())`

Java's Hash Code Conventions

- Java hashCode() Default implementation:
 - Memory address of x.
- Legal (but poor) implementation:
 - Always return 17.
- Customized implementations:
 - Integer, Double, String, File, URL, Date,
- User-defined types:
 - Users are on their own.

Hash code: integers, and doubles

```
public final class Integer{
    private final int value;
    ...
    public int hashCode(){
        return value;    }
}
```


```
final class Double{
    private final double value;
    ...
    public int hashCode(){
        long bits = doubleToLongBits(value);
        return (int) (bits ^ (bits >>> 32));
    }
}
```

Hash code: booleans

```
public final class Boolean{
    private final boolean value;
    ...
    public int hashCode() {
        if (value)
            return 1231;
        else
            return 1237;
    }
}
```

Implementing hash code: Strings

```
public final class String{
    private final char[] s;
    ...
    public int hashCode(){
        int hash = 0;
        for (int i = 0; i < length(); i++){
            hash = s[i] + (31 * hash);
        }
        return hash;
    }
}
```



char	Unicode
...	...
'a'	97
'b'	98
'c'	99
...	...

```
String s = "call";
int code = s.hashCode();
```

$$\begin{aligned} 3045982 &= 99 \cdot 31^3 + 97 \cdot 31^2 + 108 \cdot 31^1 + 108 \cdot 31^0 \\ &= 108 + 31 \cdot (108 + 31 \cdot (97 + 31 \cdot (99))) \end{aligned}$$

(Horner's method)

Hash code: user-defined types

```
public final class Transaction implements Comparable<Transaction>{
    private final String  who;
    private final Date    when;
    private final double  amount;
    public Transaction(String who, Date when, double amount)
    { /* as before */ }
    ...
    public boolean equals(Object y){/* as before */ }
    public int hashCode(){
        int hash = 17;
        hash = 31*hash + who.hashCode();
        hash = 31*hash + when.hashCode();
        hash = 31*hash + ((Double) amount).hashCode();
        return hash;
    }
}
```



Hash Code Design

- Standard” recipe for user-defined types:
 - Combine each significant field using the $31x + y$ rule.
 - If field is a primitive type, use wrapper type `hashCode()`.
 - If field is null, return 0.
 - If field is a reference type, use `hashCode()`.
 - If field is an array, apply to each entry.
- In practice:
 - Recipe works reasonably well; used in Java libraries.
 - In theory. Keys are bitstring; "universal" hash functions exist.

Collisions

Collision. Two distinct keys hashing to same index.

- Birthday problem \Rightarrow can't avoid collisions unless you have a ridiculous (quadratic) amount of memory.
- Coupon collector + load balancing \Rightarrow collisions are evenly distributed.




Challenge. Deal with collisions efficiently.

Separate chaining symbol table

Use an array of $M < N$ linked lists. [H. P. Luhn, IBM 1953]


- Hash: map key to integer i between 0 and $M - 1$.
- Insert: put at front of i^{th} chain (if not already there).
- Search: need to search only i^{th} chain.



Collision resolution: open addressing

Open addressing. [Amdahl-Boehme-Rochester-Samuel, IBM 1953]

When a new key collides, find next empty slot, and put it there.



linear probing ($M = 30001$, $N = 15000$)

Linear probing: Example

	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
st[]																
M = 16																

Clustering

- ▶ Cluster. A contiguous block of items.
- ▶ Observation. New keys likely to hash into middle of big clusters.
- ▶ Solutions:

Separate chaining vs. linear probing

- ▶ Separate chaining.
 - Easier to implement delete.
 - Performance degrades gracefully.
 - Clustering less sensitive to poorly-designed hash function.
- ▶ Linear probing.
 - Less wasted space.
 - Better cache performance.

Hash tables vs. balanced search trees

Hash tables.

- Simpler to code.
- No effective alternative for unordered keys.
- Faster for simple keys (a few arithmetic ops versus $\log N$ compares).
- Better system support in Java for strings (e.g., cached hash code).

Balanced search trees.

- Stronger performance guarantee.
- Support for ordered ST operations.
- Easier to implement `compareTo()` correctly than `equals()` and `hashCode()`.

Java system includes both.

- Red-black BSTs: `java.util.TreeMap`, `java.util.TreeSet`.
- Hash tables: `java.util.HashMap`, `java.util.IdentityHashMap`.

Quiz 1

What is the time complexity to retrieve from a hash table if there are no collisions?

- A. $O(1)$
- B. $O(n)$
- C. $O(n^2)$
- D. $O(\log n)$

Quiz 1

What is the time complexity to retrieve from a hash table if there are no collisions?

- A. **$O(1)$**
- B. $O(n)$
- C. $O(n^2)$
- D. $O(\log n)$

Quiz 2

A hash function should have which properties?

- A. Uniform distribution
- B. Efficient hash code computation
- C. Range is a subset of the integers
- D. Equivalent objects produce equal hash codes

Quiz 2

A hash function should have which properties?

- A. Uniform distribution
- B. Efficient hash code computation
- C. Range is a subset of the integers
- D. Equivalent objects produce equal hash codes

Quiz 3

A hash table of length 10 uses open addressing with hash function $h(k) = k \bmod 10$, and linear probing. After inserting 6 values into an empty hash table, the table is as shown below. Which one of the following choices gives a possible order in which the key values could have been inserted in the table?

- A. 46, 42, 34, 52, 23, 33
- B. 34, 42, 23, 52, 33, 46
- C. 46, 34, 42, 23, 52, 33
- D. 42, 46, 33, 23, 34, 52

0	
1	
2	42
3	23
4	34
5	52
6	46
7	33
8	
9	

Quiz 3

A hash table of length 10 uses open addressing with hash function $h(k) = k \bmod 10$, and linear probing. After inserting 6 values into an empty hash table, the table is as shown below. Which one of the following choices gives a possible order in which the key values could have been inserted in the table?

- A. 46, 42, 34, 52, 23, 33
- B. 34, 42, 23, 52, 33, 46
- C. 46, 34, 42, 23, 52, 33**
- D. 42, 46, 33, 23, 34, 52

0	
1	
2	42
3	23
4	34
5	52
6	46
7	33
8	
9	

Quiz 4

The keys 12, 18, 13, 2, 3, 23, 5 and 15 are inserted into an initially empty hash table of length 10 using open addressing with hash function $h(k) = k \bmod 10$ and linear probing. What is the resultant hash table?

0	
1	
2	2
3	23
4	
5	15
6	
7	
8	18
9	

(A)

0	
1	
2	12
3	13
4	
5	5
6	
7	
8	18
9	

(B)

0	
1	
2	12
3	13
4	2
5	3
6	23
7	5
8	18
9	15

(C)

0	
1	
2	12, 2
3	13, 3, 23
4	
5	5, 15
6	
7	
8	18
9	

(D)

Quiz 4

The keys 12, 18, 13, 2, 3, 23, 5 and 15 are inserted into an initially empty hash table of length 10 using open addressing with hash function $h(k) = k \bmod 10$ and linear probing. What is the resultant hash table?

0	
1	
2	2
3	23
4	
5	15
6	
7	
8	18
9	

(A)

0	
1	
2	12
3	13
4	
5	5
6	
7	
8	18
9	

(B)

0	
1	
2	12
3	13
4	2
5	3
6	23
7	5
8	18
9	15

(C)

0	
1	
2	12, 2
3	13, 3, 23
4	
5	5, 15
6	
7	
8	18
9	

(D)

Quiz 5

Hash table of size seven, with starting index zero, and a hash function $(3x + 4) \bmod 7$. Keys 1, 3, 8, 10 are inserted into an empty table.

Which of the following is the contents of the table when?

Index	0	1	2	3	4	5	6
A	8	1				3	10
B	1	8	10				3
C	1	10	8				3
D	1	10	8				3

Quiz 5

Hash table of size seven, with starting index zero, and a hash function $(3x + 4) \bmod 7$. Keys 1, 3, 8, 10 are inserted into an empty table.

Which of the following is the contents of the table when?

Index	0	1	2	3	4	5	6
A	8	1				3	10
B	1	8	10				3
C	1	10	8				3
D	1	10	8				3

Quiz 6

Hash table keys are ordered.

- A. True
- B. False

Quiz 6

Hash table keys are ordered.

A. True

B. False

Quiz 7

What is the worst case time complexity to retrieve from a hash?

- A. $O(1)$
- B. $O(n)$
- C. $O(n^2)$
- D. $O(\log n)$

Quiz 7

What is the worst case time complexity to retrieve from a hash?

- A. $O(1)$
- B. $O(n)$**
- C. $O(n^2)$
- D. $O(\log n)$