

CMSC 330: Organization of Programming Languages

Ruby Regular Expressions

String Processing in Ruby

- ▶ Scripting languages provide many useful libraries for manipulating strings
- ▶ The Ruby `String` class provides many useful, such as
 - Concatenate two strings
 - grabbing substrings
 - Searching and Replacing

String Operations in Ruby

- ▶ What if we want to find more complicated patterns?
 - Find Steve, Stephen, Steven, Stefan, Esteve
 - Count the number of words that have even number vowels
- ▶ We need Regular Expressions

Regular Expressions

- ▶ A way of describing patterns or sets of strings
 - Searching and matching
 - Formally describing strings
 - The symbols (lexemes or tokens) that make up a language
- ▶ Common to lots of languages and tools
 - awk, sed, perl, grep, Java, OCaml, C libraries, etc.
 - Popularized (and made fast) as a language feature in Perl
- ▶ Based on some really elegant theory
 - Future lecture

Regular Expressions

- ▶ Regular expressions consist of
 - Constants
 - empty set \emptyset :
 - empty string ϵ
 - literal character a in Σ , a finite alphabet
 - Operations over these sets
 - Concatenation: $a \cdot b$
 - Union: $a \mid b$
 - Kleene star: a^*
 - We can build complicated patterns by recursively applying the 3 operation on those 3 constants

Example Regular Expressions in Ruby

- ▶ `/Ruby/`
 - Matches exactly the string "Ruby"
 - Concatenation: `/r • u • b • y/`
- ▶ `/Ruby | OCaml/`
 - Matches either "Ruby" or "OCaml"
- ▶ `/(ab)*/`
 - 0 or more occurrences of "ab", matches "", "ab", "abab", "ababab", ...

Using Regular Expressions

- ▶ Regular expressions are instances of **Regexp**
- ▶ Basic matching using **=~** method of **String**

```
line = gets           # read line from standard input
if line =~ /Ruby/ then # returns nil if not found
  puts "Found Ruby"
end
```

Repetition in Regular Expressions

- ▶ *: zero or more
- ▶ +: one or more
 - so `/e+/` is the same as `/ee*/`
- ▶ ?: zero or one occurrence
- ▶ {x} means repeat the search for **exactly** x occurrences
- ▶ {x,} means repeat the search for **at least** x occurrences
- ▶ {x, y} means repeat the search for **at least x occurrences and at most y** occurrences

Watch Out for Precedence

- ▶ `/(Ruby)*/` means `{"", "Ruby", "RubyRuby", ...}`
- ▶ `/Ruby*/` means `{"Rub", "Ruby", "Rubyy", ...}`
- ▶ Best to use parentheses to disambiguate
 - Note that parentheses have another use, to extract matches, as we'll see later

Character Classes

- ▶ `/[abcd]/`
 - `{"a", "b", "c", "d"}` (Can you write this another way?)
- ▶ `/[a-zA-Z0-9]/`
 - Any upper or lower case letter or digit
- ▶ `/[^0-9]/`
 - Any character except 0-9 (the ^ is like not and must come first)
- ▶ `/[\t\n]/`
 - Tab, newline or space
- ▶ `/[a-zA-Z_\\$][a-zA-Z_\\$0-9]*/`
 - Java identifiers (`$` escaped...see next slide)

Special Characters

.	any character	Using <code>/^pattern\$/</code> ensures entire string/line must match pattern
^	beginning of line	
\$	end of line	
\\$	just a \$	
\d	digit, [0-9]	
\s	whitespace, [\t\r\n\f\s]	
\w	word character, [A-Za-z0-9_]	
\D	non-digit, [^0-9]	
\S	non-space, [^\t\r\n\f\s]	
\W	non-word, [^A-Za-z0-9_]	

Potential Character Class Confusions

- ▶ `^`
 - Inside character classes: *not*
 - Outside character classes: beginning of line
- ▶ `[]`
 - Inside regular expressions: character class
 - Outside regular expressions: array
 - Note: `[a-z]` does not make a valid array
- ▶ `()`
 - Inside character classes: literal characters `()`
 - Note `/(0..2)/` does not mean 012
 - Outside character classes: used for grouping
- ▶ `-`
 - Inside character classes: range (e.g., a to z given by `[a-z]`)
 - Outside character classes: subtraction

Summary

- ▶ Let *re* represents an arbitrary pattern; then:
 - */re/* – matches regexp *re*
 - */(re₁|re₂)/* – match either *re₁* or *re₂*
 - */(re)*/* – match 0 or more occurrences of *re*
 - */(re)+/* – match 1 or more occurrences of *re*
 - */(re)?/* – match 0 or 1 occurrences of *re*
 - */(re){2}/* – match exactly two occurrences of *re*
 - */[a-z]/* – same as *(a|b|c|...|z)*
 - */[^0-9]/* – match any character that is not 0, 1, etc.
 - *^*, *\$* – match start or end of string

Try out regexps at rubular.com

Rubular
a Ruby regular expression editor

Your regular expression:

/ [CMSC]\d+ /

Your test string:

C222

Match result:

C222

Wrap words ☒ Show invisibles ☐ Ruby version 2.1.5

make permalink clear fields

Regular Expression Practice

Contains 2 b's, may not be consecutive.

beginning
↓
/^ b b \$/
end
↓

/^ [^b]* b [^b]* b [^b]* \$/
↑
Any number of not b

Regular Expression Practice

- ▶ Starts with **c**, followed by one vowel, and any number of letters

`/^c $/`

`/^c [aouei] [a-z]* $/`

Regular Expression Practice

- ▶ All letters are in alphabetic order

`/^a*b*c*d*e*f*g*h*i*j*k*l*m*n*o*p*r*t*$/`

Regular Expression Practice

Contains sss or ccc

`/s{3}|c{3}/`

Regular Expression Practice

- ▶ contains 2 ab

$/(ab)\{2}/$

- ▶ contains 2 b

$/b\{2}/$

Regular Expression Practice

- ▶ Starts with a, 0 or 1 letter after that

`/^a[a-z]?$/`

Regular Expression Practice

- ▶ Contains one or more ab or ba

$/(ab|ba)^+/$

Regular Expression Practice

- ▶ steve, steven, or stephen

`/^ste(ve|phen|ven)$/`

Regular Expression Practice

- ▶ Even length string

$/^{\wedge}(\dots)^{*}\$/$

Regular Expression Practice

- ▶ Even number of vowels

`/^([\^aouei]*[aouei][\^aouei]*[aouei][\^aouei]*)*$`

Regular Expression Practice

- ▶ starts with not-b, followed by one or more a's

`/^[^b]+a+$/`

Quiz 1

How many different strings could this regex match?

`/^Hello, Anyone awake?$/`

- A. 1
- B. 2
- C. 4
- D. More than 4

Quiz 1

How many different strings could this regex match?

e or nothing

`/^Hello, Anyone awake?e?$/`

- A. 1
- B. 2
- C. 4
- D. More than 4

Quiz 2

Which regex is **not** equivalent to the others?

- A. `^[crab]$`
- B. `^c?r?a?b?$`
- C. `^(c|r|a|b)$`
- D. `^([cr]|[ab])$`

Quiz 2

Which regex is **not** equivalent to the others?

- A. `^[crab]$`
- B. `^c?r?a?b?$`
- C. `^(c|r|a|b)$`
- D. `^([cr]|[ab])$`

Quiz 3

Which string does **not** match the regex?

`/[a-z]{4}\d{3}/`

- A. `"cm\sc\d\d\d"`
- B. `"cm\sc330"`
- C. `"hello\cm\sc330"`
- D. `"cm\sc330world"`

Quiz 3

Which string does **not** match the regex?

*Recall that without ^ and \$, a regex will match any **substring***

`/[a-z]{4}\d{3}/`

- A. `"cmsc\d\d\d"`
- B. `"cmsc330"`
- C. `"hellocmsc330"`
- D. `"cmsc330world"`

Extracting Substrings based on R.E.'s

Method 1: Back References

Two options to extract substrings based on R.E.'s:

- ▶ Use **back references**
 - Ruby remembers which strings matched the parenthesized parts of r.e.'s
 - These parts can be referred to using special variables called back references (named \$1, \$2,...)

Back Reference Example

```
gets =~ /^Min: (\d+) Max: (\d+)$/
min, max = $1, $2
puts "mini=#{min} maxi=#{max}"
```

sets min = \$1
and max = \$2

► Input

Min: 1 Max: 27

Min: 10 Max: 30

Min: 11 Max: 30

Min: a Max: 24

► Output

mini=1 maxi=27

mini=10 maxi=30

mini= maxi=

mini= maxi=

Extra space messes up match

Not a digit; messes up match

Back References are Local

► Warning

- Despite their names, \$1 etc are **local** variables
- (Normally, variables starting with \$ are global)

```
def m(s)
  s =~ /(Foo)/
  puts $1    # prints Foo
end
m("Foo")
puts $1      # prints nil
```

Back References are Reset

► Warning 2

- If another search is performed, all back references are **reset** to nil

```
gets =~ /(h)e(ll)o/  
puts $1  
puts $2  
gets =~ /h(e)llo/  
puts $1  
puts $2  
gets =~ /hello/  
puts $1
```

```
hello  
h  
ll  
hello  
e  
nil  
hello  
nil
```

Quiz 4

What is the output of the following code?

```
s = "help I'm stuck in a text editor"  
s =~ /([A-Z]+)/  
puts $1
```

- A. help
- B. I
- C. I'm
- D. I'm stuck in a text editor

Quiz 4

What is the output of the following code?

```
s = "help I'm stuck in a text editor"  
s =~ /([A-Z]+)/  
puts $1
```

- A. help
- B. I
- C. I'm
- D. I'm stuck in a text editor

Quiz 5

What is the output of the following code?

```
"Why was 6 afraid of 7?" =~ /\d\s(\w+).* (\d) /  
puts $2
```

- A. afraid
- B. Why
- C. 6
- D. 7

Quiz 5

What is the output of the following code?

```
"Why was 6 afraid of 7?" =~ /\d\s(\w+).* (\d) /  
puts $2
```

- A. afraid
- B. Why
- C. 6
- D. 7

Method 2: String.scan

- ▶ Also extracts substrings based on regular expressions
- ▶ Can optionally use parentheses in regular expression to affect how the extraction is done
- ▶ Has two forms that differ in what Ruby does with the matched substrings
 - The first form returns an array
 - The second form uses a code block
 - We'll see this later

First Form of the Scan Method

- ▶ `str.scan(regex)`
 - If `regex` doesn't contain any parenthesized subparts, returns an array of matches
 - An array of all the substrings of `str` which matched

```
s = "CMSC 330 Fall 2018"  
s.scan(/\S+ \S+/)  
# returns array ["CMSC 330", "Fall 2018"]
```

```
s.scan(/\S{2}/)  
# => ["CM", "SC", "33", "Fa", "11", "20", "18"]
```

First Form of the Scan Method (cont.)

- If `regexp` contains parenthesized subparts, returns an array of arrays
 - Each sub-array contains the parts of the string which matched one occurrence of the search

```
s = "CMSC 330 Fall 2018"
s.scan(/(\S+) (\S+)/) # [{"CMSC", "330"},
                        # ["Fall", "2018"]]
```

- Each sub-array has the same number of entries as the number of parenthesized subparts
- All strings that matched the first part of the search (or `$1` in back-reference terms) are located in the first position of each sub-array

Practice with Scan and Back-references

```
> ls -l
```

```
drwx-----      2 sorelle  sorelle      4096 Feb 18 18:05 bin
-rw-----      1 sorelle  sorelle      674 Jun  1 15:27 calendar
drwx-----      3 sorelle  sorelle      4096 May 11  2006 cmsc311
drwx-----      2 sorelle  sorelle      4096 Jun  4 17:31 cmsc330
drwx-----      1 sorelle  sorelle      4096 May 30 19:19 cmsc630
drwx-----      1 sorelle  sorelle      4096 May 30 19:20 cmsc631
```

Extract just the file or directory name from a line using

- scan

```
name = line.scan(/\S+$/) # ["bin"]
```

- back-references

```
if line =~ /\S+$/
    name = $1      #
    "bin"
end
```

Quiz 6

What is the output of the following code?

```
s = "Hello World"  
t = s.scan(/\w{2}/).length  
puts t
```

- A. 3
- B. 4
- C. 5
- D. 6

Quiz 6

What is the output of the following code?

```
s = "Hello World"  
t = s.scan(/\w{2}/).length  
puts t
```

- A. 3
- B. 4
- C. 5
- D. 6

Quiz 7

What is the output of the following code?

```
s = "To be, or not to be!"  
a = s.scan(/(\S+) (\S+)/)  
puts a.inspect
```

- A. ["To", "be,", "or", "not", "to", "be!"]
- B. [["To", "be,", "or", "not"], ["to", "be!"]]
- C. ["To", "be,"]
- D. ["to", "be!"]

Quiz 7

What is the output of the following code?

```
s = "To be, or not to be!"  
a = s.scan(/(\S+) (\S+)/)  
puts a.inspect
```

- A. ["To", "be,", "or", "not", "to", "be!"]
- B. [["To", "be,", "or", "not"], ["to", "be!"]]
- C. ["To", "be,"]
- D. ["to", "be!"]

Second Form of the Scan Method

- ▶ Can take a **code block** as an optional argument
- ▶ `str.scan(regex) { |match| block }`
 - Applies the code block to each match
 - Short for `str.scan(regex).each { |match| block }`
 - The regular expression can also contain parenthesized subparts

Example of Second Form of Scan

12	34	23
19	77	87
11	98	3
2	45	0

input file:
will be read line by line, but
column summation is desired

```
sum_a = sum_b = sum_c = 0
while (line = gets)
  line.scan(/(\d+)\s+(\d+)\s+(\d+)/) { |a,b,c|
    sum_a += a.to_i
    sum_b += b.to_i
    sum_c += c.to_i
  }
end
printf("Total: %d %d %d\n", sum_a, sum_b, sum_c)
```

converts the string
to an integer

Sums up three columns of numbers

Practice: Amino Acid counting in DNA

Write a function that will take a filename and read through that file counting the number of times each group of three letters appears so these numbers can be accessed from a hash.

(assume: the number of chars per line is a multiple of 3)

```
gcggcattcagcacccgtatactgttaagcaatccagatTTTTgtgtataacataccggc
catactgaagcattcattgaggctagcgctgataacagtagcgctaacaatgggggaatg
tggcaatacgggtgcgattactaagagccgggaccacacacccccgtaaggatggagcgtgg
taacataataatccgttcaagcagtgggcgaagggtggagatgttccagtaagaatagtgg
gggcctactacccatggtacataattaagagatcgtcaatcttgagacgggtcaatggtac
cgagactatatcactcaactccggacgtatgcgcttactggtcacctcgttactgacgga
```

Practice: Amino Acid counting in DNA

get the
file
handle

array
of
lines
from
the
file
for
each
line in
the
file
each
triplet
in the
line

```
def countaa(filename)
  file = File.new(filename, "r")
  lines = file.readlines
  hash = Hash.new
  lines.each{ |line|
    acids = line.scan(/.../)
    acids.each{ |aa|
      if hash[aa] == nil
        hash[aa] = 1
      else
        hash[aa] += 1
      end
    }
  }
end
```

initialize
the hash, or
you will get
an error when
trying to
index into an
array with a
string

get an array
of triplets
in the line