






Software Testing

Testing: Our Experiences







Testing the New Version



Regression Testing



What is Testing?

- Process of determining whether a task has been correctly carried out [Schach '96]
 - Goals of testing
 - **Reveal Faults**
 - Correctness
 - Reliability
 - Usability
 - Robustness
 - Performance
- } **Conflicting Goals?**

Types of Testing


- Execution-based Testing
 - Non-execution based Testing
-
- Discussion

Execution-based Testing

- **Generating and Executing Test Cases on the Software**
- **Types of Execution-based Testing**
 - **Testing to Specifications**
 - Black-box Testing
 - **Testing to Code**
 - Glass-box (White-box) Testing

Black-box Testing

- **Discussion: MAC/ATM Machine Example**
 - **Specs**
 - Cannot withdraw more than \$300
 - Cannot withdraw more than your account balance



White-box Testing

- **Example**

x: 1..1000;

**Generate test cases
to cover each statement**

```
1 INPUT-FROM-USER(x);  
  If (x <= 300) {  
2     INPUT-FROM-FILE(BALANCE);  
     If (x <= BALANCE)  
3         GiveMoney x;  
4     else Print "You don't have $x in your account!!"  
  }  
  else  
5     Print "You cannot withdraw more than $300";  
6 Eject Card;
```

Discussion

- Which is superior?
- Each technique has its strengths -
Use both


Determining Adequacy

- Statement coverage
- Branch coverage
- Path coverage
- All-def-use-path coverage

Surprise Quiz

- Determine test cases so that each **print statement** is executed at least once

```
input(x);  
if (x < 100)  
    print "Line 1";  
else {  
    if (x < 50) print "Line 2";  
    else print "Line 3";  
}
```



Non-execution Based

- Walkthroughs
 - Manual simulation by team leader
- Inspections
 - Developer narrates the reading
- Key Idea
 - Review by a team of experts: Syntax checker?
- Code Readings
- Formal Verification of Correctness
 - Very Expensive
 - Justified in Critical Applications
- Semi-formal: Some Assertions

Simulation

- Integration with system hardware is central to the design
- Model the external hardware
- Model the interface

- Examples
- Discussion

Boundary-value Analysis

- Partition the program domain into input classes
- Choose test data that lies both inside each input class and at the boundary of each class
- Select input that causes output at each class boundary and within each class
- Also known as **stress testing**

Testing Approaches

- Top-down
- Bottom-up
- Big Bang

- Unit testing
- Integration testing
- Stubs
- System testing

Mutation Testing

- Errors are introduced in the program to produce “mutants”
- Run test suite on all mutants and the original program

Test Case Generation

- Test Input to the Software
- Some researchers/authors also define the test case to contain the **expected output** for the test input

Category-partition Method

- **Key idea**
 - **Method for creating functional test suites**
 - **Role of test engineer**
 - Analyze the system specification
 - Write a series of formal test specifications
 - **Automatic generator**
 - Produces test descriptions

Steps

- **Decompose the functional specification into functional units**
 - **Characteristics of functional units**
 - They can be tested independently
 - Examples
 - A top-level user command
 - Or a function
- **Decomposition may require several stages**
- **Similar to high-level decomposition done by software designers**
 - **May be reused, although independent decomposition is recommended**

Steps

- **Examine each functional unit**
 - **Identify parameters**
 - Explicit input to the functional unit
 - **Environmental conditions**
 - Characteristics of the system's state
- **Test Cases**
 - **Specific values of parameters**
 - **And environmental conditions**

Steps

- **"Test cases are chosen to maximize chances of finding errors"**
- **For each parameter & environmental condition**
 - **Find categories**
 - Major property or characteristic
 - Examples
 - Browsers, Operating Systems, array size
 - For each category
 - Find choices
 - » Examples: (IE 5.0, IE 4.5, Netscape 7.0), (Windows NT, Linux), (100, 0, -1)

Steps

- Develop "Formal Test Specification" for each functional unit
 - List of categories
 - Lists of choices within each category
- Constraints
- Automatically produces a set of "test frames"
 - Consists of a set of choices

AI Planning Method

- Key Idea
 - Input to Command-driven software is a sequence of commands
 - The sequence is like a plan
- Scenario to test
 - Initial state
 - Goal state

Example

- VCR command-line software
- Commands
 - **Rewind**
 - If at the end of tape
 - **Play**
 - If fully rewound
 - **Eject**
 - If at the end of tape
 - **Load**
 - If VCR has no tape

Preconditions & Effects

- **Rewind**
 - **Precondition:** If at end of tape
 - **Effects:** At beginning of tape
- **Play**
 - **Precondition:** If at beginning of tape
 - **Effects:** At end of tape
- **Eject**
 - **Precondition:** If at end of tape
 - **Effects:** VCR has no tape
- **Load**
 - **Precondition:** If VCR has no tape
 - **Effects:** VCR has tape

Preconditions & Effects

- **Rewind**
 - Precondition: **end_of_tape**
 - Effects: **¬end_of_tape**
- **Play**
 - Precondition: **¬end_of_tape**
 - Effects: **end_of_tape**
- **Eject**
 - Precondition: **end_of_tape**
 - Effects: **¬has_tape**
- **Load**
 - Precondition: **¬has_tape**
 - Effects: **has_tape**

Initial and Goal States

- **Initial State**
 - **end_of_tape**
- **Goal State**
 - **¬end_of_tape**
- **Plan?**
 - **Rewind**

Initial and Goal States

- Initial State
 - \neg end_of_tape & has_tape
- Goal State
 - \neg has_tape
- Plan?
 - Play
 - Eject

Test Coverage & Adequacy

- How much testing is enough?
- When to stop testing
- Test data selection criteria
- Test data adequacy criteria
 - Stopping rule
 - Degree of adequacy
- Test coverage criteria
- Objective measurement of test quality

Preliminaries

- Test data selection
 - What test cases
- Test data adequacy criteria
 - When to stop testing
- Examples
 - Statement Coverage
 - Branch coverage
 - Def-use coverage
 - Path coverage

Goodenough & Gerhart ['75]

- What is a software test adequacy criterion
 - Predicate that defines "what properties of a program must be exercised to constitute a thorough test", i.e., one whose successful execution implies no errors in a tested program

Uses of test adequacy

- Objectives of testing
- In terms that can be measured
 - For example branch coverage
- Two levels of testing
 - First as a stopping rule
 - Then as a guideline for additional test cases

Categories of Criteria

- Specification based
 - All-combination criterion
 - choices
 - Each-choice-used criterion
- Program based
 - Statement
 - Branch
- Note that in both the above types, the correctness of the output must be checked against the specifications

Others

- Random testing
- Statistical testing
- Interface based