

The Blocks of 5 HS Math Comp Problem

Exposition by William Gasarch-U of MD

Prob 4 of UMCP HS Math Comp. 2025

If A is a finite set then $|A|$ is the number of elements in A .

Prob 4 of UMCP HS Math Comp. 2025

If A is a finite set then $|A|$ is the number of elements in A .

A collection of sets $A_1, \dots, A_m \subseteq \{1, \dots, 2025\}$ is **awesome** if

Prob 4 of UMCP HS Math Comp. 2025

If A is a finite set then $|A|$ is the number of elements in A .

A collection of sets $A_1, \dots, A_m \subseteq \{1, \dots, 2025\}$ is **awesome** if

- ▶ for all $1 \leq i \leq m$, $|A_i| = 5$, and

Prob 4 of UMCP HS Math Comp. 2025

If A is a finite set then $|A|$ is the number of elements in A .

A collection of sets $A_1, \dots, A_m \subseteq \{1, \dots, 2025\}$ is **awesome** if

- ▶ for all $1 \leq i \leq m$, $|A_i| = 5$, and
- ▶ for all $1 \leq i < j \leq m$, $|A_i \cap A_j| = 1$.

Prob 4 of UMCP HS Math Comp. 2025

If A is a finite set then $|A|$ is the number of elements in A .

A collection of sets $A_1, \dots, A_m \subseteq \{1, \dots, 2025\}$ is **awesome** if

- ▶ for all $1 \leq i \leq m$, $|A_i| = 5$, and
- ▶ for all $1 \leq i < j \leq m$, $|A_i \cap A_j| = 1$.
- ▶ for all $k \in \{1, \dots, 2025\}$, there exists $1 \leq i \leq m$, $k \in A_i$.

Prob 4 of UMCP HS Math Comp. 2025

If A is a finite set then $|A|$ is the number of elements in A .

A collection of sets $A_1, \dots, A_m \subseteq \{1, \dots, 2025\}$ is **awesome** if

- ▶ for all $1 \leq i \leq m$, $|A_i| = 5$, and
- ▶ for all $1 \leq i < j \leq m$, $|A_i \cap A_j| = 1$.
- ▶ for all $k \in \{1, \dots, 2025\}$, there exists $1 \leq i \leq m$, $k \in A_i$.

Find the natural number m such that the following are true:

Prob 4 of UMCP HS Math Comp. 2025

If A is a finite set then $|A|$ is the number of elements in A .

A collection of sets $A_1, \dots, A_m \subseteq \{1, \dots, 2025\}$ is **awesome** if

- ▶ for all $1 \leq i \leq m$, $|A_i| = 5$, and
- ▶ for all $1 \leq i < j \leq m$, $|A_i \cap A_j| = 1$.
- ▶ for all $k \in \{1, \dots, 2025\}$, there exists $1 \leq i \leq m$, $k \in A_i$.

Find the natural number m such that the following are true:

- ▶ There exists an awesome collection of m sets.

Prob 4 of UMCP HS Math Comp. 2025

If A is a finite set then $|A|$ is the number of elements in A .

A collection of sets $A_1, \dots, A_m \subseteq \{1, \dots, 2025\}$ is **awesome** if

- ▶ for all $1 \leq i \leq m$, $|A_i| = 5$, and
- ▶ for all $1 \leq i < j \leq m$, $|A_i \cap A_j| = 1$.
- ▶ for all $k \in \{1, \dots, 2025\}$, there exists $1 \leq i \leq m$, $k \in A_i$.

Find the natural number m such that the following are true:

- ▶ There exists an awesome collection of m sets.
- ▶ There does not exist an awesome collection of $m + 1$ sets.

Generalization of the Problem

If A is a finite set then $|A|$ is the number of elements in A .

Generalization of the Problem

If A is a finite set then $|A|$ is the number of elements in A .

Let $n \in \mathbb{N}$.

A collection of sets $A_1, \dots, A_m \subseteq \{1, \dots, n\}$ is **n -awesome** if

Generalization of the Problem

If A is a finite set then $|A|$ is the number of elements in A .

Let $n \in \mathbb{N}$.

A collection of sets $A_1, \dots, A_m \subseteq \{1, \dots, n\}$ is **n -awesome** if

- ▶ for all $1 \leq i \leq m$, $|A_i| = 5$, and

Generalization of the Problem

If A is a finite set then $|A|$ is the number of elements in A .

Let $n \in \mathbb{N}$.

A collection of sets $A_1, \dots, A_m \subseteq \{1, \dots, n\}$ is **n -awesome** if

- ▶ for all $1 \leq i \leq m$, $|A_i| = 5$, and
- ▶ for all $1 \leq i < j \leq m$, $|A_i \cap A_j| = 1$.

Generalization of the Problem

If A is a finite set then $|A|$ is the number of elements in A .

Let $n \in \mathbb{N}$.

A collection of sets $A_1, \dots, A_m \subseteq \{1, \dots, n\}$ is **n -awesome** if

- ▶ for all $1 \leq i \leq m$, $|A_i| = 5$, and
- ▶ for all $1 \leq i < j \leq m$, $|A_i \cap A_j| = 1$.
- ▶ for all $k \in \{1, \dots, n\}$, there exists $1 \leq i \leq m$, $k \in A_i$.

Generalization of the Problem

If A is a finite set then $|A|$ is the number of elements in A .

Let $n \in \mathbb{N}$.

A collection of sets $A_1, \dots, A_m \subseteq \{1, \dots, n\}$ is **n -awesome** if

- ▶ for all $1 \leq i \leq m$, $|A_i| = 5$, and
- ▶ for all $1 \leq i < j \leq m$, $|A_i \cap A_j| = 1$.
- ▶ for all $k \in \{1, \dots, n\}$, there exists $1 \leq i \leq m$, $k \in A_i$.

$f(n)$ is the least $m \in \mathbb{N}$ such that the following hold:

Generalization of the Problem

If A is a finite set then $|A|$ is the number of elements in A .

Let $n \in \mathbb{N}$.

A collection of sets $A_1, \dots, A_m \subseteq \{1, \dots, n\}$ is **n -awesome** if

- ▶ for all $1 \leq i \leq m$, $|A_i| = 5$, and
- ▶ for all $1 \leq i < j \leq m$, $|A_i \cap A_j| = 1$.
- ▶ for all $k \in \{1, \dots, n\}$, there exists $1 \leq i \leq m$, $k \in A_i$.

$f(n)$ is the least $m \in \mathbb{N}$ such that the following hold:

- ▶ There exists an awesome collection of m sets.

Generalization of the Problem

If A is a finite set then $|A|$ is the number of elements in A .

Let $n \in \mathbb{N}$.

A collection of sets $A_1, \dots, A_m \subseteq \{1, \dots, n\}$ is **n -awesome** if

- ▶ for all $1 \leq i \leq m$, $|A_i| = 5$, and
- ▶ for all $1 \leq i < j \leq m$, $|A_i \cap A_j| = 1$.
- ▶ for all $k \in \{1, \dots, n\}$, there exists $1 \leq i \leq m$, $k \in A_i$.

$f(n)$ is the least $m \in \mathbb{N}$ such that the following hold:

- ▶ There exists an awesome collection of m sets.
- ▶ There does not exist an awesome collection of $\geq m + 1$ sets.

Generalization of the Problem

If A is a finite set then $|A|$ is the number of elements in A .

Let $n \in \mathbb{N}$.

A collection of sets $A_1, \dots, A_m \subseteq \{1, \dots, n\}$ is **n -awesome** if

- ▶ for all $1 \leq i \leq m$, $|A_i| = 5$, and
- ▶ for all $1 \leq i < j \leq m$, $|A_i \cap A_j| = 1$.
- ▶ for all $k \in \{1, \dots, n\}$, there exists $1 \leq i \leq m$, $k \in A_i$.

$f(n)$ is the least $m \in \mathbb{N}$ such that the following hold:

- ▶ There exists an awesome collection of m sets.
- ▶ There does not exist an awesome collection of $\geq m + 1$ sets.

Research Problem for $n \geq 5$ find $f(n)$.

Generalization of the Problem

If A is a finite set then $|A|$ is the number of elements in A .

Let $n \in \mathbb{N}$.

A collection of sets $A_1, \dots, A_m \subseteq \{1, \dots, n\}$ is **n -awesome** if

- ▶ for all $1 \leq i \leq m$, $|A_i| = 5$, and
- ▶ for all $1 \leq i < j \leq m$, $|A_i \cap A_j| = 1$.
- ▶ for all $k \in \{1, \dots, n\}$, there exists $1 \leq i \leq m$, $k \in A_i$.

$f(n)$ is the least $m \in \mathbb{N}$ such that the following hold:

- ▶ There exists an awesome collection of m sets.
- ▶ There does not exist an awesome collection of $\geq m + 1$ sets.

Research Problem for $n \geq 5$ find $f(n)$.

Progress so far: I have made **a lot** of progress; however,

Generalization of the Problem

If A is a finite set then $|A|$ is the number of elements in A .

Let $n \in \mathbb{N}$.

A collection of sets $A_1, \dots, A_m \subseteq \{1, \dots, n\}$ is **n -awesome** if

- ▶ for all $1 \leq i \leq m$, $|A_i| = 5$, and
- ▶ for all $1 \leq i < j \leq m$, $|A_i \cap A_j| = 1$.
- ▶ for all $k \in \{1, \dots, n\}$, there exists $1 \leq i \leq m$, $k \in A_i$.

$f(n)$ is the least $m \in \mathbb{N}$ such that the following hold:

- ▶ There exists an awesome collection of m sets.
- ▶ There does not exist an awesome collection of $\geq m + 1$ sets.

Research Problem for $n \geq 5$ find $f(n)$.

Progress so far: I have made **a lot** of progress; however,

a) I want you to think about it yourself before I tell you what I got.

Generalization of the Problem

If A is a finite set then $|A|$ is the number of elements in A .

Let $n \in \mathbb{N}$.

A collection of sets $A_1, \dots, A_m \subseteq \{1, \dots, n\}$ is **n -awesome** if

- ▶ for all $1 \leq i \leq m$, $|A_i| = 5$, and
- ▶ for all $1 \leq i < j \leq m$, $|A_i \cap A_j| = 1$.
- ▶ for all $k \in \{1, \dots, n\}$, there exists $1 \leq i \leq m$, $k \in A_i$.

$f(n)$ is the least $m \in \mathbb{N}$ such that the following hold:

- ▶ There exists an awesome collection of m sets.
- ▶ There does not exist an awesome collection of $\geq m + 1$ sets.

Research Problem for $n \geq 5$ find $f(n)$.

Progress so far: I have made **a lot** of progress; however,

- I want you to think about it yourself before I tell you what I got.
- I need some programs written to actually solve it.

Generalization of the Problem

If A is a finite set then $|A|$ is the number of elements in A .

Let $n \in \mathbb{N}$.

A collection of sets $A_1, \dots, A_m \subseteq \{1, \dots, n\}$ is **n -awesome** if

- ▶ for all $1 \leq i \leq m$, $|A_i| = 5$, and
- ▶ for all $1 \leq i < j \leq m$, $|A_i \cap A_j| = 1$.
- ▶ for all $k \in \{1, \dots, n\}$, there exists $1 \leq i \leq m$, $k \in A_i$.

$f(n)$ is the least $m \in \mathbb{N}$ such that the following hold:

- ▶ There exists an awesome collection of m sets.
- ▶ There does not exist an awesome collection of $\geq m + 1$ sets.

Research Problem for $n \geq 5$ find $f(n)$.

Progress so far: I have made **a lot** of progress; however,

- I want you to think about it yourself before I tell you what I got.
- I need some programs written to actually solve it.

That's where **you** come in!