CSCI216: Threads in a Nutshell

Chris Kauffman

Last Updated: Sun May 11 10:26:20 PM EDT 2025

Logistics Reading Bryant/O'Hallaron

Ch	Read?	Topic	
Ch 12		Concurrent Programming	B&H use Semaphores in
12.1	opt	Conc Progr. w/ Processes	text to coordinate threads
12.2	opt	Conc Progr. w/ I/O Multiplexing	in Ch 12.5
12.3	READ	Conc Progr. w/ Threads	We will use Mutexes instead
12.4	READ	Shared Vars in Threaded Programs	Will explain the minor
12.5	READ	Synchronizing Threads w/ Semaphores	difference
12.6	READ	Using Threads for Parallelism	
12.7	opt	Other Concurrency Issues	

	Date	Event
Assignments	Mon 05-May	Dis: Lab12 Threads
Last Lab / LIV/ for compositor		Lab11/HW11 Due
Last Lab / HVV for semester	Tue 06-May	Threads
Lab12. Threads/Matrix Opt	Wed 07-May	Dis: Lab12 Threads
	Thu 08-May	Threads
HW12: mmap() / pmap	Mon 12-May	Dis: Review
		Lab12 / HW12 Due
P5 Up, Due Tue 13-May	Tue 13-May	Practice Exam
Questions on anything?		P5 Due
Questions on anything:	Wed 14-May	Course Evals Due
	Fri 16-May	Final Exam
	6:30-8:30pm	Lec 1xx: IRB 0324
		Lec 2xx: ESJ 0202

Announcements: Student Feedback Opportunities

- Course Experiences Now Open
- e.g. Rate your Professor
 - https://www.courseexp.umd.edu/
 - If response rate reaches 80% for every section...
 - by Tue 13-May-2025 11:59pm...
 - I will reveal a Final Exam Question
 - No answers but public discussion welcome
 - Feedback open through Wed 14-May

Canvas Exit Survey

- Now open on ELMS/Canvas
- https://umd.instructure.com/courses/1377846/ quizzes/1755599/
- Worth 1 Full Engagement Point for completion
- Due prior to Final Exam (Thu 15-May 11:59pm)

Threads of Control within the Same Process

 Multiple threads execute different parts of the same code for the program concurrently

- Concurrent: simultaneous or in an unspecified order
- Parallel: simultaneous
- Threads each have their own "private" function call stack
- CAN share stack values by passing pointers to them around
- Share the heap and global area of memory
- In Unix, Posix Threads (pthreads) is the most widely available thread library

Processes vs Threads

Process in IPC	Threads in pthreads	
(Marginally) Longer startup	(Marginally) Faster startup	
Must share memory explicitly	Memory shared by default	
Good protection between processes	Little protection between threads	
<pre>fork() / waitpid()</pre>	<pre>pthread_create() / _join()</pre>	

Modern systems (Linux) can use semaphores / mutexes / shared memory / message queues / condition variables to coordinate Processes or Threads

IPC Memory Model

Thread Memory Model







Process and Thread Functions

- Threads and process both represent "flows of control"
- Most ideas have analogs for both

Processes	Threads	Description
fork()	<pre>pthread_create()</pre>	create a new flow of control
<pre>waitpid()</pre>	<pre>pthread_join()</pre>	get exit status from flow of control
getpid()	<pre>pthread_self()</pre>	get "ID" for flow of control
exit()	<pre>pthread_exit()</pre>	exit (normally) from an existing flow
		of control
abort()	<pre>pthread_cancel()</pre>	request abnormal termination of flow
		of control
atexit()	<pre>pthread_cleanup_push()</pre>	register function to be called at exit
		from flow of control

Figure 11.6 Comparison of Process and Thread Primitives From Advanced Programming in the Unix Environment 3rd Ed. by Stevens and Rago Excellent reading for serious systems programmers

Thread Creation

int pthread_join(pthread_t thread, void **retval);

- Start a thread running function start_routine
- attr may be NULL for default attributes
- Pass arguments arg to the function
- Wait for thread to finish, put return in retval

Minimal Example

Code

```
// Minimal example of starting a
// pthread, passing a parameter to the
// thread function, then waiting for it
// to finish
#include <pthread.h>
#include <stdio.h>
```

```
void *doit(void *param){
    int p=(int) param;
    p = p*2;
    return (void *) p;
}
```

Compilation

```
>> gcc pthreads_minimal_example.c -lpthread
pthreads_minimal_example.c: In function 'doit'
pthreads_minimal_example.c:7:9: warning:
    cast from pointer to integer of different
    size [-Wpointer-to-int-cast]
    int p=(int) param;
    pthreads_minimal_example.c:9:10: warning:
    cast to pointer from integer of different
    size [-Wint-to-pointer-cast]
    return (void *) p;
```

```
>> ./a.out
result is: 84
```

- Link the thread library using option gcc ... -lpthread
 May not be necessary on all systems; historically threads library was NOT added to programs by default
- C's type system isn't able to provide both flexibility AND type checking and flexibility is required for thread creation so Warnings ensue

Observations About Pthreads

- Child thread starts running code in the function passed to pthread_create(), function doit() in example
- 2. Main Thread continues immediately, much like fork() but child runs the given function while parent continues as is
- 3. Compilers provide Little syntax support for threads: must do a lot of casting of arguments/returns
- 4. Thread Entry Functions can take a single pointer argument; passing multiple arguments is usually done via a struct
- Can't say in which order Main/Children threads will execute; identical to fork()'d processes

Motivation for Threads

- Like use of fork(), threads increase program complexity
- Improving execution efficiency is a primary motivator
- Assign independent tasks in program to different threads
- 2 common ways this can speed up program runs

(1) Parallel Execution with Threads

- Each thread/task computes part of an answer and then results are combined to form the total solution
- Discuss in Lecture (Pi Calculation)
- REQUIRES multiple CPUs to improve on Single thread; Why?

(2) Hide Latency of Slow Tasks via Threads

- Slow tasks block a thread but Fast tasks can proceed independently allowing program to stay busy while running
- Textbook coverage (I/O latency reduction)
- Does NOT require multiple CPUs to get benefit Why?

Model Problem: A Slice of Pi

- \blacktriangleright Calculate the value of $\pi \approx 3.14159$
- Simple Monte Carlo algorithm to do this
- Randomly generate positive (x,y) coords
- Compute distance between (x,y) and (0,0)
- ▶ If distance ≤ 1 increment "hits"
- Counting number of points in the positive quarter circle
- After large number of hits, have approximation

$$\pi\approx 4\times \frac{\rm total\ hits}{\rm total\ points}$$



Algorithm generates dots, computes fraction of red which indicates area of quarter circle compared to square

Exercise: picalc_pthreads_broken.c

Serial Version (Single Thread)

- picalc_serial.c codes Monte Carlo approximation for Pi
- Uses rand_r() to generate pseudo-random numbers
- picalc_rand.c uses traditional rand(), discuss more later

Parallel Version (Multiple Threads)

Examine source code for pthreads_picalc_broken.c Discuss following questions with a neighbor

- 1. How many threads are created? Fixed or variable?
- 2. How do the threads cooperate? Is there shared information?
- 3. Do the threads use the same or different random number sequences?
- 4. Will this code actually produce good estimates of π ?

Exercise: pthreads_picalc_broken.c

```
1 long total hits = 0; long points per thread = -1;
 2
 3 void *compute_pi(void *arg){
     long thread id = (long) arg;
 4
 5
     unsigned int rstate = 123456789 * thread id; // unique seed per thread
     for (int i = 0; i < points_per_thread; i++) {</pre>
6
       double x = ((double) rand_r(&rstate)) / ((double) RAND_MAX);
7
       double y = ((double) rand r(&rstate)) / ((double) RAND MAX);
8
       if (x*x + v*v \le 1.0)
9
         total hits++:
10
       }
11
12
     }
13
     return NULL:
14 }
15 int main(int argc, char **argv) {
     long npoints = atol(argv[1]);
                                                    // number of samples
16
     int num_threads = argc>2 ? atoi(argv[2]) : 4; // number of threads
17
18
     points_per_thread = npoints / num_threads; // init global variables
     pthread t threads [num threads]:
                                                 // track each thread
19
     for(long p=0; p<num_threads; p++){</pre>
                                           // launch each thread
20
       pthread create(&threads[p],NULL,compute pi, (void *) (p+1));
21
22
     3
23
     for(int p=0: p<num threads: p++){</pre>
                                                     // wait for each thread to finish
       pthread_join(threads[p], (void **) NULL);
24
     ŀ
25
     double pi_est = ((double)total_hits) / npoints * 4.0;
26
     printf("npoints: %8ld\n",npoints);
27
28
     printf("hits: %8ld\n",total hits);
     printf("pi est: %f\n",pi est);
29
30
     return 0:
31 }
```

Answers: pthreads_picalc_broken.c

- 1. How many threads are created? Fixed or variable?
 - Threads specified on command line
- 2. How do the threads cooperate? Is there shared information?
 - Shared global variable total_hits
- 3. Do the threads use the same or different random number sequences?
 - Different, seed is based on thread number
- 4. Will this code actually produce good estimates of π ?
 - Nope: not coordinating updates to total_hits so will likely be wrong

```
> gcc -Wall pthreads_picalc_broken.c -lpthread
> a.out 10000000 4
npoints: 10000000
hits: 3134064
pi_est: 1.253626 # not a good estimate for 3.14159
```

Why is pthreads_picalc_broken.c so wrong?

- The instructions total_hits++; is not atomic
- Translates to assembly
 - // total_hits stored at address #1024
 - 30: load REG1 from #1024
 - 31: increment REG1
 - 32: store REG1 into #1024
- Interleaving of these instructions by several threads leads to undercounting total_hits¹

Mem #1024	Thread 1	REG1	Thread 2	REG1
total_hits	Instruction	Value	Instruction	Value
100				
	30: load REG1	100		
	31: incr REG1	101		
101	32: store REG1			
			30: load REG1	101
			31: incr REG1	102
102			32: store REG1	
	30: load REG1	102		
	31: incr REG1	103		
			30: load REG1	102
			31: incr REG1	103
103			32: store REG1	
103	32: store REG1			

¹CSAPP Ch 12.5 discusses similar code for another example

Critical Regions and Mutex Locks

```
    Access to shared variables
must be coordinated among
threads
```

```
    A mutex allows mutual
exclusion
```

```
    Locking a mutex is an
atomic operation like
incrementing/decrementing
a semaphore
```

```
pthread_mutex_t lock;
```

```
int main(){
    // initialize a lock
    pthread_mutex_init(&lock, NULL);
    ...;
    // release lock resources
    pthread_mutex_destroy(&lock);
}
```

```
void *thread_work(void *arg){
    ...
    // block until lock acquired
    pthread mutex lock(&lock):
```

```
do critical;
stuff in here;
```

3

```
// unlock for others
pthread_mutex_unlock(&lock);
...
```

Exercise: Protect critical region of picalc

```
Insert calls to pthread_mutex_lock() / _unlock()
 Protect the critical region and Predict effects on execution
 1 int total_hits=0;
 2 int points_per_thread = ...;
 3 pthread_mutex_t lock;
                                          // initialized in main()
4
 5 void *compute_pi(void *arg){
     long thread_id = (long) arg;
6
7
    unsigned int rstate = 123456789 * thread_id;
     for (int i = 0; i < points_per_thread; i++) {</pre>
8
9
       double x = ((double) rand_r(&rstate)) / ((double) RAND_MAX);
      double y = ((double) rand_r(&rstate)) / ((double) RAND_MAX);
10
      if (x*x + y*y \le 1.0){
11
         total_hits++;
12
                                                    // update
13
      }
14
     }
15
     return NULL;
16 }
```

Answers: Protect critical region of picalc

```
Naive approach
if (x*x + y*y <= 1.0){
    pthread_mutex_lock(&lock); // lock global variable
    total_hits++; // update
    pthread_mutex_unlock(&lock); // unlock global variable
}</pre>
```

Ensures correct answers but...

Severe effects on performance (next slide)

Speedup?

Multiple threads should decrease wall (real) time and give Speedup:

$\mathsf{Speedup} = \frac{\mathsf{Serial Time}}{\mathsf{Parallel Time}}$

▶ Ideally want linear speedup: 2X speedup for 2 Threads, etc.

```
> gcc -Wall picalc_serial.c -lpthread
> time a.out 100000000 > /dev/null
                                     # SERIAL version
real 0m1.553s
                                        # 1.55 s wall time
user 0m1.550s
sys 0m0.000s
> gcc -Wall pthreads_picalc_mutex.c -lpthread
> time a.out 100000000 1 > /dev/null
                                        # PARALLEL 1 thread
real 0m2.442s
                                        # 2.44s wall time ?
user 0m2.439s
svs 0m0.000s
> time a.out 100000000 2 > /dev/null
                                     # PARALLEL 2 threads
real 0m7.948s
                                        # 7.95s wall time??
user 0m12.640s
sys 0m3.184s
> time a.out 100000000 4 > /dev/null
                                     # PARALLEL 4 threads
real 0m9.780s
                                        # 9.78s wall time???
user 0m18.593s
                                        # wait, something is
      0m18.357s
                                        # terribly wrong...
sys
```

time Utility Reports 3 Times

```
# 'time prog args' reports 3 times for program runs
# - real: amount of "wall" clock time, how long you have to wait
# - user: CPU time used by program, sum of ALL threads in use
# - svs : amount of CPU time OS spends in system calls for program
> time seq 10000000 > /dev/null
                                        # print numbers in sequence
real 0m0.081s
                                       # real == user time
user 0m0.081s
                                       # 100% cpu utilization
sys Om0.000s
                                        # 1 thread, few syscalls
> time du ~ > /dev/null
                                    # check disk usage of home dir
real 0m2.012s
                                       # real >= user + sys
                                        # 50% CPU utilization, lots of syscalls for I/O
user 0m0.292s
sys 0m0.691s
                                        # I/O bound: blocking on hardware stalls
> time ping -c 3 google.com > /dev/null # contact google.com 3 times
real 0m2.063s
                                        # real >>= user+svs time
user 0m0.003s
                                        # low cpu utilization
sys 0m0.007s
                                        # lots of blocking on network
> time make > /dev/null
                                       # make with 1 thread
real 0m0.453s
                                        # real == user+sys time
user 0m0.364s
                                        # ~100% cpu utilization
svs 0m0.089s
                                        # syscalls for I/O but not I/O bound
> time make -j 4 > /dev/null
                                        # make with 4 "jobs" (threads/processes)
real 0m0.176s
                                        # real <= user+svs</pre>
user 0m0.499s
                                        # syscalls for I/O and coordination
                                        # parallel execution gives SPEEDUP!
sys 0m0.111s
```

Avoiding Mutex Contention for Efficiency

- Locking/Unlocking Mutexes is a system call, takes time for the OS to coordinate threads
- Avoiding repeated lock/unlock cycles saves time
- Often necessitates private data per thread to contention
- In this case, private data is just a single integer but it may be more complex in other settings (e.g. whole vector, matrix, data structure, etc.)

```
// picalc_pthreads_mutex.c
// LOTS of lock contention: slow down
for (int i=0; i<points_per_thread; i++) {
    double x = ...;
    if (x*x + y*y <= 1.0){
        pthread_mutex_lock(&lock);
        total_hits++;
        pthread_mutex_unlock(&lock);
    }
}</pre>
```

```
// picalc_pthreads_mutex_nocontention.c
// LITTLE lock contention: speedup
int my_hits = 0; // private per thread
for (int i=0; i<points_per_thread; i++) {
    double x = ...;
    if (x*x + y*y <= 1.0){
        my_hits++;
    }
    }
    pthread_mutex_lock(&lock);
    total_hits += my_hits;
    pthread_mutex_unlock(&lock);
</pre>
```

Speedup!

- This problem is almost embarassingly parallel: very little communication/coordination required
- Solid speedup gained but note that the user time increases as # threads increases due to overhead

```
# 8-processor desktop
> gcc -Wall picalc pthreads mutex nocontention.c -lpthread
> time a.out 100000000 1 > /dev/null # 1 thread
real 0m1.523s
                                   # 1.52s. similar to serial
user 0m1.520s
sys Om0.000s
> time a.out 100000000 2 > /dev/null # 2 threads
real 0m0.797s
                                   # 0.80s, about 50% time
user 0m1.584s
sys Om0.000s
> time a.out 100000000 4 > /dev/null # 4 threads
real 0m0.412s
                                   # 0.41s, about 25% time
user 0m1.628s
sys 0m0.003s
> time a.out 100000000 8 > /dev/null # 8 threads
real 0m0.238s
                                   # 0.24, about 12.5% time
user 0m1.823s
sys 0m0.003s
```

Alternative Approach: Lock Free

As an alternative, can completely avoid the global variable / lock by having working threads return private sums which are received by main() and totaled in it, a more *functional* approach

```
void *compute pi(void *arg){
  long thread_id = (long) arg;
  int my hits = 0:
                                                 // private count for this thread
  unsigned int rstate = 123456789 * thread_id;
  for (int i = 0; i < points per thread; i++) {</pre>
    double x = ((double) rand_r(&rstate)) / ((double) RAND_MAX);
    double y = ((double) rand_r(&rstate)) / ((double) RAND_MAX);
    if (x*x + y*y <= 1.0){
      my_hits++;
                                                // update local
    }
  }
  return (void *) my hits;
int main(){
  . . .
  int total hits = 0;
 for(int p=0: p<nthreads: p++){</pre>
    int hits:
    pthread join(threads[p], (void **) &hits);
    total_hits += hits;
  }
}
```

rand() vs rand_r() Function Usage

Consider left/right examples below

- Very similar except use of rand_r() vs rand() functions
- Note the usage differences, rand_r() has state in its parameter, rand() uses hidden global variable for its state

```
// picalc_pthreads_mutex_nocontention.c:
int main(){
  . . . :
 pthread create(...,compute pi,i+1);
  . . . ;
}
void *compute pi(void *arg){
 long thread_id = (long) arg;
 unsigned int rstate =
    123456789 * thread id;
 int my hits = 0:
 for (int i=0; i<points_per_thread; i++){</pre>
    double x = ((double) rand r(&rstate))
               / ((double) RAND MAX);
    double y = ((double) rand_r(&rstate))
               / ((double) RAND MAX);
    if (x*x + y*y \le 1.0){
      my_hits++;
   }
  }
```

```
// picalc_pthreads_rand.c:
int main(){
   ...;
   srand(123456789); // seed generator
   ...;
}
```

Exercise: rand() vs rand_r() Function Performance

Which of these to seems to scale better with the number of threads? Why do you think the slower suffers?

val>> gcc -o p_rand_r picalc_pthreads_rand_r.cval>> gcc -o p_rand picalc_pthreads_rand.c

<pre>val>> time ./p_rand_r 1000000 1 npoints: 1000000 hits: 785235 pi_est: 3.140940 real 0m0.060s user 0m0.054s sys 0m0.004s</pre>	<pre>val> time ./p_rand 1000000 1 npoints: 1000000 hits: 785229 pi_est: 3.140916 real 0m0.136s user 0m0.133s sys 0m0.001s</pre>
<pre>val>> time ./p_rand_r 1000000 2 npoints: 1000000 hits: 784938 pi_est: 3.139752 real 0m0.038s user 0m0.061s sys 0m0.004s</pre>	<pre>val>> time ./p_rand 1000000 2 npoints: 1000000 hits: 784982 pi_est: 3.139928 real 0m1.018s user 0m1.166s sys 0m0.855s</pre>
<pre>val>> time ./p_rand_r 1000000 4 npoints: 1000000 hits: 785398 pi_est: 3.141592 real 0m0.023s user 0m0.061s sys 0m0.004s</pre>	<pre>val>> time ./p_rand 1000000 4 npoints: 1000000 hits: 785589 pi_est: 3.142356 real 0m0.522s user 0m0.970s sys 0m0.954s</pre>

Answers: rand() vs rand_r() Function Performance

- rand_r() is faster out of the gate and runs faster with more threads
- rand() runs slower for 1 thread, slows down significantly at 2 threads, still slow at 4 threads
- rand() must protect the global variable representing the random number state with mutual exclusion: each call to rand() likely involves some sort lock/compute/unlock
- This slows things down for the rand() version
- rand_r() puts the random number generation state in each thread so no coordination is needed: unshared data leads to speed

```
// GLIBC rand.c
int rand (void) {
  return (int) __random ();
}
```

```
// GLIBC random.c
static struct random_data unsafe_state = {...}
long int __random (void) {
    int32_t retval;
    __libc_lock_lock (lock);
    (void) __random_r (&unsafe_state, &retval);
    __libc_lock_unlock (lock);
    return retval;
}
```

Meaning of Thread Safety

Thread safety is achieved in one of two ways

- 1. Use local data only: no shared data
- 2. Protect shared data with mutex locking/unlocking around critical regions

Historically many Unix library functions were not thread-safe

- malloc() / free() operated on the heap, a shared data structure; not initially thread-safe but modern incarnations are using combinations of (hidden) local data and mutexs
- rand() function was historically NOT thread-safe
 - used a global variable as the state of the random number generator
 - multiple threads calling it would corrupt the state leading too... random numbers (unpredictable random numbers)
 - rand_r() was introduced to fix this, use local state
 - Most rand() implementations are now thread-safe and rand_r() has been deprecated: will be eventually removed
 - Switch to the jrand48() function for similar functionality to rand_r()

Thread-Safe Functions Documentation

Manual pages for library functions often describe whether they are safe for multiple threads to use or not

MALLOC(3)

Library Functions Manual

MALLOC(3)

NAME

malloc, free, calloc, realloc, reallocarray - allocate and free dynamic memory

· · ·

ATTRIBUTES

	+	
Interface	Attribute Value	
	+	
<pre>malloc(), free(), calloc(), realloc()</pre>	Thread safety MT-Safe	
	+	

CRYPT(3) Library Functions Manual CRYPT(3)

NAME

ATTRIBUTES

 Interface 	Attribute	Value
crypt	Thread safety	MT-UnSafe race
crypt_r, crypt_rn, crypt_ra 	Thread safety	MT-Safe

Reentrant Functions

A related concept to Thread Safe functions are **Reentrant Functions**

... reentrant if it can be interrupted in the middle of its execution, and then be safely called again ("re-entered") before its previous invocations complete execution.

- Wikipedia: Reentrancy

General hierearchy is:

Quality	Probable Causes
Thread Unsafe	Uses shared data without coordination
Thread Safe	Uses shared data (e.g. mutex locking), not necessarily reentrant
Reentrant	Uses local data, Thread-safe by default

Reentrant functions are important as one would write **signal handlers** as handlers can be interrupted and lead to re-entering a function

Thread IDs: OS-Level vs Logical

OS Thread ID Functions Thread ID functions exist on most UNIX platforms but...

```
// treat thread as a big integer
unsigned long = pthread_self();
```

```
// Non-portable, non-linux
pthread_id_np_t tid =
    pthread_getthreadid_np();
```

NONE of the above are likely give thread ids numbered 0,1,2,3... on all systems and should not be used when such logic is desired

Logical Thread IDs

When logical IDs (0,1,2,..) are required, can be created simply and passed via "context" data

```
// pthread_sum_array.c:
typedef struct {
    int threadid;
```

```
} work_context_t;
```

} ...;

```
void *worker_func(void *arg){
  work_context_t *ctx =
    (work_context *) arg;
  int my_id = ctx->threadid;
  ...;
}
int main(){
    ...;
work_context_t ctxs[4]={};
for(int i=0; i<4; i++){
    ctxs[i].thread_id = i;
}</pre>
```

Examine: pthread_sum_array.c

- Common thread code patterns demonstrated there
- To make threaded functions more general avoid use of global variables
- Commonly requires passing pointers to a struct as the argument to worker threads; Kauffman uses the term "context" for this struct but that is not in wide use
- The struct usually carries essential information into a worker thread function:
 - ► Thread's ID and total # threads
 - Pointers to data on which to operate
 - Pointers to any data needed to coordinate (e.g. Mutexes)
- Context struct provides all that's needed for threads to do their share of work
- Avoids the need to use a global variable: code is more self-contained
- Use this idea in Project 5 to set up coordination

Mutex vs Semaphore

Similarities

- Both used to protect critical regions of code from other processes/threads
- Both use non-busy waiting
 - process/thread blocks if locked by another
 - unlocking wakes up a blocked process/thread
- Both can be process private or shared between processes
 - Shared mutex requires shared memory
 - Private semaphore with option pshared==0

Differences

- Semaphores loosely associated to Process coordination
- Mutexes loosely associated to to Thread coordination
- Both can be used for either with correct setup
- Semaphores posses an arbitrary natural number, usually
 0 for locked, 1,2,3,.. for available
- Mutexes are either locked/unlocked
- Mutexes have a busy locking variant: pthread_spinlock_t

Semaphore Terminology and History

- "Semaphore" generally some sort of signaling mechanism to control a shared resource, usage in computing originated from Railway Semaphores used to control Single Train Tracks to avoid collisions
- Use in computing attributed to Edsger Dijkstra, slightly more general than typical Mutex lock, slightly different terminology

	Acquire	Release
Mutex	lock()	unlock()
Semaphore	<pre>wait()</pre>	<pre>post() / signal()</pre>



- There are two major UNIX versions of Semaphores
 - POSIX Semaphores which are newer, widely available, have a relatively clean design, should be used in new code
 - System V IPC Semaphores which are old, a bit nutty, and should be avoided in new code if at all possible

Mutex Gotchas

- Managing multiple mutex locks is tricky: wrong protocol may result in deadlock, threads waiting for each other to release locks
- Same thread locking same mutex twice can cause deadlock depending on options associated with mutex
- Interactions between threads with different scheduling priority are also tough to understand and the source of trouble
- Notable Mutex problem in the Mars Pathfinder Onboard Computer
 - Used multiple threads with differing priorities to manage limited hardware
 - Shortly after landing, started rebooting like crazy due to odd thread interactions
 - Short-lived, low-priority thread got a mutex, pre-empted by long-running medium priority thread, system freaked out because others could not use resource associated with mutex
 - Search for articles on "Thread Priority Inversion" problems which is the class of problems that nearly derailed the mission

PThread Barriers

```
pthread_barrier_t barrier;
// data type used to manage barriers
```

```
int pthread_barrier_wait(pthread_barrier_t *barrier);
// Blocks calling thread until a specified number of other threads
// wait on barrier. All threads proceed once count is reached.
```

```
int pthread_barrier_destroy(pthread_barrier_t *barrier);
// De-allocate barrier data
```

- Construct that allows bulk synchronization between threads
- Can ensure all threads reach a certain point before proceeding
- pthread_barrier_demo.c: shows basic purpose of barriers

Exercise: Scaling an Array

- Adapt the approach of the earlier sum example to scale elements of an array by dividing each element by the sum
- Use a pthread_barrier_t with pthread_barrier_wait() to coordinate parts of the computation

} ...;

```
void *workfunc(void *arg){
    ...;
    double my_sum = 0.0;
    for(long i=start; i<stop; i++){
        my_sum += ctx.array[i];
    }
</pre>
```

```
pthread_mutex_lock(ctx.lock);
*ctx.total_sum += my_sum;
pthread_mutex_unlock(ctx.lock);
```

```
// ADD COORDINATION / SCALING HERE
return NULL;
```

3

```
// MODIFY TO INCLUDE BARRIER DATA
int main() {
    ...;
    pthread_mutex_t lock;
    pthread_mutex_init(&lock,NULL);
```

```
pthread_t threads[num_threads];
work_context_t context[num_threads];
```

```
for(int i=0; i<num_threads; i++){
    ...;
    context[i].lock = &lock;</pre>
```

Answers: Scaling an Array

See pthread_scale_array.c for full solution

```
void *workfunc(void *arg){
   ...;
   double my_sum = 0.0;
   for(long i=start; i<stop; i++){
     my_sum += ctx.array[i];
   }
}</pre>
```

```
pthread_mutex_lock(ctx.lock);
*ctx.total_sum += my_sum;
pthread_mutex_unlock(ctx.lock);
```

```
// ADD COORDINATION / SCALING HERE
pthread_barrier_wait(ctx.barrier);
my_sum = *ctx.total_sum;
for(long i=start; i<stop; i++){
   ctx.array[i] /= my_sum;
}</pre>
```

```
return NULL;
```

}

```
pthread_t threads[num_threads];
work_context_t context[num_threads];
```

```
for(int i=0; i<num_threads; i++){
   ...;
   context[i].lock = &lock;
   context[i].barrier = &barrier;</pre>
```

} ...;

==== END SPRING 2025 CONTENT =====

Remaining content is optional but informative

(Optional) Exercise: Mutex Busy wait or not?

5

14 15

18

21

23

24

25

26

27

28

- Consider given program
- Threads acquire a mutex, sleep ^o₇ 1s. release
- Predict user and real/wall times if
 - 1. Mutex uses busy waiting (polling)
 - 2. Mutex uses interrupt driven waiting (sleep/wakup when ready)
- Can verify by compiling and running

time a.out

```
1 // Busv?
   int glob = 1;
   pthread mutex t glob lock;
  void *doit(void *param){
     pthread mutex lock(&glob lock);
     glob = glob*2;
     sleep(1);
8
     pthread_mutex_unlock(&glob_lock);
9
10
     return NULL;
11 }
12
13
   int main(){
     printf("BEFORE glob: %d\n",glob);
16
     pthread mutex init(&glob lock, NULL);
17
     pthread t thread 1;
     pthread create(&thread 1. NULL, doit, NULL);
     pthread t thread 2:
19
     pthread create(&thread 2, NULL, doit, NULL);
20
     pthread_join(thread_1, (void **) NULL);
22
     pthread join(thread 2, (void **) NULL);
     printf("AFTER glob: %d\n",glob);
     pthread mutex destroy(&glob lock);
     return 0:
29 }
```

Answers: Mutex Busy wait or not? NOT

- Locking is **Not** a busy wait
- Either get the lock and proceed OR
- Block and get woken up when the lock is available
- Timing is
 - real: 2.000s
 - user: 0.001s
- Contrast with time_spinlock.c:
 - real: 2.000s
 - user: 1.001s
- pthread_spinlock_* like ²⁴₂₅ mutex but wait "busily": ²⁶₂₇ faster access for more CPU ²⁸₂₉ ²

```
1 // time_mutex_.c: Not busy, blocked!
  int glob = 1;
 2
   pthread mutex t glob lock;
  void *doit(void *param){
 5
     pthread mutex lock(&glob lock);
 6
     glob = glob*2;
 7
     sleep(1);
8
 9
     pthread_mutex_unlock(&glob_lock);
10
     return NULL;
11 }
12
13
   int main(){
     printf("BEFORE glob: %d\n",glob);
14
15
     pthread mutex init(&glob lock, NULL);
16
     pthread t thread 1;
17
     pthread create(&thread 1. NULL, doit, NULL);
18
     pthread t thread 2:
19
     pthread create(&thread 2, NULL, doit, NULL);
20
21
     pthread_join(thread_1, (void **) NULL);
22
23
     pthread join(thread 2, (void **) NULL);
     printf("AFTER glob: %d\n",glob);
     pthread mutex destroy(&glob lock);
     return 0:
```

Mixing Processes and Threads

- You can mix IPC and Threads if you hate yourself enough. Dealing with signals can be complicated even with a process-based paradigm. Introducing threads into the picture makes things even more complicated.
 Stevens/Rago Ch 12.8²
- Strongly suggest you examine Stevens and Rago 12.8-12.10 to find out the following **pitfalls**:
- Threads have individual Signal Masks (for blocking) but share Signal Disposition (for handling funcs/termination)
- Calling fork() from a thread creates a new process with all the locks/mutexes of the parent but only one thread (!?)

Usually implement a pthread_atfork() handler for this

Multiple threads should use pread() / pwrite() to read/write from specific offsets; ensure that they do not step on each other's I/O calls

²Advanced Programming in the Unix Environment, 3rd Ed by Richard Stevens and Stephen A. Rago

Are they really so different?

- Unix standards strongly distinguish between threads and processes: different system calls, sharing, etc.
- Due to their similarities, you should be skeptical of this distinction as smart+lazy OS implementers can exploit it: Linux uses a 1-1 threading model, with (to the kernel) no distinction between processes and threads – everything is simply a runnable task.

On Linux, the system call clone() clones a task, with a configurable level of sharing...

Unix Syscall	Linux implementation	
fork()	clone(LEAST sharing)	
<pre>pthread_create()</pre>	clone(MOST sharing)	

- Ryan Emerle, SO: "Threads vs Processes in Linux"

The "1-1" model is widely used (Linux, BSD, Windows(?)) but conventions vary between OSs: check your implementation for details

Lightweight Threads of Various Colors

- Pthreads are (almost) guaranteed to interact with the OS
- On Linux, a Pthread is a "schedulable" entity which is automatically given time on the CPU by the scheduler
- Other kinds of threads exist with different properties with various names, notably lightweight / green threads

Green threads are threads that are scheduled by a runtime library or virtual machine (VM) instead of natively by the underlying operating system (OS).

- Wikip: Green Threads
- Lightweight/Green thread library usually means OS only sees a single process
- Process itself must manage its internal threads with its own scheduler / yield semantics
 - Advantage: Fast startup :-D
 - **Drawback**: No parallelism :-(

(Optional) Exercise: Processes vs Threads

Processes when...

Identify some obvious signs your application should you use processes vs...

Threads when...

Identify some obvious signs your application should you use threads instead

Answers: Processes vs Threads

Processes when...

- Limited amount of sharing needed, file or single block of memory
- Want ability to monitor/manage/kill distinct tasks with standard OS tools
- Plan to make use of signals in any appreciable way

Threads when...

- Tasks must share a lot of data
- Likely that won't need to individually monitor tasks
- Absolutely need fastest possible startup of subtasks

Threads Should be Chosen Cautiously

- Managing concurrency is hard
- Separate processes provide one means to do so, often a good start as defaults to nothing shared
- Performance benefits of threads come with MANY disadvantages and pitfalls
- If forced to use threads, consider design carefully
- If possible, use a higher-level thread manager like OpenMP, well-suited for parallelizing loops for worker threads
- Avoid mixing threads/IPC if possible
- Prepare for a tough slog...